

LONG-TERM OUTDOOR DINING PROGRAM UPDATE

Public Works Department

Land Use, Sustainability, and Resilience Committee November 14, 2022

RiversideCA.gov

BACKGROUND

ltem	Date	Action
1	2/8/21	Committee provides preliminary feedback on a Request for Proposals to develop an Outdoor Dining Program
2	6/15/21	State reopens to full capacity, demand for Temporary Outdoor Flex Space program diminishes.
3	7/12/21	The City issued the initial Temporary Outdoor Flex Space order to help establish outdoor dining facilities.
4	9/1/21	The Southern California Association of Governments initiates its "Curbspace Management" study alongside Riverside staff
5	9/27/21	Proposal received for Outdoor Dining RFP – cost exceeds approved budget
杰		2
RIVERSIDI		RiversideCA.gov

1

BACKGROUND			
Iten	n Date	Action	
6	10/8/21	Governor signs SB 314, SB 389 and AB 61 – extending state level approvals associated with Outdoor Dining and to-go sale of alcohol.	
7	4/25/22	Staff receive pilot recommendations for Curbspace Management – include recommendations for outdoor dining and sidewalk space programming.	
8	5/15/22	Staff commence public briefings on Curbspace Management and engagement surrounding Long Term Outdoor Dining.	
9	6/13/22	The LUSRC presentation of this item was continued to a future meeting resulting from a scheduling conflict. Staff have continued to engage with businesses regarding outdoor dining in the interim.	
∕≛		3	
RiversideCA.gov			

3


STAFF EFFORTS AND INITIAL RECOMMENDATIONS

- 1. Staff have initiated engagement with stakeholders
- 2. Staff have issued a poll to all Temporary Outdoor Flex Space participants
- 3. Staff reviewing State legislation and its applicability in Riverside



4. Staff recommending to transition many elements of the Temporary Outdoor Flex Space program to the long-term program







RECOMMENDATION

That the Land Use, Sustainability, and Resilience Committee receive a report on staff's progress in adopting a Citywide Long-term Outdoor Dining Program.



RiversideCA.gov

7