


APPENDIX B

Biological Resources Assessment

Biological Resources Assessment
Mikasa Luxury Villas Residential Development
Project
City of Riverside, Riverside County, California



Prepared For: Impact Sciences
811 West Seventh Street, Suite 200
Los Angeles, CA 90017

Report Date: September 2023



Sacramento Valley — Inland Empire — Greater Los Angeles — San Diego
www.Bargas.com





Project Team

Report Author(s):	Gregory Garcia
Field Surveyor(s):	Dustin Baumbach
GIS:	Dustin Baumbach
Project Manager:	Dustin Baumbach
Principal In Charge	Angela DePaoli
Review Teams:	Anthony Hartman, Jinnah Benn, and Linda Nations
 Recommended Citation:	 Bargas. 2023. Biological Resources Assessment – Mikasa Multifamily Development, the City of Riverside, Riverside County, California. Prepared for Raney Planning & Management, Inc., September, 2023



Table of Contents

1	Introduction.....	1
1.1	Summary of Findings	1
1.2	Project Location.....	1
2	Regulatory Setting.....	4
2.1	Federal.....	4
2.1.1	Federal Endangered Species Act	4
2.1.2	Migratory Bird Treaty Act.....	5
2.1.3	Clean Water Act of the United States	5
2.2	State of California	6
2.2.1	California Environmental Quality Act	6
2.2.2	California Endangered Species Act.....	6
2.2.3	California Fish and Game Code.....	7
2.2.4	California Native Plant Protection Act.....	8
2.2.5	Porter-Cologne Water Quality Control Act.....	8
2.2.6	State Wetland Definition and Procedures.....	8
2.3	Local Policies and Ordinances	9
2.3.1	Western Riverside County Multiple Species Habitat Conservation Plan	9
2.3.2	City of Riverside 2025 General Plan	9
2.3.3	Riverside Urban Forestry Policy Riverside County Code Chapter 12.24: Tree Removal	10
3	Methods	11
3.1	Desktop Review	11
3.1.1	Biological Setting	11
3.1.2	Special Status Species & Habitats.....	11
3.1.3	Occurrence Potential	12
3.2	Field Surveys.....	Error! Bookmark not defined.
4	Results	14
4.1	Biological Setting	14
4.2	Soils.....	14
4.3	Habitats	16
4.4	Aquatic Resources	16



4.5	Special Status Species.....	16
4.5.1	Special Status Plants.....	16
4.5.2	Special Status Wildlife	19
4.6	Other Considerations	23
4.6.1	Wildlife Movement.....	23
4.6.2	Nesting Birds.....	23
5	Conclusions and Recommendations	24
5.1	Special status Plant Species.....	24
5.1.1	Special status Wildlife Species.....	24
6	Literature Cited.....	25

List of Figures

Figure 1. Project Site and Vicinity.....	2
Figure 2. Area Reference	3
Figure 3. Soils Map	15

Appendices

- A. Plants and Wildlife Observed in the BSA
- B. Special Status Biological Resource Summary
- C. Site Photographs



1 Introduction

Bargas Environmental Consulting, LLC (Bargas) has prepared this Biological Resources Assessment (hereafter, Assessment) in support of the Mikasa Multifamily Development (Project) located in the City of Riverside, Riverside County, CA. This Assessment analyzes the potential for special-status endangered, threatened, and sensitive species and their habitats to occur within the Biological Study Area (BSA).

1.1 Summary of Findings

The BSA does not include potential habitat for special-status plant or wildlife species. No aquatic resources or other sensitive habitats were observed within the BSA.



1.2 Project Location

The proposed Project is a less than 5-acres vacant lot (Assessor Parcel Numbers [APN] 143-040-010, 143-040-011, and 143-040-012) located east of Hedrick Avenue and west of Jones Avenue in the City of Riverside (**Figure 1**).
Definitions

The following definitions for areas will be followed throughout this report:

- **Project site:** The Project site is defined as the less than five acres being analyzed for Project entitlements.
- **Biological Study Area:** The BSA is defined as the Project site and a 500-foot buffer. This is the area within which biological resources were fully analyzed.
- **Regional Study Area:** The Regional Study Area is defined as the Project site and a 3-mile buffer. The Regional Study Area was used as the basis for determining special-status biological resource records for consideration in this report.

A map depicting these areas is provided as **Figure 2**.



Source: ESRI ArcGIS Online Basemap - World Topographic Map, World Street Map

Public Land Survey System (PLSS):
San Bernardino Meridian, Township 3S, Range 6W, Section 00

USGS Quad(s): Western Riverside (2022)

Watershed: Santa Ana (18070203)

Project Site Coordinates: - 33.9206154, -117.4797493


Figure 1
Project Site and Vicinity

Mikasa Multifamily Development





Source: Bing Maps Hybrid



Biological Study Area

Figure 2
Study Area

Mikasa Multifamily Development



2 Regulatory Setting

2.1 Federal

2.1.1 Federal Endangered Species Act

The Federal Endangered Species Act (FESA) is the federal government's primary regulation protecting rare and declining plant and wildlife species. FESA is jointly implemented by the United States Fish and Wildlife Service (USFWS) and the National Marine Fisheries Service (NMFS, addressing marine resources only). FESA protects species using the following status designations:

- A federally **endangered** species is a species of invertebrate, plant, or wildlife formally listed by the USFWS under FESA as facing extinction throughout all or a significant portion of its geographic range.
- A federally **threatened** species is one formally listed by the USFWS as likely to become endangered within the foreseeable future throughout all or a significant portion of its range.
- A **proposed** threatened or endangered species is one officially proposed by the USFWS for addition to the federal threatened or endangered species list.
- **Candidate** species are "plants and animals for which the USFWS has sufficient information on their biological status and threats to propose them as endangered or threatened under FESA, but for which development of a proposed listing regulation is precluded by other higher priority listing activities."

"Take" of a federally endangered or threatened species or its habitat is prohibited by federal law without a special permit. The term "take," under FESA, means to harass, harm, pursue, hunt, shoot, wound, kill, trap, capture, or collect, or to attempt to engage in such conduct. "Harm" is defined by the USFWS to encompass "an act which actually kills or injures wildlife. Such an act may include significant habitat modification or degradation where it actually kills or injures wildlife by significantly impairing essential behavioral patterns, including breeding, feeding or sheltering" (50 CFR § 17.3).

Section 10(a)(1)(B) of the FESA allows for take of a threatened or endangered species incidental to development activities once a Habitat Conservation Plan (HCP) has been prepared to the satisfaction of the USFWS and a Section 10(a) incidental take permit has been issued to an applicant. For federal projects (including those involving federal funding), Section 7 of the FESA allows for consultation between the affected agency and the USFWS to determine what measures may be necessary to compensate for the incidental take of a listed species. A federal project is any project that is proposed by a federal agency or is at least partially funded or authorized by a federal agency. Additionally, if the listed species or its habitat occurs in a portion of the project subject to federal jurisdiction (such as waters of the United States by the United States Army Corps of Engineers [USACE] under Section 404 of the Clean Water Act [CWA]), then consultation under Section 7 of the FESA is usually permissible and may be required.

FESA also requires the USFWS to consider whether there are areas of habitat essential to conservation for each listed species. **Critical habitat** designations protect these areas, including habitat that is currently unoccupied but may be essential to the recovery of a species. An area is designated as critical habitat after the USFWS publishes a proposed federal regulation in the Federal Register and then receives and considers public



comments on the proposal. The final boundaries of critical habitat are officially designated when published in the Federal Register.

2.1.2 Migratory Bird Treaty Act

The Migratory Bird Treaty Act of 1918 (MBTA) is a federal law governing the taking, killing, possession, transportation, and importation of various birds, their eggs, parts, and nests. The take of any number of a bird species listed as protected on any one of four treaty lists is governed by the MBTA's regulation of taking migratory birds for educational, scientific, and recreational purposes and requiring harvest to be limited to levels that prevent over utilization. The MBTA also prohibits taking, possession, import, export, transport, selling, purchase, barter, or offering for sale, purchase or barter, certain bird species, their eggs, parts, and nests, except as authorized under a valid permit (50 CFR 21.11).

2.1.3 Clean Water Act of the United States

The regulatory setting with regards to aquatic resources is framed by current enabling legislation and case law. Under Section 404 of the CWA, the USACE regulates the discharge of dredged and fill materials into "waters of the U.S." Jurisdictional waters of the U.S. include "territorial seas, and waters which are currently used, or were used in the past, or may be susceptible to use in interstate or foreign commerce, including waters which are subject to the ebb and flow of the tide; tributaries; lakes and ponds, and impoundments of jurisdictional waters; and adjacent wetlands" (33 Code of Federal Regulations [CFR] § 328.3). Certain waters of the U.S. are considered "special aquatic sites" because they are generally recognized as having ecological value; such sites include sanctuaries and refuges, wetlands, mudflats, vegetated shallows, and riffle and pool complexes (40 CFR § 230). Special aquatic sites are defined by the U.S. Environmental Protection Agency (USEPA) and may be afforded additional consideration in a project's permit process. The USACE also regulates navigable waters under Section 10 of the Rivers and Harbors Act of 1899. Navigable waters are defined as "... those waters of the U.S. that... are presently used, or have been used in the past, or may be susceptible to use to transport interstate or foreign commerce" (33 CFR § 322.2). Projects that place fill in jurisdictional wetlands and non-wetland waters of the U.S. require a permit from the USACE under Section 404 of the CWA. The USACE issues nationwide permits for specific types of activities with minimal individual or cumulative adverse environmental impacts. Individual permits are required for large and/or complex projects or projects that exceed the impact threshold for nationwide permits. Recent federal rulemaking has modified how the USACE defines certain waters of the U.S. The most pertinent rules are summarized below.

The USEPA published a revised definition of "waters of the United States" on December 7, 2021, in response to President Biden's Executive Order 13990 (86 Federal Register 7037) and after *Pascua Yaqui Tribe v. EPA* in which the U.S. District Court of the District of Arizona "vacated and remanded" the Navigable Waters Protection Rule (86 Federal Register 69372). The proposed revision was published in the Federal Register on January 18, 2023, and took effect on March 20, 2023. Due to ongoing litigation, the agencies are interpreting "waters of the United States" consistent with pre-2015 regulations and the Supreme Court cases of *Rapanos v. United States* and *Carabell v. United States* (USEPA 2008), meaning the USACE will assert jurisdiction over traditional navigable waters (TNW) and the following types of features determined to have "significant nexus" to a TNW:

1. wetlands adjacent to TNWs,



2. non-navigable tributaries of TNWs that are relatively permanent where the tributaries typically flow year-round or have continuous flow at least seasonally, and
3. wetlands that directly abut non-navigable tributaries of TNWs.

2.2 State of California

2.2.1 California Environmental Quality Act

The California Environmental Quality Act (CEQA) is a public disclosure process codified by California Public Resources Code 21000, requiring decision-makers to analyze the environmental impacts of a project, disclose those impacts to the public, and mitigate environmental impacts to the extent feasible. The state or local lead agency provides an evaluation of project effects on biological resources; determining the significance of those effects is guided by Appendix G of the CEQA Guidelines (AEP 2023). These evaluations must consider direct effects on a biological resource within the project site itself, indirect effects on adjacent resources, and cumulative effects within a larger area or region. Effects can be locally important but not significant according to CEQA if they would not substantially affect the regional population of the biological resource. Significant adverse impacts on biological resources would include the following:

- Substantial adverse effects on any species identified as candidate, sensitive, or special status in local or regional plans, policies, or regulations or by the California Department of Fish and Wildlife (CDFW) or the USFWS (these effects could be either direct or via habitat modification);
- Substantial adverse impacts to species designated by the CDFW as Species of Special Concern (SSC);
- Substantial adverse effects on riparian habitat or other sensitive habitat identified in local or regional plans, policies, or regulations or by CDFW and USFWS;
- Substantial adverse effects on federally protected wetlands defined under Section 404 of the CWA (these effects include direct removal, filling, or hydrologic interruption of marshes, vernal pools, coastal wetlands, or other wetland types);
- Substantial interference with movements of native resident or migratory fish or wildlife species population, or with use of native wildlife nursery sites;
- Conflicts with local policies or ordinances protecting biological resources (e.g., tree preservation policies); and;
- Conflict with provisions of an adopted HCP, Natural Community Conservation Plan (NCCP), or another approved local, regional, or state habitat conservation plan.

2.2.2 California Endangered Species Act

The California Endangered Species Act (CESA) prohibits the take of state-listed threatened and endangered species. Under CESA, state agencies are required to consult with CDFW when preparing CEQA documents. Under CESA, CDFW is responsible for maintaining a list of rare, threatened, and endangered species designated under state law (California Fish and Game Code [CFGF] § 2070-2079). CDFW also maintains lists of candidate species, SSC, and fully-protected species. Candidate species are those taxa that have been formally recognized by the



CDFW and are under review for addition to the state threatened and endangered list. SSC are those taxa that are considered sensitive, and this list serves as a “watch list.” The CDFW can authorize “take” if an incidental take permit is issued by the Secretary of the Interior or of Commerce in compliance with FESA, or if the director of the CDFW issues a permit under Section 2080 in those cases where it is demonstrated that the impacts are minimized and mitigated.

2.2.3 California Fish and Game Code

Section 1600 et seq. – Lake and Streambed Alteration Agreement. Section 1600 provides provisions for protecting riparian systems, including the bed, banks, and riparian habitat of lakes, seasonal and perennial streams, and rivers. This section requires an applicant to notify CDFW and obtain a Lake and Streambed Alteration Agreement (LSAA) if their project would divert or obstruct the natural flow of any river, stream, or lake; change the bed, channel, or bank of any river, stream, or lake; use material from any river, stream, or lake; or deposit or dispose of material into any river, stream, or lake.

Section 2050 et seq. – California Endangered Species Act. CESA establishes the policy of the state to conserve, protect, restore, and enhance threatened or endangered species and their habitats. CESA is administered by CDFW and prohibits the take of any species that the California Fish and Game Commission determines to be a threatened or endangered species. CESA also mandates that “state agencies should not approve projects as proposed which would jeopardize the continued existence of any endangered species or threatened species” if reasonable and prudent alternatives are available that would avoid jeopardy. CDFW administers CESA and authorizes take through CFGC 2081 Incidental Take Permits or through Section 2080.1. (For species also listed under FESA, consistency determination is with a USFWS Biological Opinion).

Section 3511 – Fully Protected Species. The legislature of the State of California designated certain species as “fully protected” prior to the creation of CESA. Section 3511 states that “fully protected” birds or parts thereof may not be taken or possessed at any time. Lists of fully protected species were initially developed to provide protection to those animals that were rare or faced possible extinction and included fish, mammals, amphibians and reptiles, and birds. Most fully protected species have since been listed as threatened or endangered under CESA and/or FESA.

Sections 3503, 3503.5, 3505, 3513 – Birds. These CFGC sections protect all birds, including birds of prey and all nongame birds, as well as their eggs and nests, for species that are not already listed as fully protected and that occur naturally within the state. Sections 3503 and 3503.5 of the CFGC stipulate the following regarding eggs and nests: Section 3503 states that it is unlawful to take, possess, or needlessly destroy the nest or eggs of any bird, except as otherwise provided by CFGC or any regulation made pursuant thereto; and Section 3503.5 states that it is unlawful to take, possess, or destroy any birds in the orders Falconiformes or Strigiformes (birds-of-prey) or to take, possess, or destroy the nest or eggs of any such bird except as otherwise provided by CFGC or any regulation adopted pursuant thereto. Section 3513 states that it is unlawful to take or possess any migratory nongame bird as designated in the MBTA or any part of such migratory nongame bird except as provided by rules and regulations adopted by the Secretary of the Interior under provisions of the MBTA.



2.2.4 California Native Plant Protection Act

The California Native Plant Protection Act of 1977 (GFGC § 1900-1913) affords the CDFW Commission the authority to designate native plants as endangered or rare and protect them from “take.” The California Native Plant Society (CNPS) maintains a list of sensitive plant species native to California and assigns each a rank in the California Rare Plant Rank (CRPR) system defined below:

- List 1A: Plants presumed extirpated in California and either rare or extinct elsewhere;
- List 1B: Plants are rare, threatened, or endangered in California and elsewhere;
- List 2A: Plants presumed extirpated in California, but more common elsewhere;
- List 2B: Plant are rare, threatened, or endangered in California, but more common elsewhere;
- List 3: Plants about which more information is needed (on a review list);
- List 4: Plants of limited distribution (on a watch list).

This list is further defined as described below:

- 0.1: Seriously threatened in California, meaning there is a high degree (over 80% of occurrences) and immediacy of threat;
- 0.2: Moderately threatened in California, meaning there is a moderate degree (20-80% of occurrences) and immediacy of threat;
- 0.3: Not very threatened in California, meaning there is a low degree (less than 20% of occurrences) and immediacy of threat.

All plants on Lists 1 and 2 meet the standards for state listing under the CEQA Guidelines (14 CCR § 15380). CNPS recommends that plants on Lists 3 and 4 be evaluated for consideration under CEQA.

2.2.5 Porter-Cologne Water Quality Control Act

The Porter-Cologne Water Quality Control Act of 1969 established the State Water Resources Control Board (SWRCB) and the nine Regional Water Quality Control Boards (RWQCB), collectively referred to as the Water Boards, and authorized them to provide oversight for water rights and water quality. It uses the National Pollutant Discharge Elimination System (NPDES) to monitor point source discharges into the waters of the State to prevent water quality degradation. It also protects wetlands, surface waters, and groundwater from both point and nonpoint sources of pollution.

2.2.6 State Wetland Definition and Procedures

The SWRCB adopted the State Wetland Definition and Procedures for Discharges or Fill Material to Waters of the State in 2019 and completed revisions to this set of procedures in 2021 (SWRCB 2021). Four major elements are included in these procedures as described below, in addition to procedures for the submittal, review and approval of CWA Section 401 permits not described in this report.

1. Wetland definition:



An area is wetland if, under normal circumstances, (1) the area has continuous or recurrent saturation of the upper substrate caused by groundwater, or shallow surface water, or both; (2) the duration such saturation is sufficient to cause anaerobic conditions in the upper substrate; and 3) the area's vegetation is dominated by hydrophytes or the area lacks vegetation.

2. Framework for determining waters of the state:

Waters of the state are broadly defined by the Porter-Cologne Water Quality Control Act as “any surface water or groundwater, including saline waters, within the boundaries of the state.” The 2021 procedures expand upon this definition to clearly include natural wetlands, wetlands created by modification of a surface water of the state, and artificial wetlands meeting specific criteria.

The criteria for an artificial wetland include wetlands created for agency-approved compensatory mitigation; those identified in a water quality control plan; and those greater than or equal to one acre in size unless they are constructed and maintained for wastewater treatment or disposal, sediment settling, stormwater permitting program pollutant or runoff management, surface water treatment, agricultural crop irrigation or stock watering, fire suppression, industrial processing and cooling, active surface mining, log storage, recycled water management, maximizing groundwater recharge, or rice paddies.

3. Wetland delineation procedures:

USACE-defined procedures for aquatic resources delineation (USACE 1987; USACE 2008, USACE 2010) used to assess the presence or absence of hydrophytic vegetation, hydric soils, and wetland hydrology are required by the SWRCB to delineate waters of the state, with one modification being that “the lack of vegetation does not preclude the determination of such an area that meets the definition of wetland.”

2.3 Local Policies and Ordinances

The BSA is in Riverside County and is subject to the following local and regional regulations.

2.3.1 Western Riverside County Multiple Species Habitat Conservation Plan

The Western Riverside Multiple Species Habitat Conservation Plan (MSHCP) was developed with the goal of maintaining biological and ecological diversity in Western Riverside County. This MSHCP focuses on the conservation of species and their associated habitats in a rapidly urbanizing region. The MSHCP allows participants to control land use decisions while maintaining a strong economic climate in tandem with the requirements of the state and federal Endangered Species Acts. It outlines avoidance, minimization, and mitigation measures to protect special-status species in Western Riverside County.

2.3.2 City of Riverside 2025 General Plan

The City of Riverside 2025 General Plan is a planning guideline for development towards a sustainable, resilient and livable city. The General Plan contains numerous goals, policies, and strategies to protect and/or preserve biological resources.

The Land Use and Urban Design Element of the General Plan discusses the interconnected relationship between Riverside's natural and human-made environments and outlines a design framework to minimize impacts in this relationship. Policies with the goal to protect significant wildlife and plant habitat are listed below:



- **Policy LU-7.2:** Design new development adjacent and in close proximity to native wildlife in a manner which protects and preserves habitat.
- **Policy LU-7.2:** Continue to participate in the Western Riverside County MSHCP.

The Open Space and Conservation Element of the General Plan discusses the biological resources that rapid urbanization may impact. This section defines the objectives and policies that are utilized to preserve Riverside's natural resources. Policies that pertain to the protection of natural communities and critical habitats are listed below:

- **Policy OS-5.2:** Continue to participate in the MSHCP Program and ensure all projects comply with applicable requirements.
- **Policy OS-5.3:** Continue to participate in the Stephens' Kangaroo Rat (SKR) Habitat Conservation Plan including collection of mitigation fees.
- **Policy OS-5.4:** Protect native plant communities in the General Plan Area, including sage scrub, riparian areas and vernal pools, consistent with the MSHCP.

2.3.3 Riverside Urban Forestry Policy, Riverside County Code Chapter 12.24: Tree Removal

Chapter 12.24 of the Riverside County Ordinances protects native trees on any parcel or property greater than one-half acre in size on any area above 5,000 feet in elevation and within the unincorporated areas of the county. For the purposes of this ordinance, "Native Tree" is defined as:

Plants which at maturity, normally attain a height of at least thirty (30) feet and are not less than twelve (12) inches in diameter when measured four and one-half feet above the ground, and shall include woody plants indigenous to Riverside County and all smog-resistant species introduced as part of a reforestation program.

This ordinance was adopted to protect the timberlands of the county and maintain ecological balance of such timberlands by regulating the removal of living native trees. Due to the proximity of the timberlands to urban centers of the county and their unique qualities, this chapter is necessary to preserve such lands and provide welfare for the people of Riverside.



3 Methods

This Assessment is informed by data from a desktop analysis of the literature and numerous resource databases, as well as field surveys. The methods used to complete these surveys and desktop analyses are described below.

3.1 Desktop Review

Prior to conducting field surveys, Bargas conducted an initial review of literature and data sources to characterize biological conditions and to compile records of sensitive biological resources that could potentially occur in the BSA. The methods used for this analysis are described below.

3.1.1 Biological Setting

The biological setting includes terrain, hydrology, soils, land uses, and other features that support or inhibit biological resources in an area. To better understand the biological setting of the project, the following resources were reviewed in detail:

- USFWS's *National Wetlands Inventory* to determine if surface waters and wetlands have been mapped on or adjacent to the BSA.
- USGS's *National Hydrography Dataset* to determine if hydrological features have been mapped on or adjacent to the BSA.
- U.S. Department of Agriculture National Resource Conservation Service *Web Soil Survey* to map and describe soil(s) within the BSA.
- Google Earth Pro aerial map images of the BSA, including historical aerial images.

3.1.2 Special Status Species & Habitats

Data Sources

Species and habitat occurrences were queried from the following resources:

- USFWS's *Information for Planning and Consultation* portal (IPaC) for a list of federally listed species and designated critical habitat recommended for impact analysis consideration, based on an upload of the BSA limits.
- CDFW's *California Natural Diversity Database* (CNDDB) for special status species and habitat records within the Regional Study Area.
- CNPS's *Inventory of Rare and Endangered Plants* for a list of special status plant species occurrences within the USGS 7.5-minute quadrangles that overlap the Regional Study Area.
- Western Riverside County MSHCP for a list of sensitive habitats and covered wildlife and plant species.

3.1.2.1 Special Status Designations Considered

A variety of agencies and respected non-profit organizations assess the conservation status of plant and wildlife species; however, not all are applicable to this Assessment. The following special status designations were considered when determining special status species to be discussed in this Assessment:



- **Federal Status:** Species listed as **Endangered (FE)** or **Threatened (FT)**, as well as species **Proposed as Endangered (FPE)**, **Proposed as Threatened (FPT)**, **Proposed for Delisting (FPD)**, and **Candidates (FC)** for listing under the FESA.
- **California Status:** Species listed as **Endangered (CE)** or **Threatened (CT)**, as well as species that are **Candidates for Endangered (CCE)** status, **Threatened (CCT)** status, or **Delisting (CCD)** under the CESA. Also considered are species listed as **Fully Protected (FP)** and **Species of Special Concern (SSC)**.
- **CNPS Status:** All CRPR maintained by the CNPS *Inventory of Rare and Endangered Plants*.
- **Vegetation Communities:** All vegetation communities mapped by the CNDDDB.

3.1.3 Occurrence Potential

Following the desktop review, field surveys, and habitat analyses, Bargas assessed the potential for the occurrence of special status species in the BSA. Biological conditions (vegetation communities, wildlife habitats, disturbances, etc.) and the habitat and life cycle requirements of special status species identified for analysis in the desktop review were considered. “Recent” occurrences are defined as observed within the past 30 years. Based on these considerations, species were assigned to the following categories:

- **Present:** Species is known to occur in the BSA based on recent surveys, CNDDDB (within 30 years), or other records.
- **High:** Species with known recent recorded occurrences/populations near the BSA and highly suitable habitat occurs within the BSA. Highly suitable habitat includes all necessary elements to support the species (e.g., elevation, hydrology, soils, cover, habitat type, food resources).
- **Moderate.** Species with known recent recorded occurrences/populations near the BSA; however, habitat within the BSA has been moderately disturbed, fragmented, or is small in extent. Moderately suitable habitat includes several elements to support the species (e.g., elevation, hydrology, soils, cover, habitat type, food resources). Furthermore, moderately suitable habitat may also be located at the edge of the species’ range, or there are no reported occurrences nearby.
- **Low.** Species with few known recent recorded occurrences/populations near the BSA and habitat within the BSA is highly disturbed or extremely limited. A low potential is assigned to annual or perennial plant species that may have been detectable during a focused survey in the appropriate blooming period but was not found; however, small populations or scattered individuals are still considered to have a low potential to occur. Additionally, species for which poor-quality habitat may support the species within the BSA, but the reported extant range is far outside the BSA and/or any species observations would anticipate being migratory (i.e., not likely to reproduce within the BSA).
- **Presumed Absent/No Potential.** Focused surveys were conducted, and the species was not detected, or the species was found in the desktop review, but suitable habitat (soil, vegetation, elevational range) was not found in the BSA, or the BSA is not within the known geographic range of the species.

The potential for bird species to occur were further distinguished into those that may: 1) nest within or near the BSA; 2) forage within or near the BSA; and/or 3) occur on or near the BSA only as transients during migratory flights or other dispersal events.



3.2 Taxonomy and Nomenclature

Every effort was made to use naming standards that are recognized by the scientific community, with the understanding that – for many wildlife groups – scientists may not always agree on a standard source. Because of this, some common names used in this report may not be the same as those used by the underlying data sources for species records. Bargas maintains a yearly-updated reference species list which uses the following taxonomic sources:

- **Birds** – American Ornithological Society Check-list and Supplements (AOS 1998).
- **Mammals** – The reference list in the CDFW’s California Wildlife Habitats Relationships Database (CDFW 2014), with updates based on the American Society of Mammologists Mammal Diversity Database (2020).
- **Reptiles and Amphibians** – The technical website californiaherps.com, which is regularly updated based on the latest taxonomic literature (California Herps 2023).
- **Fish** – Common and Scientific Names of Fishes from the United States, Canada, and Mexico, 7th edition (AFS 2013).
- **Invertebrates** – No naming standard was identified that was current and applicable to freshwater and terrestrial invertebrates. Names used by the underlying data sources when a species was first identified were retained.
- **Plants** – The Jepson eFlora database (Jepson Flora Project 2021)



4 Results

This section discusses in detail what is known about biological resources in the BSA based on information from the field survey, six CNDDDB records, four CNPS records, nine IPaC records, and no critical habitat determinations in the Regional Study Area (RSA). A list of plant and wildlife species observed within the BSA is included in **Appendix A** and the special-status biological resource summary is included as **Appendix B**.

4.1 Biological Setting


The RSA is located in Riverside County north of the Santa Ana Mountain Range and south of the San Gabriel Mountain Range in southern California. The RSA is largely disturbed by residential and commercial development. Land that is not developed and is used for recreation is comprised of grassland and shrub communities with elevations ranging from 656 to 1,520 feet above sea level. The Santa Ana River is located approximately three miles north of the BSA. The BSA is located in an urban area surrounded by private residences.

4.2 Soils

The BSA consists of two soil types: Fallbrook sandy loam, 8 to 15 percent slopes, eroded; and Buchenau loam, slightly saline-alkali, 0 to 2 percent slopes (NRCS 2023). **Figure 3** is a map of the soils that occur within the Project site.



Source: Bing Maps Hybrid, NCRS Soils Data (10/2021)



- Biological Study Area
- Surrounding SSURGO Soils
- BhA - Buchenau loam, Slightly Saline-Alkali, 0 to 2 Percent
- FaD2 - Fallbrook Sandy Loam, 8 to 15 Percent

Figure 3
Soils Map

Mikasa Multifamily Development



4.3 Habitats

The BSA is highly disturbed and located in an urban area with ornamental urban vegetation. Vegetation is comprised of Peruvian Peppertree (*Schinus molle*), Beach Sheoak (*Casuarina equisetifolia*), Elephant Bush (*Portulacaria afra*), Common Purslane (*Portulaca oleracea*), Chinese Banyan (*Ficus microcarpa*), Pine sp. (*Pinus* sp.), Orange Tree (*Citrus sinensis*), Cedar Elm (*Ulmus crassifolia*), Ash sp. (*Fraxinus* sp.), Silver-leaf Nightshade (*Solanum elaeagnifolium*), Olive (*Olea europaea*), Persimmon (*Diospyros virginiana*), Turkey Mullein (*Croton setiger*), Eucalyptus sp. (*Eucalyptus* sp.), Palmer's Agave (*Agave palmeri*), Field Bindweed (*Convolvulus arvensis*), Indian Fig Opuntia (*Opuntia ficus-indica*), Southern Russian Thistle (*Salsola tragus*), Athel Tamarisk (*Tamarix aphylla*), Nettle-leaved Goosefoot (*Chenopodiastrum murale*), White Leadtree (*Leucaena leucocephala*), Chinese Elm (*Ulmus parvifolia*), Queen Fan Palm (*Syagrus romanzoffiana*), and Mexican Fan Palm (*Washingtonia robusta*).

4.4 Aquatic Resources

No aquatic resource habitats were detected during the survey.

4.5 Special Status Species

4.5.1 Special Status Plants

The desktop review determined that seven plant taxa with special status had been documented as occurring within the Regional Study Area. These taxa and their occurrence potential are summarized.

4.5.1.1 Taxa with No Potential for Occurrence

The following seven special status plant taxa from desktop analysis were determined to have **No** potential for occurrence in the BSA.

☛ San Diego Ambrosia

Asteraceae > Ambrosia pumila

FESA: Federal Endangered, CESA: None, CRPR 1B.1

California Endemic: False

Growth Habit: perennial rhizomatous herb blooms Apr-Oct

Habitat Requirements: Chaparral, Coastal scrub, Valley and Foothill Grassland, Vernal pools at elevations ranging from 65 to 1,360 feet.

Microhabitat: Alkaline (sometimes), Clay (sometimes), Disturbed areas (often), Sandy (sometimes)

Inclusion Source(s): CNDDDB, CNPS, IPaC

CNDDDB Records: 1

Nearest CNDDDB Record: 1 to 3 Miles

Habitat Present: Not Present

Soils Present: Unknown

Determination Reason: Suitable habitat not present. The BSA does not support natural plant communities and lacks vernal pool habitat to support this species.

☛ Coulter's Goldfields

Asteraceae > Lasthenia glabrata ssp. coulteri

FESA: None, CESA: None, CRPR 1B.1



California Endemic: False
Growth Habit: annual herb blooms Feb-Jun
Habitat Requirements: Marshes and swamps, Playas, Vernal pools at elevations ranging from 5 to 4,005 feet.
Inclusion Source(s): CNPS
CNDDB Records: 0
Nearest CNDDB Record: None
Habitat Present: Not Present
Soils Present: Unknown
Determination Reason: Suitable habitat not present. The BSA does not support aquatic habitat.

☛ **Nevin's Barberry**

Berberidaceae > Berberis nevinii
FESA: Federal Endangered, CESA: California Endangered, CRPR 1B.1
California Endemic: True
Growth Habit: perennial evergreen shrub blooms (Feb) Mar-Jun
Habitat Requirements: Chaparral, Cismontane woodland, Coastal scrub, Riparian scrub at elevations ranging from 230 to 2,705 feet.
Microhabitat: Gravelly (sometimes), Sandy (sometimes)
Inclusion Source(s): IPaC
CNDDB Records: 0
Nearest CNDDB Record: None
Habitat Present: Not Present
Soils Present: Unknown
Determination Reason: Suitable habitat is not present. The BSA does not support natural plant communities for Chaparral, Cismontane woodland, Coastal scrub, or Riparian habitats.

☛ **Many-stemmed Dudleya**

Crassulaceae > Dudleya multicaulis
FESA: None, CESA: None, CRPR 1B.2
California Endemic: True
Growth Habit: perennial herb blooms Apr-Jul
Habitat Requirements: Chaparral, Coastal scrub, Valley and Foothill Grassland at elevations ranging from 50 to 2,590 feet.
Microhabitat: Clay (often)
Inclusion Source(s): CNDDB
CNDDB Records: 1
Nearest CNDDB Record: 1 to 3 Miles
Habitat Present: Not Present
Soils Present: Unknown
Determination Reason: Suitable habitat not present. The species prefers rocky slopes and bluffs which are not present at the BSA.



🍃 **Brand's Star Phacelia**

Hydrophyllaceae > Phacelia stellaris

FESA: None, CESA: None, CRPR 1B.1

California Endemic: False

Growth Habit: annual herb blooms Mar-Jun

Habitat Requirements: Coastal dunes, Coastal scrub at elevations ranging from 5 to 1,310 feet.

Inclusion Source(s): CNPS

CNDDDB Records: 0

Nearest CNDDDB Record: None

Habitat Present: Not Present

Soils Present: Unknown

Determination Reason: Suitable habitat not present. The BSA does not contain natural coastal sage scrub communities and is not in a coastal region.

🍃 **Slender-horned Spineflower**

Polygonaceae > Dodecahema leptoceras

FESA: Federal Endangered, CESA: California Endangered, CRPR 1B.1

California Endemic: True

Growth Habit: annual herb blooms Apr-Jun

Habitat Requirements: Chaparral, Cismontane woodland, Coastal scrub at elevations ranging from 655 to 2,495 feet.

Microhabitat: Sandy

Inclusion Source(s): IPaC

CNDDDB Records: 0

Nearest CNDDDB Record: None

Habitat Present: Not Present

Soils Present: Unknown

Determination Reason: Suitable habitat not present. Urbanization poses a significant threat and the BSA is heavily developed.

🍃 **Santa Ana River Woollystar**

Polemoniaceae > Eriastrum densifolium ssp. sanctorum

FESA: Federal Endangered, CESA: California Endangered, CRPR 1B.1

California Endemic: True

Growth Habit: perennial herb blooms Apr-Sep

Habitat Requirements: Chaparral, Coastal scrub at elevations ranging from 300 to 2,000 feet.

Microhabitat: Gravelly (sometimes), Sandy (sometimes)

Inclusion Source(s): CNPS

CNDDDB Records: 0

Nearest CNDDDB Record: None

Habitat Present: Not Present

Soils Present: Unknown

Determination Reason: Suitable habitat not present. Species is known to grow in alluvial fans. The BSA does not support this habitat.



4.5.2 Special Status Wildlife

The desktop review determined that nine wildlife taxa with special status had been documented as occurring within the Regional Study Area. These taxa and their occurrence potential are summarized below.

4.5.2.1 Taxa With Low Potential for Occurrence

The following three special status wildlife taxa from desktop analysis were determined to have **Low** potential for occurrence in the BSA.

Southwestern Willow Flycatcher

Tyrannidae > Empidonax traillii extimus

Federal Endangered; California Endangered

Life History:

The Southwestern Willow Flycatcher (*Empidonax traillii extimus*) is one of four subspecies of *Empidonax traillii*. Southwestern Willow Flycatchers are neotropical migrants that breed in patches of riparian habitat throughout the American southwest. Their breeding habitat currently ranges from southern California, through southern Nevada, southern Utah, Arizona, New Mexico, southwestern Colorado, and historically included western Texas and extreme northwestern Mexico. They travel south to winter ranges in Mexico, Central America, and northern South America. While their current distribution is similar to their historic range, Southwestern Willow Flycatcher population numbers have declined precipitously in response to the loss of suitable riparian habitat throughout the region. *Source: <https://www.nps.gov/articles/southwestern-willow-flycatcher.htm>*

Inclusion Source(s):

IPaC

CNDDDB Records:

0

Nearest CNDDDB Record:

None

Habitat Present:

Not Present

Determination Reason:

The BSA does not support riparian habitat required for breeding and nesting. The Santa Ana River is present approximately three miles north of the Project site. This species may use the Project site for foraging or transit. This species is known to use unsuitable nesting habitat for foraging and migration.

4.5.2.2 Taxa With No Potential for Occurrence

The following six special status wildlife taxa from desktop analysis were determined to have **No** potential for occurrence in the BSA.

Monarch - California Overwintering Population

Nymphalidae > *Danaus plexippus*

Federal Candidate

Life History:

The iconic black and orange Monarch butterfly is known for its astonishing long-distance annual migration and reliance on milkweed as its obligate larval host plant. Though genetically similar, there are two subpopulations of Monarchs in North America, with the eastern population overwintering in Mexico and breeding in the midwestern states, and the western population overwintering in coastal California and fanning out across the west from Arizona to Idaho. Both North American migratory populations have declined over the past twenty years



due to a suite of interrelated factors including habitat loss in breeding and overwintering sites, habitat degradation, disease, pesticide exposure, and climate change. Recently the western population has experienced dramatic swings, for a low of less than 2,000 in 2020-21 to over 200,000 in 2021-22. While it is unclear which of the many factors are driving these dynamics, insect population commonly fluctuate from year to year. Though more research is needed, a stable population for western monarchs is likely closer to the historic averages in the 1980s, which are estimated to have ranged between one to four million overwintering butterflies. *Source:*

<https://wildlife.ca.gov/Conservation/Invertebrates/Monarch-Butterfly>

Inclusion Source(s):

IPaC

CNDDDB Records:

0

Nearest CNDDDB Record:

None

Habitat Present:

Not Present

Determination Reason:

While Monarchs are widespread and likely occur as flyovers, this sensitive status pertains to locations where they winter en masse. All known locations are coastal.

 Santa Ana Sucker

Catostomidae > Catostomus santaanae

Federal Threatened

Life History:

Occur in the watersheds draining the San Bernardino and San Gabriel Mountains of southern California. Their historical distribution extended from upper watershed areas to the Pacific Ocean; hence, they are capable of occupying habitats as diverse as mountain streams and rivers in alluvial floodplains. The streams that the Santa Ana sucker inhabits are generally perennial streams with water ranging in depth from a few inches to several feet and with currents ranging from slight to swift. Perennial flows with suitable water quality and substrate are needed to support breeding, feeding, and sheltering. These streams are also naturally subject to periodic severe flooding and may experience extended periods of low flow as a result of drought conditions that are typical of southern California climate cycles. Over the course of their life cycle, each life stage uses different portions of the watercourse, each with different physical properties. *Source: U.S. Fish and Wildlife Service. 2017. Recovery Plan for the Santa Ana sucker. U.S. Fish and Wildlife Service, Pacific Southwest Region, Sacramento, California. xii + 92 pp.*

Inclusion Source(s):

IPaC

CNDDDB Records:

0

Nearest CNDDDB Record:

None

Habitat Present:

Not Present

Determination Reason:

The BSA does not support aquatic habitat suitable for this species.

 San Diegan Legless Lizard

Anniellidae > Anniella stebbinsi

California Species of Special Concern

Life History:

This secretive fossorial lizard is common in suitable habitats in the Tehachapi Mountains west of the desert, and the mountains of southern California. The



specific identity of some populations within this range is unknown. Elevation is from near sea level to about 1800 meters (6,000 feet) in the Sierra Nevada. Common in several habitats but especially in Coastal Dune, Valley-Foothill, Chaparral, and Coastal Scrub types. *Source: California Department of Fish and Wildlife. California Interagency Wildlife Task Group. 2014. CWHR version 9.0 personal computer program. Sacramento, CA.*

Inclusion Source(s): CNDDDB
CNDDDB Records: 1
Nearest CNDDDB Record: 1 to 3 Miles
Habitat Present: Not Present
Determination Reason: Suitable habitat not present. The BSA is highly developed with no natural communities present.

 Orange-throated Whiptail

Teiidae > Aspidoscelis hyperythra

No special status

Life History: The Orange-throated Whiptail is uncommon to fairly common over much of its range in Orange, Riverside, and San Diego Counties west of the crest of the Peninsular Ranges, especially in areas with summer morning fog. Also occurs in southwestern San Bernardino County near Colton. In California, its elevational range extends from near sea level to 1040 meters (3,410 feet). This species inhabits low-elevation Coastal scrub, Chamise-redshank chaparral, Mixed chaparral, and Valley-Foothill hardwood habitats. *Source: California Department of Fish and Wildlife. California Interagency Wildlife Task Group. 2014. CWHR version 9.0 personal computer program. Sacramento, CA.*

Inclusion Source(s): CNDDDB
CNDDDB Records: 1
Nearest CNDDDB Record: 1 to 3 Miles
Habitat Present: Not Present
Determination Reason: Suitable habitat not present. The BSA is highly developed with no natural communities present. The nearest CNDDDB record is from 1951 and was recorded 2.24 miles from the Project site.

 Yellow Rail

Rallidae > Coturnicops noveboracensis

California Species of Special Concern

Life History: Because of its secretive behavior in densely vegetated marshes, the life history of the Yellow Rail is poorly known. For breeding, Yellow Rails require sedge marshes/meadows with moist soil or shallow standing water. In winter, Yellow Rails inhabit wet meadows and coastal tidal marshes, but there are few data on their requirements at that season. Occurs year round in California, but in two primary seasonal roles: currently as a very local breeder in the northeastern interior, and as a winter visitor (early Oct to mid-Apr) on the coast and in the Suisun Marsh region. Although the Yellow Rail is still considered extremely rare in California, recent records indicate that small numbers winter regularly in a few coastal marshes and the Suisun Marsh region, where the Central Valley merges with the San Francisco Bay estuary. *Source: Shuford, W. D., and Gardali, T.,*



editors. 2008. *California Bird Species of Special Concern: A ranked assessment of species, subspecies, and distinct populations of birds of immediate conservation concern in California. Studies of Western Birds 1. Western Field Ornithologists, Camarillo, California, and California Department of Fish and Game, Sacramento.*

Inclusion Source(s): CNDDDB

CNDDDB Records: 1

Nearest CNDDDB Record: 1 to 3 Miles

Habitat Present: Not Present

Determination Reason: The BSA does not support riparian habitat required for mating and breeding. Most recent CNDDDB record is over 100 years old and found within Marsh habitat.

Stephens' Kangaroo Rat

Heteromyidae > *Dipodomys stephensi*

Federal Endangered; California Threatened

Life History: Known from 16 localities in and around San Jacinto Valley from Riverside, Riverside County, south to vicinity of Vista, San Diego County. The number of verified localities has declined over the past half century, due mainly to urbanization and cultivation of suitable habitat. Occurs primarily in annual and perennial grassland habitats, but may occur in coastal scrub or sagebrush with sparse canopy cover, or in disturbed areas. Preferred perennials are buckwheat and chamise; preferred annuals are brome grass and filaree. *Source: California Department of Fish and Wildlife. California Interagency Wildlife Task Group. 2014. CWHR version 9.0 personal computer program. Sacramento, CA.*

Inclusion Source(s): IPaC

CNDDDB Records: 0

Nearest CNDDDB Record: None

Habitat Present: Not Present

Determination Reason: Suitable habitat is not present in the form of Grassland or Coastal scrub habitat. Urbanization and habitat fragmentation are significant threats to this species and the BSA will not support individuals.

Least Bell's Vireo

Vireonidae > *Vireo bellii pusillus*

Federal Endangered; California Endangered

Life History: Formerly, a common and widespread summer resident below about 600 meters (2,000 feet) in western Sierra Nevada, throughout Sacramento and San Joaquin Valleys, and in the coastal valleys and foothills from Santa Clara County south. Also was common in coastal southern California from Santa Barbara County south, below about 1200 meters (4,000 feet) east of the Sierra Nevada, in Owens and Benton Valleys, along Mojave River and other streams at western edge of southeastern deserts, and along the entire length of the Colorado River. Has declined drastically or vanished entirely throughout its California range in recent decades, apparently from cowbird parasitism and habitat destruction and degradation. Now a rare, local, summer resident below about 600 meters (2,000 feet) in willows and other low, dense valley foothill riparian habitat and lower portions of canyons, mostly in San Benito and Monterey Counties; in coastal southern California from Santa Barbara County south; and along the



	western edge of the deserts in desert riparian habitat. <i>Source: California Department of Fish and Wildlife. California Interagency Wildlife Task Group. 2014. CWHR version 9.0 personal computer program. Sacramento, CA.</i>
Inclusion Source(s):	IPaC
CNDDDB Records:	0
Nearest CNDDDB Record:	None
Habitat Present:	Not Present
Determination Reason:	The BSA does not support suitable riparian habitat for the species. Suitable foraging habitat is not present in the form of dense forests or desert habitat.

California Gnatcatcher

Poliophtilidae > Poliophtila californica

Federal Threatened; California Species of Special Concern

Life History: A local, uncommon, obligate resident of arid coastal scrub below about 500 meters (1,500 feet) from eastern Orange and southwestern Riverside Counties south through the coastal foothills of San Diego County; along the immediate coast at Palos Verdes Peninsula, Los Angeles County; at Camp Pendleton and in Tijuana River Valley, San Diego County. May still occur along lower, coastal slopes of San Gabriel and San Bernardino Mountains, Los Angeles and San Bernardino Counties, but status uncertain. *Source: California Department of Fish and Wildlife. California Interagency Wildlife Task Group. 2014. CWHR version 9.0 personal computer program. Sacramento, CA.*

Inclusion Source(s):	CNDDDB; IPaC
CNDDDB Records:	1
Nearest CNDDDB Record:	1 to 3 Miles
Habitat Present:	Not Present
Determination Reason:	Suitable habitat not present. Species prefers dense coastal sage scrub communities. Nearest CNDDDB record is from 1997 approximately 2.4 miles to the east of the BSA.

4.6 Other Considerations

4.6.1 Wildlife Movement

While largely developed, the RSA does include suitable habitat for some sensitive wildlife species. The Santa Ana River mainstem is a known habitat corridor found two miles north of the BSA; however, there should be no impacts to wildlife movement due to the presence of a 1.5-mile urban barrier. Given the 1.5-mile urban barrier, it is unlikely that transient wildlife will cross into the Project site.

4.6.2 Nesting Birds

Due to high disturbance in the area from vehicular traffic and residential development there is a moderate chance some birds may nest in the vegetation in the area. However, there are some species that will nest in human-made structures and will have a high probability of doing so in neighborhood structures.



5 Conclusions and Recommendations

5.1 Special status Plant Species

There are no suitable habitats for special status plant species within the BSA. No special status plants were observed during the site assessment.

5.1.1 Special status Wildlife Species

There are no suitable habitats for special status wildlife species within the BSA. No special status wildlife species were observed during the site Assessment.



6 Literature Cited

AEP. 2023. 2023 California Environmental Quality Act (CEQA) Statute & Guidelines. AEP (eds.) 2023. CEQA Handbook, p. 387. https://www.califaep.org/docs/CEQA_Handbook_2023_final.pdf.

American Fisheries Society (AFS). 2013. *Common and Scientific Names of Fishes from the United States, Canada, and Mexico, 7th edition*. Special Publication 34.

American Ornithological Society (AOS). 1998. Check-list of North American Birds (and Supplements). American Ornithologists Union and American Ornithological Society.

American Society of Mammalogists. 2020. Mammal Diversity Database (Version 1.2) [Data set]. Zenodo. <http://doi.org/10.5281/zenodo.4139818>

California Department of Fish and Wildlife (CDFW). California Interagency Wildlife Task Group. 2014. CWHR version 9.0 personal computer program. Sacramento, CA.

California Herps. 2023. A Guide to the Amphibians and Reptiles of California, <https://californiaherps.com>

Jepson Flora Project (eds.) 2021. Jepson eFlora, <https://ucjeps.berkeley.edu/eflora/>.

NRCS. 2023. Web Soil Survey. <https://websoilsurvey.sc.egov.usda.gov/>.

SWRCB. 2021. State Policy for Water Quality Control: State Wetland Definition and Procedures for Discharges of Dredged or Fill Material to Waters of the State. State Water Resources Control Board. p. 28

USEPA. 2008. Clean Water Act Jurisdiction Following the U.S. Supreme Court's Decision in *Rapanos v. United States* & *Carabell v. United States*. United States Environmental Protection Agency, p. 13.



Appendix A. Plants and Wildlife Observed in the BSA

Bargas has documented the presence of 19 plant taxa and five wildlife taxa. Taxa are presented in taxonomic order.

Plants

Common Name	Scientific Name	Family	Major Clade	Nativity
Elm sp.	<i>Ulmus</i> sp.	Ulmaceae	Eudicots	—
Agave sp.	<i>Agave</i> sp.	Agavaceae	Monocots	—
Mission Prickly-Pear	<i>Opuntia ficus-indica</i>	Cactaceae	Eudicots	Naturalized
Pepper Tree	<i>Schinus molle</i>	Anacardiaceae	Eudicots	Naturalized
Prickly Russian Thistle	<i>Salsola tragus</i>	Chenopodiaceae	Eudicots	Naturalized
Bindweed, Orchard Morning-Glory	<i>Convolvulus arvensis</i>	Convolvulaceae	Eudicots	Naturalized
Common Persimmon, Possumwood	<i>Diospyros virginiana</i>	Ebenaceae	Eudicots	Naturalized
Doveweed, Turkey-Mullein	<i>Croton setiger</i>	Euphorbiaceae	Eudicots	Native
Olive	<i>Olea europaea</i>	Oleaceae	Eudicots	Naturalized
Purslane	<i>Portulaca oleracea</i>	Portulacaceae	Eudicots	Naturalized
White Horse-Nettle	<i>Solanum elaeagnifolium</i>	Solanaceae	Eudicots	Naturalized
Athel	<i>Tamarix aphylla</i>	Tamaricaceae	Eudicots	Naturalized
Chinese Elm	<i>Ulmus parvifolia</i>	Ulmaceae	Eudicots	Naturalized
Queen Palm	<i>Syagrus romanzoffiana</i>	Arecaceae	Monocots	Waif
Mexican Fan Palm	<i>Washingtonia robusta</i>	Arecaceae	Monocots	Naturalized
Pine sp.	<i>Pinus</i> sp.	Pinaceae	Gymnosperms	—
Pigweed sp., Goosefoot sp.	<i>Chenopodium</i> sp.	Chenopodiaceae	Eudicots	—
Eucalyptus sp.	<i>Eucalyptus</i> sp.	Myrtaceae	Eudicots	—
Ash sp.	<i>Fraxinus</i> sp.	Oleaceae	Eudicots	—



Wildlife

Common Name	Scientific Name	Family	Introduced/Endemic
Eurasian Collared-Dove	<i>Streptopelia decaocto</i>	Columbidae (Pigeons and Doves)	Introduced
Black Phoebe	<i>Sayornis nigricans</i>	Tyrannidae (Tyrant Flycatchers)	—
House Sparrow	<i>Passer domesticus</i>	Passeridae (Old World Sparrows)	Introduced
Lesser Goldfinch	<i>Spinus psaltria</i>	Fringillidae (Fringilline and Cardueline Finches and Allies)	—
California Towhee	<i>Melospiza crissalis</i>	Passerellidae (New World Sparrows)	—



Appendix B. Special Status Biological Resource Summary

The research conducted for this report included a desktop review of numerous resource databases in order to determine a list of special status biological resources, including seven plant taxa and nine wildlife taxa to be analyzed for potential occurrence. The result of this analysis is summarized in the tables below. Table column definitions:

- **Common Name:** The most widely-accepted English common name for the taxon.
- **Scientific Name:** The most widely-accepted scientific name for the taxon.
- **Source(s):** The desktop review source(s) that contained this taxon.
- **Legal Status:** The legal protected status of the taxon. These terms are described in detail in the Methods section of this report.
- **Habitat:** The quality of the habitat on the Project site for supporting the taxon. Classification of habitats is described in detail in the Methods section of this report.
- **Soils:** The suitability of soils on the Project site to support the taxon, if known. Classification of soils is described in detail in the Methods section of this report.
- **Potential:** The potential for the taxon to be found on the Project site. Ranking of potential is described in detail in the Methods section of this report.

Plants

Common Name	Scientific Name	Source(s)	Legal Status	Habitat	Soils	Potential
San Diego Ambrosia	<i>Ambrosia pumila</i>	CNDDDB, CNPS, IPaC	FE, CRPR 1B.1	Not Present	Unknown	None
Coulter's Goldfields	<i>Lasthenia glabrata</i> ssp. <i>coulteri</i>	CNPS	CRPR 1B.1	Not Present	Unknown	None
Nevin's Barberry	<i>Berberis nevinii</i>	IPaC	FE, CE, CRPR 1B.1	Not Present	Unknown	None
Many-stemmed Dudleya	<i>Dudleya multicaulis</i>	CNDDDB	CRPR 1B.2	Not Present	Unknown	None
Brand's Star Phacelia	<i>Phacelia stellaris</i>	CNPS	CRPR 1B.1	Not Present	Unknown	None
Slender-horned Spineflower	<i>Dodecahema leptoceras</i>	IPaC	FE, CE, CRPR 1B.1	Not Present	Unknown	None
Santa Ana River Woollystar	<i>Eriastrum densifolium</i> ssp. <i>sanctorum</i>	CNPS	FE, CE, CRPR 1B.1	Not Present	Unknown	None



Wildlife

Common Name	Scientific Name	Source(s)	Legal Status	Habitat	Potential
Monarch - California Overwintering Population	<i>Danaus plexippus</i> pop. 1	IPaC	Federal Candidate	Not Present	None
Santa Ana Sucker	<i>Catostomus santaanae</i>	IPaC	Federal Threatened	Not Present	None
San Diegan Legless Lizard	<i>Anniella stebbinsi</i>	CNDDDB	California Species of Special Concern	Not Present	None
Orange-throated Whiptail	<i>Aspidoscelis hyperythra</i>	CNDDDB	—	Not Present	None
Yellow Rail	<i>Coturnicops noveboracensis</i>	CNDDDB	California Species of Special Concern	Not Present	None
Southwestern Willow Flycatcher	<i>Empidonax traillii extimus</i>	IPaC	Federal Endangered; California Endangered	Not Present	Low
Least Bell's Vireo	<i>Vireo bellii pusillus</i>	IPaC	Federal Endangered; California Endangered	Not Present	Low
California Gnatcatcher	<i>Polioptila californica</i>	CNDDDB; IPaC	Federal Threatened; California Species of Special Concern	Not Present	Low
Stephens' Kangaroo Rat	<i>Dipodomys stephensi</i>	IPaC	Federal Endangered; California Threatened	Not Present	None



Appendix C. Site Photographs




Photo 1. Overview of Study Area




Photo 2. Overview of Study Area with Debris



Photo 3. Overview of Southern End of Study Area




Photo 4. Fence on Site that Splits Property




Photo 5. Overview of Southern Section of Study Area



Photo 6. Silver-leaf Nightshade Found on Site



Photo 7. Gate Entrance to South End of Property




Photo 8. Field Bindweed Found on Site



Photo 9. Disturbed Area on Site




Photo 10. Indian Fig Opuntia Found on Site



Photo 11. View along Project Boundary



Photo 12. Wood Debris on Site



Photo 13. View of Neighboring Property




Photo 14. View of Study Area toward Jones Street