

mounted on buildings, down-lights shall be utilized. Light poles shall not exceed twenty (20) feet in height, including the height of any concrete or other base material.

25. Submit three sets of plans depicting the preferred location for an above ground utility transformer of capacity to accommodate the planned or speculative uses within the building(s). These plans shall be reviewed and approved by the Planning Division and Public Utilities Department - Electric Division prior to the issuance of a building permit. The proposed location of the transformer shall be level, within 100 feet of the customer's service point, accessible to service trucks and in a location where the transformer can be adequately screened from public view, either by buildings or landscape screening. If landscape screening is the preferred screening method, no landscaping except ground cover shall be allowed within 10 feet of the transformer. The applicant is advised to consult with the City of Riverside Public Utilities, Electrical Engineering Division, at (951) 826-5489 prior to preparing these plans.
26. Plans submitted for Plan check review should specify the location, design and color of all domestic water meters, backflow preventers and utility cabinets subject to the Planning and Public Utilities' review and approval. The visibility of such facilities shall be minimized to Community Development Department, Planning Division, review and approval through means including but not limited to relocation, berming, landscaping, and/or installation of a screen wall.
27. The building elevations submitted for Community & Economic Development Department plan check review shall also include an enclosure for all utilities. The enclosure shall be an integral part of the building to match the building architecture.
28. The building elevations submitted for building permits shall clearly specify all building materials and colors to match the materials and colors as approved by the City Planning Commission as applicable.
29. A sight line study shall be submitted for review and approval of Design Review staff, indicating that any existing and new the roof mounted mechanical equipment will be completely screened from view of all perimeter streets. Additionally, mechanical equipment screening details shall be provided as follows:
 - a. Where exposed pitched roofs are proposed, locate NO mechanical equipment on any roof pitch, except as specifically approved by the Planning Commission or Design Review staff;
 - b. Where exposed roof pitches are not proposed (i.e., "flat" roofs) specify all roof mounted equipment for screening on all sides with either separate screens or parapet walls at least as high as the equipment to be screened;
 - c. Specify all electric meters and panels for 1) placement in enclosures or 2) color and materials to match the adjacent building wall surface; and
 - d. d. Indicate all gas meters, pipes and valves, ground mounted AC units, etc., for screening devices indicated materials and design complimentary to building architecture subject to Design Review staff approval.

30. Add details for a masonry block trash enclosure in accordance with the City's trash enclosure policies and standard drawings (available at the Planning Division) as follows:

REQUIRED ENCLOSURE MATERIALS:

- a. Block color: Precision block stuccoed to match building or decorative block;
- b. Cap color: To match exterior of enclosure walls;
- c. Gate/Gauge Material: 16/ga ribbed metal to match color of building
- d. Pedestrian access requirement: Yes
- e. Decorative overhead trellis requirement: Yes
- f. Overhead cover to prevent contact with storm water: Yes

Prior to occupancy

- 31. Install the landscape and irrigation per the approved plans and submit the completed "Certificate of Substantial Completion" (Appendix C of the water Efficient Landscaping and Irrigation Ordinance Summary and Design Manual) signed by the Designer/auditor responsible for the project. Call Meenaxi R. Panakkal, at 951-826-5277 to schedule the landscape inspection at least a week prior to needing the release of utilities.
- 32. The applicant shall obtain all licenses and permits required by State law for operation of the facility. The applicant shall keep all State licenses or permits valid and current. Failure to comply will result in revocation of this Conditional Use Permit.

Operational Conditions

- 33. The charter school shall be limited to a maximum 480 (450 students + 30 staff) persons onsite at any given time. Any additional staff or students above and beyond these numbers shall be subject to consideration by the Zoning Administrator.
- 34. Hours of operation for instruction shall be Monday through Friday, 7 AM–3PM. The Zoning Administrator is authorized to consider a request to modify this condition in the future at the request of the applicant. (A modification to the instruction scheduled may also require a modification to the covenant).
- 35. The school shall submit to the City of Riverside a circulation, parking, and student drop-off/pick-up management plan (Management Plan), for review and approval by the City's Public Works Traffic Division. The applicant shall remain in compliance with the approved plan at all times, and shall amend the plan, with City approval, as necessary to mitigate circulation impacts on adjacent streets and neighboring properties. The Public Works Traffic Division shall perform periodic review of the school's circulation impacts and management plan following the initial commencement of school operations, and the completion of each project phase. Should persistent congestion or

traffic related concerns result due to the operations of the school, as determined by Public Works, the Zoning Administrator may set the matter for public hearing before the City Planning Commission to consider modification or revocation of the conditional use permit.

36. The use shall be operated in compliance with the provisions of Title 7, the City's Noise Code.
37. The facility shall be occupied and operated as generally described in the body of this report. Any increase in the number of students, employees, or changes to the hours of operation shall be subject to consideration by the Zoning Administrator.
38. The parking lot and all outdoor areas shall remain clean and orderly at all times and shall be sufficiently lighted.

- **Public Works-Traffic**

THE FOLLOWING PUBLIC WORKS "ENGINEERING" CONDITIONS TO BE MET PRIOR TO CASE FINALIZATION:

39. The applicant shall comply with circulation, area wide, impact fees, and site access recommendations as shown in Section 4.0 of the Traffic Impact Analysis and the condition as shown below.
40. The applicant shall propose & install signing and striping and circulation appropriate for the School per CA MUTCD 2014 (or most current revision) as approved by City of Riverside Traffic Division. Any existing school-specific traffic control along Rustin shall be examined for visibility/fading and compliance with current CA MUTCD standards.
41. School staff shall monitor the south driveway entrance to the school and regulate flow to minimize queuing along Rustin Avenue. Northbound traffic along Rustin Avenue shall be made to wait in the loading/pull-forward zone as southbound left traffic is allowed to enter the school lot.
42. The applicant shall consult with RUSD regarding the stationing of a crossing guard at the Rustin / Linden location, and the mid-block crossing shall not be installed.
43. While overall intersection levels of service are anticipated to remain within acceptable ranges, the project is anticipated to unacceptably increase delay to motorists completing left turns at several locations. The project shall contribute a fair-share payment towards the installation of EB & WB protected/permissive left turns at the intersections of Iowa Avenue & Linden Street and Chicago Avenue & Linden Street.
44. The north most driveway shall be restricted to right out only during the 0.5 hour window before and after drop-off and dismissal times.

- **Public Works**

THE FOLLOWING PUBLIC WORKS "ENGINEERING" CONDITIONS TO BE MET PRIOR TO CASE FINALIZATION:

45. Installation of a sewer main/lateral to serve this project to Public Works specifications. Prior to joining existing sewer main the applicant shall perform a video inspection of the main from the connection point to the nearest downstream manhole to confirm it is suitable for use. A record of the video inspection shall be submitted to Public Works for review and concurrence.

46. Size, number and location of driveways to Public Works specifications.

47. Prior to final inspection for the development project, the applicant shall pay the Transportation Uniform Mitigation Fee (TUMF) in accordance with the fee schedule in effect at the time of payment. If the project improvements include qualifying right-of-way dedications and/or street improvements to a TUMF regional arterial roadway as identified on the Regional System of Highways and Arterials, the developer may have the option to enter into a Credit/ Reimbursement Agreement with the City and Western Riverside Council of Governments (WRCOG) to recover costs for such work based on unit costs as determined by WRCOG.

The terms of the agreement shall be in accordance with the RMC Chapter 16.68 and the TUMF Administrative Plan requirements. Credit/reimbursement agreements must be fully executed prior to receiving any credit/reimbursement. An appraisal is required for credit/reimbursement of right of way dedications and credit/reimbursement of qualifying improvements requires the public bidding and payment of prevailing wages in accordance with State Law. For further assistance, please contact the Public Works Department.

48. Prior to issuance of a building or grading permit, the applicant shall submit to the City for review and approval, a project-specific WQMP that:

- a. Addresses Site Design BMP's such as minimizing impervious areas, maximizing permeability, minimizing directly connected impervious areas, creating reduced or "zero discharge" areas and conserving natural areas;
- b. Incorporates the applicable Source Control BMP's as described in the Santa Ana River Region WQMP and provides a detailed description of their implementation;
- c. Incorporates Treatment Control BMP's as described in the Santa Ana River Region WQMP and provides information regarding design considerations;
- d. Describes the long-term operation and maintenance requirements for BMP's requiring long-term maintenance; and
- e. Describes the mechanism for funding the long-term operation and maintenance of the BMP's requiring long-term maintenance.

49. Prior to issuance of any building or grading permits, the property owner shall record a "Covenant and Agreement" with the County-Clerk Recorder or other instrument acceptable to the City Attorney to inform future property owners of the requirement to implement the approved project-specific WQMP. Other alternative instruments for

requiring implementation of the approved project-specific WQMP include: requiring the implementation of the project-specific WQMP in the Home Owners Association or Property Owners Association Conditions, Covenants and Restrictions (C,C&R's); formation of Landscape, Lighting and Maintenance Districts, Assessment Districts or Community Service Areas responsible for implementing the project-specific WQMP; or equivalent may also be considered. Alternative instruments must be approved by the City prior to the issuance of any building or grading permits.

50. If the project will cause land disturbance of one acre or more, it must comply with the statewide General Permit for Storm Water Discharges Associated with Construction Activity. The project applicant shall cause the approved final project-specific WQMP to be incorporated by reference or attached to the project's Storm Water Pollution Prevention Plan as the Post-Construction Management Plan.
51. Prior to building or grading permit closeout or the issuance of a certificate of occupancy or certificate of use, the applicant shall:
 - a. Demonstrate that all structural BMP's described in the project-specific WQMP have been constructed and installed in conformance with approved plans and specifications;
 - b. Demonstrate that applicant is prepared to implement all non-structural BMP's described in the approved project-specific WQMP; and
 - c. Demonstrate that an adequate number of copies of the approved project-specific WQMP are available for the future owners/ occupants.

- **Public Utilities – Electric**

52. All utilities shall be satisfactorily relocated, protected and/or replaced to the specifications of the affected departments and agencies, and easements for such facilities retained as necessary.
53. The provision of utility easements, water, street lights and electrical underground and/or overhead facilities and fees in accordance with the rules and regulations of the appropriate purveyor.
54. For information about Riverside Public Utilities rebates your project may be eligible for, please contact one of our Account Managers at 951-826-5485. You will need to have a summary of your Title 24 report available for review. No comments.

- **Public Utilities – Water**

55. Advisory: All utilities shall be satisfactorily relocated, protected and/or replaced to the specifications of the affected departments and agencies.
56. Advisory: The provision of water facilities in accordance with the City of Riverside Public Utilities Water Rules.
57. Advisory: The provision of utility fees and charges in accordance with the City of Riverside Public Utilities Water Rules. No comments.