

Appendix C: Air Quality and Greenhouse Gas Emissions Impact Analysis Memorandum for the proposed Woodcrest Christian School Improvement Project

MEMORANDUM

DATE: September 30, 2022, Revised February 28, 2025

To: James F. Sullivan, Woodcrest Christian School System

FROM: Ronald Brugger, Senior Air Quality Specialist

SUBJECT: Air Quality and Greenhouse Gas Emissions Impact Analysis Memorandum for the proposed Woodcrest Christian School Improvement Project in Riverside, California

INTRODUCTION

This air quality and greenhouse gas (GHG) emissions impact analysis for the proposed Woodcrest Christian School Improvement Project in the City of Riverside, in Riverside County, California (project) has been prepared using methods and assumptions recommended in the South Coast Air Quality Management District's (SCAQMD) *CEQA Air Quality Handbook* (SCAQMD, 1993). This analysis includes a description of existing regulatory framework, an assessment of project operational air quality emissions, and an assessment of GHG emissions. Measures to reduce or eliminate significant impacts are identified, where appropriate.

PROJECT LOCATION

The project site is located in the City of Riverside (City) in Riverside County. The project site is located at 18401 Van Buren Boulevard (APN 266-020-013, -014, -015, -037, -038, -059) in the City of Riverside, California, bounded by Van Buren Boulevard and commercial buildings to the north, commercial and residential to the east, single-family residential units to the south and west. Figure 1 shows the project location and sensitive receptors. (All figures are included in Attachment A.)

PROJECT DESCRIPTION

The Woodcrest Christian School System in Riverside California is updating its Master Plan to include improvements to Woodcrest Christian School (Middle School and High School combined) to expand capacity by an additional 280 students, resulting in a total student count of 924. The project site is 29.29 acres. The proposed project would include an expansion of the Middle School administration and multipurpose room by an additional 900 square feet (sf) of office space, along with a 11,600 sf two story office and classroom building and a 300-seat outdoor amphitheater. In addition, the High School portion of the site would include the addition of a 1,600 sf food service building, a 5,000 sf locker room/snack bar building, an 8,300 sf chapel and arts building, a 2,800 sf weight and storage room, a 1,400 sf storage room, and an additional 92 parking spaces. The existing single family residential unit located 190 feet east of the project site (on Dauchy Avenue) will be demolished to

provide additional parking for the school. This will bring total parking spaces provided on site to 290 spaces. Figure 2 shows the site plan. Project construction was analyzed as starting in the spring of 2024 and ending in late spring of 2026. Due to delays construction would now occur in phases with the first phase starting as soon as spring 2025 and, depending on enrollment and funding, having all phases completed several years later. As the included analysis assumes dates that are earlier than the expected dates, actual construction equipment emissions are anticipated to be the same or even lower under the latest construction schedule. Additionally, the phased construction would spread out the construction activities compared to the analyzed construction duration of 2 years, further reducing the daily construction emissions presented below when compared to the daily construction emissions thresholds.

The site has an existing photovoltaic system that provides approximately 95 percent of the total electricity used by the school. After the proposed expansion the photovoltaic system would continue to provide approximately 95 percent of the total electricity used.

Sensitive Receptors and Land Uses in the Project Vicinity

Sensitive Receptors include residences, schools, hospitals, and similar uses that are sensitive to air quality. The project site is bounded by Van Buren Boulevard and commercial buildings to the north, Dauchy Ave, commercial buildings, single family residential units, and a high school to the east, single family residential units to the south, and single-family residential units and vacant land to the west. The nearest sensitive receptors in proximity to the project site are single-family residential units that are 637 feet to the west along Little Court, 547 feet to the east along Dauchy Avenue and Ardenwood Lane and 775 feet to the south along Blue Sky Street. Martin Luther King High School is located 1,253 feet east of the project site.

REGIONAL CLIMATE AND AIR QUALITY

The project site is in the City of Riverside, Riverside County, California, which is part of the South Coast Air Basin (Basin) and is under the jurisdiction of SCAQMD. This Basin includes all of Orange County and the non-desert portions of Los Angeles, San Bernardino, and Riverside Counties. Both the State of California (State) and the federal government have established health-based ambient air quality standards (AAQS) for seven air pollutants. As detailed in Table 1, these pollutants include ozone (O_3), carbon monoxide (CO), nitrogen dioxide (NO_2), sulfur dioxide (SO_2), particulate matter less than 10 microns in size (PM_{10}), particulate matter less than 2.5 microns in size ($PM_{2.5}$), and lead. In addition, the State has set standards for sulfates, hydrogen sulfide (H_2S), vinyl chloride, and visibility-reducing particles. These standards are designed to protect the health and welfare of the populace with a reasonable margin of safety.

Table 2 summarizes the most common health and environmental effects for each of the air pollutants for which there is a national and/or California AAQS, as well as for toxic air contaminants. Because the concentration standards were set at a level that protects public health with an adequate margin of safety (by the United States Environmental Protection Agency [EPA]), these health effects would not occur unless the standards are exceeded by a large margin or for a prolonged period of time. State AAQS are typically more stringent than federal AAQS.

Table 1: Ambient Air Quality Standards

Pollutant	Averaging Time	California Standards ¹		National Standards ²					
		Concentration ³	Method ⁴	Primary ^{3,5}	Secondary ^{3,6}	Method ⁷			
O_3^8	1-Hour	0.09 ppm (180 $\mu\text{g}/\text{m}^3$)	Ultraviolet Photometry	—	Same as Primary Standard	Ultraviolet Photometry			
	8-Hour	0.070 ppm (137 $\mu\text{g}/\text{m}^3$)		0.070 ppm (137 $\mu\text{g}/\text{m}^3$)					
Respirable Particulate Matter (PM_{10}) ⁹	24-Hour	50 $\mu\text{g}/\text{m}^3$	Gravimetric or Beta Attenuation	150 $\mu\text{g}/\text{m}^3$	Same as Primary Standard	Inertial Separation and Gravimetric Analysis			
	Annual Arithmetic Mean	20 $\mu\text{g}/\text{m}^3$		—					
Fine Particulate Matter ($PM_{2.5}$) ⁹	24-Hour	—	—	35 $\mu\text{g}/\text{m}^3$	Same as Primary Standard	Inertial Separation and Gravimetric Analysis			
	Annual Arithmetic Mean	12 $\mu\text{g}/\text{m}^3$	Gravimetric or Beta Attenuation	12.0 $\mu\text{g}/\text{m}^3$	15 $\mu\text{g}/\text{m}^3$				
CO	1-Hour	20 ppm (23 mg/ m^3)	Non-Dispersive Infrared Photometry (NDIR)	35 ppm (40 mg/ m^3)	—	Non-Dispersive Infrared Photometry (NDIR)			
	8-Hour	9.0 ppm (10 mg/ m^3)		9 ppm (10 mg/ m^3)	—				
	8-Hour (Lake Tahoe)	6 ppm (7 mg/ m^3)		—	—				
NO_2^{10}	1-Hour	0.18 ppm (339 $\mu\text{g}/\text{m}^3$)	Gas Phase Chemiluminescence	100 ppb (188 $\mu\text{g}/\text{m}^3$)	—	Gas Phase Chemiluminescence			
	Annual Arithmetic Mean	0.030 ppm (57 $\mu\text{g}/\text{m}^3$)		0.053 ppm (100 $\mu\text{g}/\text{m}^3$)	Same as Primary Standard				
SO_2^{11}	1-Hour	0.25 ppm (655 $\mu\text{g}/\text{m}^3$)	Ultraviolet Fluorescence	75 ppb (196 $\mu\text{g}/\text{m}^3$)	—	Ultraviolet Fluorescence; Spectrophotometry (Pararosaniline Method)			
	3-Hour	—		—	0.5 ppm (1,300 $\mu\text{g}/\text{m}^3$)				
	24-Hour	0.04 ppm (105 $\mu\text{g}/\text{m}^3$)		0.14 ppm (for certain areas) ¹¹	—				
	Annual Arithmetic Mean	—		0.030 ppm (for certain areas) ¹¹	—				
Lead ^{12,13}	30-Day Average	1.5 $\mu\text{g}/\text{m}^3$	Atomic Absorption	—	—	High-Volume Sampler and Atomic Absorption			
	Calendar Quarter	—		1.5 $\mu\text{g}/\text{m}^3$ (for certain areas) ¹³	Same as Primary Standard				
	Rolling 3-Month Average ¹¹	—		0.15 $\mu\text{g}/\text{m}^3$					
Visibility-Reducing Particles ¹⁴	8-Hour	See footnote 14	Beta Attenuation and Transmittance through Filter Tape	No National Standards					
Sulfates	24-Hour	25 $\mu\text{g}/\text{m}^3$	Ion Chromatography						
Hydrogen Sulfide	1-Hour	0.03 ppm (42 $\mu\text{g}/\text{m}^3$)	Ultraviolet Fluorescence						
Vinyl Chloride ¹²	24-Hour	0.01 ppm (26 $\mu\text{g}/\text{m}^3$)	Gas Chromatography						

Source: CARB Ambient Air Quality Standards. May 4, 2016. Website: www.arb.ca.gov/sites/default/files/2020-07/aaqs2.pdf (accessed September 2022)

Footnotes are provided on the following page.

- ¹ California standards for O₃, CO (except 8-hour Lake Tahoe), SO₂ (1- and 24-hour), NO₂, and PM (PM₁₀, PM_{2.5}, and visibility-reducing particles) are values that are not to be exceeded. All others are not to be equaled or exceeded. California AAQS are listed in the Table of Standards in Section 70200 of Title 17 of the California Code of Regulations.
 - ² National standards (other than for O₃ and PM and those based on the annual arithmetic mean) are not to be exceeded more than once a year. The ozone standard is attained when the fourth-highest 8-hour concentration measured at each site in a year, averaged over 3 years, is equal to or less than the standard. For PM₁₀, the 24-hour standard is attained when the expected number of days per calendar year with a 24-hour average concentration above 150 µg/m³ is equal to or less than 1. For PM_{2.5}, the 24-hour standard is attained when 98 percent of the daily concentrations, averaged over 3 years, are equal to or less than the standard. Contact the EPA for further clarification and current national policies.
 - ³ Concentration expressed first in the units in which it was promulgated. Equivalent units given in parentheses are based upon a reference temperature of 25°C and a reference pressure of 760 torr. Most measurements of air quality are to be corrected to a reference temperature of 25°C and a reference pressure of 760 torr; ppm in this table refers to ppm by volume, or micromoles of pollutant per mole of gas.
 - ⁴ Any equivalent measurement method that can be shown to the satisfaction of the CARB to give equivalent results at or near the level of the air quality standard may be used.
 - ⁵ National Primary Standards: The levels of air quality necessary, with an adequate margin of safety to protect the public health.
 - ⁶ National Secondary Standards: The levels of air quality necessary to protect the public welfare from any known or anticipated adverse effects of a pollutant.
 - ⁷ The reference method as described by the EPA. An “equivalent method” of measurement may be used but must have a “consistent relationship to the reference method” and must be approved by the EPA.
 - ⁸ On October 1, 2015, the national 8-hour O₃ primary and secondary standards were lowered from 0.075 to 0.070 ppm.
 - ⁹ On December 14, 2012, the national annual PM_{2.5} primary standard was lowered from 15 µg/m³ to 12.0 µg/m³. The existing national 24-hour PM_{2.5} standards (primary and secondary) were retained at 35 µg/m³, as was the annual secondary standard of 15 µg/m³. The existing 24-hour PM₁₀ standards (primary and secondary) of 150 µg/m³ also were retained. The form of the annual primary and secondary standards is the annual mean, averaged over 3 years.
 - ¹⁰ To attain the 1-hour standard, the 3-year average of the annual 98th percentile of the 1-hour daily maximum concentrations at each site must not exceed 100 ppb. Note that the national 1-hour standard is in units of parts per billion (ppb). California standards are in units of parts per million (ppm). To directly compare the national 1-hour standard to the California standards, the units can be converted from ppb to ppm. In this case, the national standard of 100 ppb is identical to 0.100 ppm.
 - ¹¹ On June 2, 2010, a new 1-hour SO₂ standard was established, and the existing 24-hour and annual primary standards were revoked. To attain the 1-hour national standard, the 3-year average of the annual 99th percentile of the 1-hour daily maximum concentrations at each site must not exceed 75 ppb. The 1971 SO₂ national standards (24-hour and annual) remain in effect until 1 year after an area is designated for the 2010 standard, except that in areas designated as Nonattainment for the 1971 standards, the 1971 standards remain in effect until implementation plans to attain or maintain the 2010 standards are approved.
- Note that the 1-hour national standard is in units of parts per billion (ppb). California standards are in units of parts per million (ppm). To directly compare the 1-hour national standard to the California standard, the units can be converted to ppm. In this case, the national standard of 75 ppb is identical to 0.075 ppm.
- ¹² CARB has identified lead and vinyl chloride as “toxic air contaminants” with no threshold level of exposure for adverse health effects determined. These actions allow for the implementation of control measures at levels below the ambient concentrations specified for these pollutants.
 - ¹³ The national standard for lead was revised on October 15, 2008, to a rolling 3-month average. The 1978 lead standard (1.5 µg/m³ as a quarterly average) remains in effect until 1 year after an area is designated for the 2008 standard, except that in areas designated as Nonattainment for the 1978 standard, the 1978 standard remains in effect until implementation plans to attain or maintain the 2008 standards are approved.
 - ¹⁴ In 1989, CARB converted both the general statewide 10 mi visibility standard and the Lake Tahoe 30 mi visibility standard to instrumental equivalents, which are “extinction of 0.23 per kilometer” and “extinction of 0.07 per kilometer” for the statewide and Lake Tahoe Air Basin standards, respectively.

°C = degrees Celsius

NO₂ = nitrogen dioxide

µg/m³ = micrograms per cubic meter

O₃ = ozone

AAQS = ambient air quality standards

PM = particulate matter

CARB = California Air Resources Board

PM_{2.5} = particulate matter less than 2.5 microns in size

CO = carbon monoxide

PM₁₀ = particulate matter less than 10 microns in size

EPA = United States Environmental Protection Agency

ppb = parts per billion

mg/m³ = milligrams per cubic meter

ppm = parts per million

mi = mile/miles

SO₂ = sulfur dioxide

Table 2: Summary of Health and Environmental Effects of the Criteria Air Pollutants

Pollutant	Effects on Health and the Environment
Ozone (O_3)	<ul style="list-style-type: none"> • Respiratory symptoms • Worsening of lung disease leading to premature death • Damage to lung tissue • Crop, forest and ecosystem damage • Damage to a variety of materials, including rubber, plastics, fabrics, paint and metals
$PM_{2.5}$ (particulate matter less than 2.5 microns in aerodynamic diameter)	<ul style="list-style-type: none"> • Premature death • Hospitalization for worsening of cardiovascular disease • Hospitalization for respiratory disease • Asthma-related emergency room visits • Increased symptoms, increased inhaler usage
PM_{10} (particulate matter less than 10 microns in aerodynamic diameter)	<ul style="list-style-type: none"> • Premature death & hospitalization, primarily for worsening of respiratory disease • Reduced visibility and material soiling
Nitrogen Oxides (NO_x)	<ul style="list-style-type: none"> • Lung irritation • Enhanced allergic responses
Carbon Monoxide (CO)	<ul style="list-style-type: none"> • Chest pain in patients with heart disease • Headache • Light-headedness • Reduced mental alertness
Sulfur Oxides (SO_x)	<ul style="list-style-type: none"> • Worsening of asthma: increased symptoms, increased medication usage, and emergency room visits
Lead	<ul style="list-style-type: none"> • Impaired mental functioning in children • Learning disabilities in children • Brain and kidney damage
Hydrogen Sulfide (H_2S)	<ul style="list-style-type: none"> • Nuisance odor (rotten egg smell) • At high concentrations: headache & breathing difficulties
Sulfate	<ul style="list-style-type: none"> • Same as $PM_{2.5}$, particularly worsening of asthma and other lung diseases • Reduces visibility
Vinyl Chloride	<ul style="list-style-type: none"> • Central nervous system effects, such as dizziness, drowsiness & headaches • Long-term exposure: liver damage & liver cancer
Visibility Reducing Particles	<ul style="list-style-type: none"> • Reduced airport safety, scenic enjoyment, road safety, and discourages tourism
Toxic Air Contaminants About 200 chemicals have been listed as toxic air contaminants	<ul style="list-style-type: none"> • Cancer • Reproductive and developmental effects • Neurological effects

Source: Common Air Pollutants (CARB Website: www.arb.ca.gov/resources/common-air-pollutants (accessed September 2022)).
CARB = California Air Resources Board

Among the pollutants, O_3 and particulate matter ($PM_{2.5}$ and PM_{10}) are considered pollutants with regional effects, while the others have more localized effects. (CARB 2017).

The California Clean Air Act (CCA) provides SCAQMD and other air districts with the authority to manage transportation activities at indirect sources. Indirect sources of pollution include any facility, building, structure, or installation, or combination thereof, that attracts or generates mobile-source emissions of any pollutant. In addition, area-source emissions that are generated when minor sources collectively emit a substantial amount of pollution are also managed by the local air districts. Examples of this would be the motor vehicles at an intersection, at a mall, and on highways. SCAQMD also regulates stationary sources of pollution throughout its jurisdictional area. The California Air Resources Board (CARB) regulates direct emissions from motor vehicles.

Climate/Meteorology

Air quality in the planning area is affected not only by various emission sources (e.g., mobile and industry) but also by atmospheric conditions (e.g., wind speed, wind direction, temperature, and rainfall). The regional climate within the Basin is considered semi-arid and is characterized by warm summers, mild winters, infrequent seasonal rainfall, moderate daytime onshore breezes, and moderate humidity. The air quality within the Basin is primarily influenced by a wide range of emissions sources—such as dense population centers, heavy vehicular traffic, and industry—and meteorology.

The annual average temperature varies little throughout the Basin, ranging from the low to middle 60s, measured in degrees Fahrenheit (°F). With a more pronounced oceanic influence, coastal areas show less variability in annual minimum and maximum temperatures than inland areas. The climatological station closest to the site is the Riverside Fire Station 3 (Western Regional Climate Center 2022). The monthly average maximum temperature recorded at this station ranged from 66.8°F in January to 94.4°F in August, with an annual average maximum of 79.5°F. The monthly average minimum temperature recorded at this station ranged from 39.1°F in January to 59.6°F in August, with an annual average minimum of 48.6°F. January is typically the coldest month, and July and August are typically the warmest months in this area of the Basin.

Description of Global Climate Change and Its Sources

Earth's natural warming process is known as the "greenhouse effect." This greenhouse effect compares the Earth and the atmosphere surrounding it to a greenhouse with glass panes. The glass allows solar radiation (sunlight) into Earth's atmosphere but prevents radiated heat from escaping, thus warming Earth's atmosphere. GHGs keep the average surface temperature of the Earth to approximately 60°F. However, excessive concentrations of GHGs in the atmosphere can result in increased global mean temperatures, with associated adverse climatic and ecological consequences (IPCC 2022).

Scientists refer to the global warming context of the past century as the "enhanced greenhouse effect" to distinguish it from the natural greenhouse effect (Pew Center 2006). While the increase in temperature is known as "global warming," the resulting change in weather patterns is known as "global climate change." Global climate change (GCC) is evidenced in changes to global temperature rise, warming oceans, shrinking ice sheets, glacial retreat, decreased snow cover, sea level rise, declining Arctic sea ice, extreme weather events, and ocean acidification (IPCC 2022).

Higher temperatures, conducive to air pollution formation, could worsen air quality in California. While climate change may increase the concentration of ground-level ozone, the magnitude of the effect and, therefore, its indirect effects, are uncertain. If higher temperatures are accompanied by drier conditions, the potential for large wildfires could increase, which, in turn, would exacerbate air quality. Additionally, severe heat accompanied by drier conditions and poor air quality could increase the number of heat related deaths, illnesses, and asthma attacks throughout the state. However, if higher temperatures are accompanied by wetter, rather than drier conditions, the rains would temporarily clear the air of particulate pollution and reduce the incidence of large wildfires, thus reducing the pollution associated with wildfires. GHGs are present in the atmosphere naturally, are released by natural sources, or are formed from secondary reactions taking place in the atmosphere. The gases that are widely seen as the principal contributors to human-induced GCC are the following:¹

- Carbon dioxide (CO₂)
- Methane (CH₄)
- Nitrous oxide (N₂O)
- Hydrofluorocarbons (HFCs)
- Perfluorocarbons (PFCs)
- Sulfur hexafluoride (SF₆)

Over the last 200 years, human activities have caused substantial quantities of GHGs to be released into the atmosphere. These extra emissions are increasing GHG concentrations in the atmosphere and enhancing the natural greenhouse effect, which can cause global warming. Although GHGs produced by human activities include naturally occurring GHGs (e.g., CO₂, CH₄, and N₂O), some gases (e.g., HFCs, PFCs, and SF₆) are completely new to the atmosphere. Water vapor is a GHG, but is generally excluded from the list of GHGs because it is short-lived in the atmosphere and its atmospheric concentrations are largely determined by natural processes (e.g., oceanic evaporation). For the purposes of this air quality study, the term “GHGs” will refer collectively to the six gases identified in the bulleted list provided above.

These GHGs vary considerably in terms of global warming potential (GWP), which is a concept developed to compare the ability of each GHG to trap heat in the atmosphere relative to another gas. GWP is based on several factors, including the relative effectiveness of a gas in absorbing infrared radiation and the length of time that the gas remains in the atmosphere (“atmospheric lifetime”). The GWP of each gas is measured relative to CO₂, the most abundant GHG. The definition of GWP for a particular GHG is the ratio of heat trapped by one unit mass of the GHG to the ratio of heat trapped by one unit mass of CO₂ over a specified time period. For example, N₂O is 265 times more potent at contributing to global warming than CO₂. GHG emissions are typically measured in terms of metric tons of “CO₂ equivalents” (MT CO₂e). Table 3 identifies the GWP for each type of GHG analyzed in this report. The EPA and CARB use GWP values from the 2007 IPCC Fourth Assessment Report (AR4). The IPCC has published the 2021 IPCC Sixth Assessment Report (AR6) with updated GWP values.

¹ The greenhouse gases listed are consistent with the definition in Assembly Bill 32 (Government Code 38505), as discussed later in this section.

Table 3: Global Warming Potential for Selected Greenhouse Gases

Pollutant	AR4 Values	AR6 Values
Carbon Dioxide (CO ₂)	1 (by definition)	1 (by definition)
Methane (CH ₄)	25	29.8 ± 11
Nitrous Oxide (N ₂ O)	298	273 ± 130

Sources: CARB. 2017 *Climate Change Scoping Plan*,¹ and IPCC Sixth Assessment Report

¹ The EPA and CARB use global warming potential values from the IPCC Fourth Assessment Report (AR4) (2007).

AR4 = IPCC Assessment Report 4

AR6 = IPCC Assessment Report 6

CARB = California Air Resources Board

EPA = United States Environmental Protection Agency

IPCC = Intergovernmental Panel on Climate Change

Air Pollution Constituents and Attainment Status

CARB coordinates and oversees both State and federal air pollution control programs in the State. CARB oversees activities of local air quality management agencies and maintains air quality monitoring stations throughout the State in conjunction with the EPA and local air districts. CARB has divided the State into 15 air basins based on meteorological and topographical factors of air pollution. Data collected at these stations are used by CARB and the EPA to classify air basins as Attainment, Nonattainment, Nonattainment-Transitional, or Unclassified, based on air quality data for the most recent 3 calendar years compared with the AAQS.

Attainment areas may be the following:

- **Attainment/Unclassified** (“Unclassifiable” in some lists). These basins have never violated the air quality standard of interest or do not have enough monitoring data to establish Attainment or Nonattainment status.
- **Attainment-Maintenance** (national ambient air quality standards [NAAQS] only). These basins violated a NAAQS that is currently in use (were Nonattainment) in or after 1990, but now attain the standard and are officially redesignated as Attainment by the EPA with a Maintenance State Implementation Plan (SIP).
- **Attainment** (usually only for California ambient air quality standards [CAAQS], but sometimes for NAAQS). These basins have adequate monitoring data to show attainment, have never been Nonattainment, or, for NAAQS, have completed the official Maintenance period.

Nonattainment areas are imposed with additional restrictions as required by the EPA. The air quality data are also used to monitor progress in attaining air quality standards. Table 4 lists the attainment status for the criteria pollutants in the Basin.

¹ California Air resources Board. 2017. *2017 Climate Change Scoping Plan*. November. Accessible online at: www.arb.ca.gov/sites/default/files/classic/cc/scopingplan/scoping_plan_2017.pdf (accessed July 2022).

**Table 4: Attainment Status of Criteria Pollutants
in the South Coast Air Basin**

Pollutant	State	Federal
O ₃	Nonattainment (1-hour) Nonattainment (8-hour)	Extreme Nonattainment (1-hour) Extreme Nonattainment (8-hour)
PM ₁₀	Nonattainment (24-hour) Nonattainment (Annual)	Attainment-Maintenance (24-hour)
PM _{2.5}	Nonattainment (Annual)	Serious Nonattainment (24-hour) Moderate Nonattainment (Annual)
CO	Attainment (1-hour) Attainment (8-hour)	Attainment-Maintenance (1-hour) Attainment-Maintenance (8-hour)
NO ₂	Attainment (1-hour) Attainment (Annual)	Attainment/Unclassified (1-hour) Attainment-Maintenance (Annual)
SO ₂	Attainment (1-hour) Attainment (24-hour)	Attainment/Unclassified (1-hour) Attainment/Unclassified (Annual)
Lead ¹	Nonattainment (30-day average)	Nonattainment (3-month rolling)
All Others	Attainment/Unclassified	N/A

Source: *National Ambient Air Quality Standards (NAAQS) and California Ambient Air Quality Standards (CAAQS) Attainment Status for South Coast Air Basin* (SCAQMD), Website: www.aqmd.gov/docs/default-source/clean-air-plans/air-quality-management-plans/naaqs-caaqs-feb2016.pdf (accessed September 2022).

¹ Only the Los Angeles County portion of the Basin is in nonattainment for lead.

CO = carbon monoxide

PM_{2.5} = particulate matter less than 2.5 microns in size

N/A = not applicable

PM₁₀ = particulate matter less than 10 microns in size

NO₂ = nitrogen dioxide

SO₂ = sulfur dioxide

O₃ = ozone

LOCAL AIR QUALITY

SCAQMD, together with CARB, maintains ambient air quality monitoring stations. The air quality monitoring station that monitors air pollutant data closest to the site is the Rubidoux Monitoring Station at 5888 Mission Blvd, Riverside California, approximately 9 miles northwest of the project site. The air quality trends from this station are used to represent the ambient air quality in the project area. The ambient air quality data in Table 5 show that NO₂ and CO levels are below the applicable State and federal standards. However, PM₁₀ and O₃ levels frequently exceed their respective standards and PM_{2.5} levels occasionally exceed the federal 24-hour standard.

Table 5: Air Quality Concentrations in the Project Vicinity

Pollutant	Standard	2019	2020	2021
<i>CO (Measured at the Riverside – Rubidoux Monitoring Station)</i>				
Maximum 1-hour concentration (ppm)		1.5	1.8	2.1
No. of days exceeded	State: 20 ppm Federal: 35 ppm	0 0	0 0	0 0
Maximum 8-hour concentration (ppm)		1.2	1.5	1.8
No. of days exceeded	State: 9 ppm Federal: 9 ppm	0 0	0 0	0 0
<i>O₃ (Measured at the Riverside – Rubidoux Monitoring Station)</i>				
Maximum 1-hour concentration (ppm)		0.123	0.143	0.117
No. of days exceeded	State: 0.09 ppm	24	46	ND
Max 8-hr concentration (ppm)		0.096	0.115	0.097
No. of days exceeded	State: 0.07 ppm Federal: 0.07 ppm	63 59	86 82	ND ND
<i>PM₁₀ (Measured at the Riverside – Rubidoux Monitoring Station)</i>				
Maximum 24-hour concentration ($\mu\text{g}/\text{m}^3$)		57.6	61.9	76.0
No. of days exceeded	State: 50 $\mu\text{g}/\text{m}^3$ Federal: 150 $\mu\text{g}/\text{m}^3$	110 0	115 0	0 0
Annual avg. concentration ($\mu\text{g}/\text{m}^3$)		40.9	ND	33.2
Exceeds Standard?	State: 20 $\mu\text{g}/\text{m}^3$	Yes	ND	Yes
<i>PM_{2.5} (Measured at the Riverside – Rubidoux Monitoring Station)</i>				
Maximum 24-hour concentration ($\mu\text{g}/\text{m}^3$)		57.7	59.9	44.4
No. of days exceeded	Federal: 35 $\mu\text{g}/\text{m}^3$	5	12	0
Annual avg. concentration ($\mu\text{g}/\text{m}^3$)		11.2	14.1	13.3
Exceeds Standard?	State: 12 $\mu\text{g}/\text{m}^3$ Federal: 12 $\mu\text{g}/\text{m}^3$	No No	Yes Yes	No No
<i>NO₂ (Measured at the Riverside – Rubidoux Monitoring Station)</i>				
Maximum 1-hour concentration (ppb):		56.0	62.0	52
No. of days exceeded	State: 180 ppb Federal: 100 ppb	0 0	0 0	0 0
Annual avg. concentration (ppb):		14.0	14.0	14.3
Exceeds standard?	State: 30 ppb Federal: 53 ppb	No No	No No	No No

Sources: Air Data: EPA Air Quality Data Collected at Outdoor Monitors across the U.S.); and CARB's iADAM

Notes: Data was collected from the closest stations to the project site where each criteria pollutant data was available.

The *Riverside - Rubidoux* Air Quality Monitoring Station located at 5888 Mission Boulevard, Rubidoux, CA.

$\mu\text{g}/\text{m}^3$ = micrograms per cubic meter

O_3 = ozone

CARB = California Air Resources Board

$\text{PM}_{2.5}$ = particulate matter smaller than 2.5 microns in size

CO = carbon monoxide

PM_{10} = particulate matter smaller than 10 microns in size

EPA = United States Environmental Protection Agency

ppb = parts per billion

ND = No data available

ppm = parts per million

NO_2 = nitrogen dioxide

Regulatory Framework

Air quality and GHG standards and the regulatory framework are discussed below.

Federal Regulations

Pursuant to the federal Clean Air Act (CAA) of 1970, the EPA established the NAAQS. The NAAQS were established for six major pollutants, termed “criteria” pollutants. Criteria pollutants are defined as those pollutants for which the federal and State governments have established AAQS, or criteria, for outdoor concentrations to protect public health.

The EPA has designated the Southern California Association of Governments (SCAG) as the Metropolitan Planning Organization responsible for ensuring compliance with the requirements of the CAA for the Basin.

The United States has historically had a voluntary approach to reducing GHG emissions; however, on April 2, 2007, the United States Supreme Court ruled that the EPA has the authority to regulate CO₂ emissions under the CAA. The Supreme Court ruled that GHGs fit within the CAA’s definition of a pollutant and that the EPA did not have a valid rationale for not regulating GHGs. In December 2009, the EPA issued an endangerment finding for GHGs under the CAA.

On December 7, 2009, the EPA Administrator signed a final action under the CAA, finding that six GHGs (i.e., CO₂, CH₄, N₂O, HFCs, PFCs, and SF₆) constitute a threat to public health and welfare and that the combined emissions from motor vehicles cause and contribute to GCC.

In 2012, the EPA and the National Highway Traffic Safety Administration (NHTSA) promulgated new rules to set GHG emission and fuel economy standards for new motor vehicles. The rules created requirements for model years 2017–2021 and 2022–2025, which would become more stringent each year, achieving greater GHG reductions over time. On March 31, 2020, the agencies issued the Safer Affordable Fuel-Efficient (SAFE) Vehicles Rule (EPA 2021) that increases the stringency of CAFE and CO₂ emissions standards by 1.5% each year through model year 2026. The current administration withdrew portions of the SAFE Rule, concluding that the SAFE Rule overstepped the agency’s legal authority and finalized updated CAFE Standards for model years 2024 through 2026. The final rule establishes standards that would require an industry-wide fleet average of approximately 49 mpg for passenger cars and light trucks in model year 2026, by increasing fuel efficiency by 8 percent annually for model years 2024 and 2025, and 10 percent annually for model years 2026. The agency projects the final standards will save consumers nearly \$1,400 in total fuel expenses over the lifetimes of vehicles produced in these model years and avoid the consumption of about 234 billion gallons of gas between model years 2030 to 2050. The NHTSA also projects that the standards will cut greenhouse gases from the atmosphere, reduce air pollution, and reduce the country’s dependence on oil.

State Agencies

California Air Resources Board

In 1967, the State Legislature passed the Mulford-Carrell Act, which combined two Department of Health bureaus (i.e., the Bureau of Air Sanitation and the Motor Vehicle Pollution Control Board) to establish CARB. Since its formation, CARB has worked with the public, the business sector, and local governments to find solutions to the State’s air pollution problems. California adopted the CCAA in 1988. CARB administers the CAAQs for the 10 air pollutants designated in the CCAA. These 10 State

air pollutants are the 6 criteria pollutants designated by the federal CAA as well as 4 others: visibility-reducing particulates, H₂S, sulfates, and vinyl chloride.

The California Global Warming Solutions Act of 2006, widely known as Assembly Bill (AB) 32, requires CARB to develop and enforce regulations for the reporting and verification of statewide GHG emissions. CARB was directed to set a statewide GHG emissions limit and set a timeline for adopting a scoping plan for achieving GHG reductions in a technologically and economically feasible manner.

In 2016, the Legislature passed and Governor Jerry Brown signed, Senate Bill (SB) 32 and AB 197. SB 32 affirms the importance of addressing climate change by codifying into statute the GHG emissions reductions target of at least 40 percent below 1990 levels by 2030 contained in Governor Brown's April 2015 Executive Order (EO) B-30-15. SB 32 builds on AB 32 and keeps California on the path toward achieving the State's 2050 objective of reducing emissions to 80 percent below 1990 levels, consistent with an IPCC analysis of the emissions trajectory that would stabilize atmospheric GHG concentrations at 450 ppm CO₂e and reduce the likelihood of catastrophic impacts from climate change. The companion bill to SB 32, AB 197, provides additional direction to CARB related to the adoption of strategies to reduce GHG emissions.

In December 2017, CARB adopted "California's 2017 Climate Change Scoping Plan: The Strategy for Achieving California's 2030 Greenhouse Gas Target" (CARB 2017) that describes the actions the State will take to achieve the SB 32 climate goal of reducing GHG emissions at least 40 percent below 1990 levels by 2030. The 2017 Scoping Plan includes input from a range of State agencies and is the result of a 2-year development process, including extensive public and stakeholder outreach, designed to ensure that California's climate and air quality efforts continue to improve public health and drive development of a more sustainable economy. It outlines an approach that cuts across economic sectors to combine GHG reductions with reductions of smog-causing pollutants, while also safeguarding public health and economic goals. The 2017 Scoping Plan reflects the direction from the Legislature on the Cap-and-Trade Program, as described in AB 398, the need to extend key existing emissions reductions programs, and acknowledges the parallel actions required under AB 617 to strengthen monitoring and reduce air pollution at the community level.

The actions identified in the 2017 Scoping Plan can reduce overall GHG emissions in California and deliver strong policy signals that will continue to drive investment and certainty in a low-carbon economy. The 2017 Scoping Plan builds upon the successful framework established by the original Scoping Plan and the 2014 Scoping Plan, while also identifying new, technologically feasibility and cost-effective strategies to ensure that California meets its GHG reduction targets in a way that promotes and rewards innovation, continues to foster economic growth, and delivers improvements to the environment and public health, including in disadvantaged communities.

Although the 2017 Scoping Plan does not impose any specific mandates or policies that specifically apply to individual development projects such as the proposed project, the Scoping Plan encourages local municipalities to update building codes and establish sustainable development practices for accommodating future growth. Key policies that involve the residential and commercial building sectors that are indirectly applicable to the proposed Project include the implementation of SB 275 (promoting infill development and high density housing in high quality transit areas), implementing

green building practices (i.e., the California Green Building Standards Code), energy efficiency and water conservation policies, and waste diversion efforts.

CARB is developing the 2022 Scoping Plan Update, with the finalizing of the Draft 2022 Scoping Plan expected by year's end. The 2022 Scoping Plan Update assesses progress toward the statutory 2030 target, while laying out a path to achieving carbon neutrality no later than 2045. The 2022 Scoping Plan Update focuses on outcomes needed to achieve carbon neutrality by assessing paths for clean technology, energy deployment, natural and working lands, and others, and is designed to meet the State's long-term climate objectives and support a range of economic, environmental, energy security, environmental justice, and public health priorities.

Senate Bill 97 and CEQA Guidelines

In August 2007, the Legislature adopted SB 97, requiring the Office of Planning and Research (OPR) to prepare and transmit new California Environmental Quality Act (CEQA) guidelines for the mitigation of GHG emissions or the effects of GHG emissions to the California Natural Resources Agency. OPR submitted its proposed guidelines to the Secretary for Natural Resources on April 13, 2009, and the CEQA Guidelines amendments were adopted on December 30, 2009 and became effective on March 18, 2010.

The CEQA Guidelines amendments do not specify a threshold of significance for GHG emissions or prescribe assessment methodologies or specific mitigation measures. Instead, the amendments encourage lead agencies to consider many factors in performing a CEQA analysis but rely on the lead agencies in making their own significance determinations based upon substantial evidence. The CEQA Guidelines amendments also encourage public agencies to make use of programmatic mitigation plans and programs from which to tier when they perform individual project analyses.

The CEQA Guidelines amendments require a lead agency to make a good-faith effort based on the extent possible on scientific and factual data to describe, calculate or estimate the amount of GHG emissions resulting from a project. The CEQA Guidelines amendments give discretion to the lead agency whether to (1) use a model or methodology to quantify GHG emissions resulting from a project and which model or methodology to use and/or (2) rely on a qualitative analysis or performance-based standards. The California Natural Resources Agency is required to periodically update the guidelines to incorporate new information or criteria established by CARB pursuant to AB 32.

California Green Building Standards

The California Green Building Standards Code, which is Part 11 of the California Code of Regulations, is commonly referred to as the CALGreen Code. The first edition of the CALGreen Code was released in 2008 and contained only voluntary standards. The 2019 CALGreen Code was updated in 2019, became effective on January 1, 2020, and applies to non-residential and residential developments. The CALGreen Code contains requirements for construction site selection, stormwater control during construction, construction waste reduction, indoor water use reduction, material selection, natural resource conservation, site irrigation conservation, and more. The CALGreen Code provides for design options allowing the designer to determine how best to achieve compliance for a given site or building condition. The CALGreen Code also requires building commissioning, which is a

process for the verification that all building systems, such as heating and cooling equipment and lighting systems, function at their maximum efficiency.

Regional Air Quality Planning Framework

SCAG is a council of governments for Imperial, Los Angeles, Orange, Riverside, San Bernardino, and Ventura Counties. SCAG is a regional planning agency and a forum for regional issues relating to transportation, the economy and community development, and the environment. Although SCAG is not an air quality management agency, it is responsible for developing transportation, land use, and energy conservation measures that affect air quality.

On September 3, 2020, the Regional Council of SCAG adopted *Connect SoCal*, also known as the *2020–2045 Regional Transportation Plan/Sustainable Communities Strategy: A Plan for Mobility, Accessibility, Sustainability, and High Quality of Life* (a.k.a., 2020–2045 RTP/SCS). The 2020–2045 RTP/SCS is a long-range visioning plan that balances future mobility and housing needs with economic, environmental and public health goals. Connect SoCal embodies a collective vision for the region's future and is developed with input from local governments, county transportation commissions (CTCs), tribal governments, non-profit organizations, businesses and local stakeholders within the counties of Imperial, Los Angeles, Orange, Riverside, San Bernardino and Ventura.

South Coast Air Quality Management District

The SCAQMD is the agency principally responsible for comprehensive air pollution control in the Basin. To that end, the SCAQMD, a regional agency, works directly with SCAG, county transportation commissions and local governments, and cooperates actively with State and federal government agencies. The SCAQMD develops air quality-related rules and regulations, establishes permitting requirements, inspects emissions sources, and provides regulatory enforcement through such measures as educational programs or fines, when necessary.

Regional Air Quality Management Plan

SCAQMD and SCAG are responsible for formulating and implementing the AQMP for the Basin. The main purpose of an AQMP is to bring the area into compliance with federal and State air quality standards. SCAQMD prepares a new AQMP every 3 years, updating the previous plan and a 20-year horizon.

The 2022 AQMP is currently under development; however, the latest plan is the 2016 AQMP (SCAQMD 2017), which incorporates the latest scientific and technological information and planning assumptions, including updated emission inventory methodologies for various source categories. The 2016 AQMP includes the integrated strategies and measures needed to meet the NAAQS, implementation of new technology measures, and demonstrations of attainment of the 1-hour and 8-hour O₃ NAAQS as well as the latest 24-hour and annual PM_{2.5} standards. Key elements of the 2016 AQMP include the following:

- Calculation and credit for co-benefits from other planning efforts (e.g., climate, energy, and transportation)

- A strategy with fair-share emission reductions at the federal, State, and local levels
- Investment in strategies and technologies meeting multiple air quality objectives
- Identification of new partnerships and significant funding for incentives to accelerate deployment of zero and near-zero technologies
- Enhanced socioeconomic assessment, including an expanded environmental-justice analysis
- Attainment of the 24-hour PM_{2.5} standard in 2019 with no additional measures
- Attainment of the annual PM_{2.5} standard by 2025 with implementation of a portion of the O₃ strategy
- Attainment of the 1-hour O₃ standard by 2022 with no reliance on “black box” future technology (CAA Section 182(e)(5) measures)

SCAQMD adopts rules and regulations to implement portions of the AQMP. Several of these rules may apply to project construction or operation. For example, SCAQMD Rule 403 requires the implementation of the best-available fugitive dust control measure during active construction periods capable of generating fugitive dust emissions from on-site earth-moving activities, construction/demolition activities, and construction equipment travel on paved and unpaved roads.

Although SCAQMD is responsible for regional air quality planning efforts, it does not have the authority to directly regulate the air quality issues associated with new development projects within the Basin, such as the proposed project. Instead, SCAQMD published the *CEQA Air Quality Handbook* (SCAQMD 1993) to assist lead agencies, as well as consultants, project proponents, and other interested parties in evaluating potential air quality impacts of projects proposed in the Basin. The *CEQA Air Quality Handbook* provides standards, methodologies, and procedures for conducting air quality analyses in Environmental Impact Reports and was used extensively in the preparation of this analysis. SCAQMD is currently in the process of replacing the *CEQA Air Quality Handbook* (1993) with the *Air Quality Analysis Guidance Handbook* (SCAQMD 2022a).

To assist the CEQA practitioner in conducting an air quality analysis in the interim while the replacement *Air Quality Analysis Guidance Handbook* is being prepared, supplemental guidance/information is provided on the SCAQMD website and includes (1) on-road vehicle emission factors, (2) background CO concentrations, (3) localized significance thresholds (LSTs), (4) mitigation measures and control efficiencies, (5) mobile-source toxics analysis, (6) off-road mobile-source emission factors, (7) PM_{2.5} significance thresholds and calculation methodology, and (8) updated SCAQMD Air Quality Significance Thresholds. SCAQMD also recommends using approved models to calculate emissions from land use projects, such as the California Emissions Estimator Model (CalEEMod). These recommendations were followed in the preparation of this analysis.

The following SCAQMD rules and regulations would apply to the proposed project:

- SCAQMD Rule 403 (SCAQMD 2005) requires projects to incorporate fugitive dust control measures.
- SCAQMD Rule 1113 (SCAQMD 2016) limits the VOC content of architectural coatings.

Local Regulations

City of Riverside General Plan 2025

The *City of Riverside General Plan 2025* (General Plan) was adopted in November 2007 to preserve the vision and values of Riverside looking ahead to future improvements, increasing industry, and population growth. The Air Quality Element of the implemented policies intended to limit air pollution and reduce the potential sensitive receptor exposure (City of Riverside 2007). The following policies from the Air Quality Element of the General Plan are applicable to the project:

- **Objective AQ-1:** Adopt land use policies that site polluting facilities away from sensitive receptors and vice versa, improve the jobs–housing balance, reduce vehicle miles traveled and the length of work trips, and improve the flow of traffic.
 - **Policy AQ-1.2:** Consider potential environmental justice issues in reviewing impacts (including cumulative impacts for each project proposed).
 - **Policy AQ-1.3:** Separate, buffer, and protect sensitive receptors from significant sources of pollution to the greatest extent possible.
 - **Policy AQ-1.4:** Facilitate communication between residents and businesses on nuisance issues related to air quality.
 - **Policy AQ-1.16:** Design safe and efficient vehicular access to commercial land uses from arterial streets to ensure efficient vehicular ingress and egress.
 - **Policy AQ-2.4:** Monitor and strive to achieve performance goals and/or VMT reduction which are consistent with SCAG’s goals.
 - **Policy AQ-3.4:** Require projects to mitigate, to the extent feasible, anticipated emissions that exceed the AQMP Guidelines.
 - **Policy AQ-3.6:** Support “green” building codes that require air conditioning/filtration installation, upgrades or improvements for all buildings, but particularly for those associated with sensitive receptors.
 - **Policy AQ-3.7:** Require use of pollution control measures for stationary and area sources through the use of best available control activities, fuel/material substitution, cleaner fuel alternatives, product reformulation, change in work practices and of control measures identified in the latest AQMP.
 - **Policy AQ-4.5:** Require the suspension of all grading operations when wind speeds (as instantaneous gusts) exceed 25 mph.

THRESHOLDS OF SIGNIFICANCE

Certain air districts (e.g., SCAQMD) have created guidelines and requirements to conduct air quality analyses. SCAQMD's current guidelines, the *CEQA Air Quality Handbook* (SCAQMD 1993) with associated updates, were followed in this assessment of air quality and climate impacts for the proposed project.

Based on the *State CEQA Guidelines*, Appendix G (Public Resources Code Sections 15000–15387), a project would normally be considered to have a significant effect on air quality if the project would violate any CAAQS, contribute substantially to an existing air quality violation, expose sensitive receptors to substantial pollutants concentrations, or conflict with adopted environmental plans and goals of the community in which it is located.

POLLUTANTS WITH REGIONAL EFFECTS

SCAQMD has established daily emissions thresholds for construction and operation of a proposed project in the Basin. The emissions thresholds were established based on the attainment status of the Basin with regard to air quality standards for specific criteria pollutants. Because the concentration standards were set at a level that protects public health with an adequate margin of safety (SCAQMD 2017), these emissions thresholds are regarded as conservative and would overstate an individual project's contribution to health risks.

Regional Emissions Thresholds

Table 6 lists the CEQA significance thresholds for construction and operational emissions established for the Basin.

Table 6: Regional Thresholds for Construction and Operational Emissions

Emissions Source	Pollutant Emissions Thresholds (lbs/day)					
	VOCs	NO _x	CO	PM ₁₀	PM _{2.5}	SO _x
Construction	75	100	550	150	55	150
Operations	55	55	550	150	55	150

Source: South Coast AQMD Air Quality Significance Thresholds (SCAQMD 2022b)

CO = carbon monoxide

PM₁₀ = particulate matter less than 10 microns in size

lbs/day = pounds per day

SCAQMD = South Coast Air Quality Management District

NO_x = nitrogen oxides

SO_x = sulfur oxides

PM_{2.5} = particulate matter less than 2.5 microns in size

VOC = volatile organic compound

Projects in the Basin with construction- or operation-related emissions that exceed any of their respective emission thresholds would be considered significant under SCAQMD guidelines. These thresholds, which SCAQMD developed and which apply throughout the Basin, apply as both project and cumulative thresholds. If a project exceeds these standards, it is considered to have a project-specific and cumulative impact.

Local Microscale Concentration Standards

The significance of localized project impacts under CEQA depends on whether ambient CO levels in the vicinity of the project are above or below State and federal CO standards. Because ambient CO

levels are below the standards throughout the Basin, a project would be considered to have a significant CO impact if project emissions result in an exceedance of one or more of the 1-hour or 8-hour standards. The following are applicable local emission concentration standards for CO:

- California State 1-hour CO standard of 20 ppm
- California State 8-hour CO standard of 9 ppm

LOCALIZED IMPACTS ANALYSIS

SCAQMD published its *Final Localized Significance Threshold Methodology* in June 2003 and updated it in July 2008 (SCAQMD 2008), recommending that all air quality analyses include an assessment of both construction and operational impacts on the air quality of nearby sensitive receptors. LSTs represent the maximum emissions from a project site that are not expected to result in an exceedance of the NAAQS or the CAAQS for CO, NO₂, PM₁₀ and PM_{2.5}, as shown in Table 7. LSTs are based on the ambient concentrations of that pollutant within the project's Source Receptor Area (SRA) and the distance to the nearest sensitive receptor. The project site is in the Metropolitan Riverside County area (SRA 23).

Sensitive receptors include residences, schools, hospitals, and similar uses that are sensitive to adverse air quality. As described above, the nearest sensitive receptors in proximity to the project site are multi-family homes located approximately 547 feet (166 m) from the project site boundary. The nearest sensitive receptors in proximity to the project site are single-family residential units that are 637 feet to the west along Little Court, 547 feet to the east along Dauchy Avenue and Ardenwood Lane and 775 feet to the south along Blue Sky Street. Martin Luther King High School is located 1,253 feet east of the project site.

The SCAQMD provides LST screening tables for 25, 50, 100, 200, and 500-meter source-receptor distances. As identified, the nearby sensitive receptors are located approximately 547 feet (166 m) from the project site boundary. The proposed project site is 29.29 acres, however the construction activities will only occur on small portions of the project site. To approximate the maximum construction area, the largest building to be constructed is the 11,600 square foot, two story building along with a new outdoor 300 seat amphitheater. The areas for construction span approximately 2 acres, therefore, LSTs for the 2 acre/166-meter combination were derived by interpolation.

Table 7 shows the emission thresholds that would apply based on the project size and distance to nearby receptors during project construction and operation, respectively.

Table 7: SCAQMD Localized Significance Thresholds

Emissions Source Category	Pollutant Emissions (lbs/day)			
	NO _x	CO	PM ₁₀	PM _{2.5}
Construction (2.ac, 547 ft distance)	340	4,149	62	19
Operations (2 ac, 547 ft distance)	340	4,149	15	5

Source: *Final Localized Significance Threshold Methodology* (SCAQMD 2008).

ac = acre

NO_x = nitrogen oxides

CO = carbon monoxide

PM_{2.5} = particulate matter less than 2.5 microns in size

ft = feet

PM₁₀ = particulate matter less than 10 microns in size

lbs/day = pounds per day

GLOBAL CLIMATE CHANGE

State CEQA Guidelines Section 15064(b) provides that the “determination of whether a project may have a significant effect on the environment calls for careful judgment on the part of the public agency involved, based to the extent possible on scientific and factual data”, and further states that an “ironclad definition of significant effect is not always possible because the significance of an activity may vary with the setting.”

Appendix G of the *State CEQA Guidelines* includes significance thresholds for GHG emissions. A project would normally have a significant effect on the environment if it would do either of the following:

- Generate GHG emissions, either directly or indirectly, that may have a significant impact on the environment
- Conflict with an applicable plan, policy, or regulation adopted for the purpose of reducing the emissions of GHGs

Currently, there is no Statewide GHG emissions threshold that has been used to determine the potential GHG emissions impacts of a project. Threshold methodology and thresholds are still being developed and revised by air districts in California.

To provide guidance to local lead agencies on determining significance for GHG emissions in their CEQA documents, SCAQMD convened a GHG CEQA Significance Threshold Working Group (Working Group) in 2008. This Working Group proposed a tiered approach for evaluating GHG emissions for development projects where SCAQMD is not the lead agency. The applicable tier for this project is Tier 3, which states that if GHG emissions are less than 3,000 MT CO₂e per year, project-level and cumulative GHG emissions would be less than significant. However, this threshold was developed to meet the 2020 GHG emissions goals.

To be consistent with State goals detailed in SB 32, EO B-30-15, and EO S 3-05 to reduce GHG emissions by 40 percent below 1990 levels by 2030, a scaled screening GHG threshold can be developed for an assumed opening year of 2026, which is when the proposed project is anticipated to be operational. Though the SCAQMD has not published a quantified threshold beyond 2020, a threshold of 2,280 MT CO₂e per year would be the appropriate scaled GHG threshold for the build-out year of 2026 based on the GHG reduction goals of SB 32 and EO B-30-15.

IMPACTS AND MITIGATION MEASURES

Emissions would include criteria air pollutants and GHG emissions. The sections below describe the proposed project’s consistency with applicable air quality plans, estimated project emissions, and the significance of impacts with respect to SCAQMD thresholds.

Air Quality Impacts

Criteria Pollutant Analysis

The SCAB is designated as non-attainment for O₃ and PM_{2.5} for federal standards and non-attainment for O₃, PM₁₀, and PM_{2.5} for State standards. The SCAQMD's nonattainment status is attributed to the region's development history. Past, present, and future development projects contribute to the region's adverse air quality impacts on a cumulative basis. By its very nature, air pollution is largely a cumulative impact. No single project is sufficient in size to, by itself, result in nonattainment of ambient air quality standards. Instead, a project's individual emissions contribute to existing cumulatively significant adverse air quality impacts. If a project's contribution to the cumulative impact is considerable, then the project's impact on air quality would be considered significant.

In developing thresholds of significance for air pollutants, the SCAQMD considered the emission levels for which a project's individual emissions would be cumulatively considerable. If a project exceeds the identified significance thresholds, its emissions would be cumulatively considerable, resulting in significant adverse air quality impacts to the region's existing air quality conditions.

Construction Emissions

Construction activities produce combustion emissions from various sources (utility engines, tenant improvements, and motor vehicles transporting the construction crew). Exhaust emissions from construction activities envisioned on site would vary daily as construction activity levels change.

The construction analysis includes estimating the construction equipment that would be used during each construction activity, the hours of use for that construction equipment, the quantities of earth and debris to be moved, and the on-road vehicle trips (e.g., worker, soil-hauling, and vendor trips). The proposed earthwork for the project assumes the site would be balanced (no import or export needed). CalEEMod defaults are assumed for the construction activities, off-road equipment, and on-road construction fleet mix and trip lengths. Project construction was analyzed as starting in the spring of 2024 and ending in late spring of 2026. Due to delays construction would now occur in phases with the first phase starting as soon as spring 2025 and, depending on enrollment and funding, having all phases completed several years later. As the included analysis assumes dates that are earlier than the expected dates, actual construction equipment emissions are anticipated to be the same or even lower under the latest construction schedule. Additionally, the phased construction would spread out the construction activities compared to the analyzed construction duration of 2 years, further reducing the daily construction emissions presented below when compared to the daily construction emissions thresholds.

Table 8 lists the project construction schedule analyzed.

Table 8: Tentative Project Construction Schedule

Phase Name	Phase Start Date	Phase End Date	Number of Days
Demolition	4/1/2024	5/10/2024	30
Site Preparation	5/11/2024	6/7/2024	20
Grading	6/8/2024	8/9/2024	45
Building Construction	8/10/2024	4/17/2026	440
Architectural Coatings	3/9/2026	4/17/2026	30
Paving	4/18/2026	6/5/2026	35

Source: Estimated by LSA Associates, Inc. from the project information provided (September 2022).

The most recent version of CalEEMod (Version 2020.4.0) was used to develop the construction equipment inventory and calculate the construction emissions. Table 9 lists the estimated construction equipment that would be used during project construction as estimated by CalEEMod default values. The CalEEMod output is included as Attachment B.

Table 9: Diesel Construction Equipment Used by Construction Phase

Construction Phase	Off-Road Equipment Type	Off-Road Equipment Unit Amount	Hours Used per Day	Horsepower	Load Factor
Demolition	Concrete/Industrial Saws	1	8	81	0.73
	Rubber Tired Dozers	1	8	158	0.40
	Tractors/Loaders/Backhoes	3	8	7	0.37
Site Preparation	Graders	1	8	187	0.41
	Rubber Tired Dozers	1	8	158	0.40
	Tractors/Loaders/Backhoes	1	7	97	0.37
Grading	Graders	1	8	187	0.41
	Rubber Tired Dozers	1	8	247	0.4
	Tractors/Loaders/Backhoes	2	7	97	0.37
Building Construction	Cranes	1	6	231	0.29
	Forklifts	1	6	89	0.2
	Generator Sets	1	8	84	0.74
	Tractors/Loaders/Backhoes	1	6	97	0.37
	Welders	3	8	46	0.45
Architectural Coating	Air Compressors	1	6	78	0.48
Paving	Pavers	1	8	130	0.42
	Paving Equipment	1	8	132	0.36
	Rollers	1	8	80	0.38
	Tractors/Loaders/Backhoes	1	8	97	0.37

Source: Compiled by LSA Associates, Inc. using CalEEMod defaults (September 2022).

CalEEMod = California Emissions Estimator Model

The emissions rates shown in Table 10 are from the CalEEMod output tables listed as “Mitigated Construction,” even though the only measures that have been applied to the analysis are the required construction emissions control measures, or standard conditions. They are also the combination of the on- and off-site emissions and the greater of summer and winter emissions. No exceedances of any criteria pollutants are expected. Standard measures are documented in the CalEEMod output in Attachment B.

Table 10: Short-Term Regional Construction Emissions

Construction Phase	Total Regional Pollutant Emissions (lbs/day)							
	VOCs	NO _x	CO	SO _x	Fugitive PM ₁₀	Exhaust PM ₁₀	Fugitive PM _{2.5}	Exhaust PM _{2.5}
Demolition	1	14	14	<1	<1	<1	<1	<1
Site Preparation	1	12	7	<1	3	<1	1	<1
Grading	1	14	9	<1	3	<1	2	<1
Building Construction	2	12	14	<1	<1	<1	<1	<1
Architectural Coating	7	1	2	<1	<1	<1	<1	<1
Paving	<1	5	9	<1	<1	<1	<1	<1
Peak Daily	7	14	14	<1	4		2	
SCAQMD Threshold	75	100	550	150	150		55	
Exceeds Threshold?	No	No	No	No	No		No	

Source: Compiled by LSA Associates, Inc. (September 2022)

PM₁₀ and PM_{2.5} fugitive emissions are from the Mitigated results; the only “mitigation” measures applied in this modeling are required dust control measures per SCAQMD Rule 403. It was assumed that the Architectural Coatings would be applied during the Building Construction phase.

CO = carbon monoxide

PM₁₀ = particulate matter less than 10 microns in size

lbs/day = pounds per day

SCAQMD = South Coast Air Quality Management District

NO_x = nitrogen oxides

SO_x = sulfur oxides

PM_{2.5} = particulate matter less than 2.5 microns in size

VOCs = volatile organic compounds

Fugitive Dust

Fugitive dust emissions are generally associated with land clearing and exposure of soils to the air and wind, as well as cut-and-fill grading operations. Dust generated during construction varies substantially on a project-by-project basis, depending on the level of activity, the specific operations, and weather conditions at the time of construction.

The construction calculations prepared for this project assumed that dust control measures (watering a minimum of two times daily consistent with SCAQMD Rule 403) would be employed to reduce emissions of fugitive dust during site grading. Furthermore, all construction would need to comply with SCAQMD Rule 403 regarding the emission of fugitive dust. Table 10 lists total construction emissions (i.e., fugitive dust emissions and construction equipment exhausts) that have incorporated the following Rule 403 measures that would be implemented to significantly reduce PM₁₀ emissions from construction:

- Water active sites at least twice daily (locations where grading is to occur shall be thoroughly watered prior to earthmoving).
- Cover all trucks hauling dirt, sand, soil, or other loose materials, or maintain at least 2 ft (0.6 meter) of freeboard (vertical space between the top of the load and the top of the trailer) in accordance with the requirements of California Vehicle Code Section 23114.
- Reduce traffic speeds on all unpaved roads to 15 miles per hour (mph) or less.

These Rule 403 measures were incorporated in the CalEEMod analysis.

Architectural Coatings

Architectural coatings contain VOCs that are part of the O₃ precursors. Based on the proposed project, it is estimated that application of the architectural coatings for the proposed peak construction day would result in a peak of 9 pound per day (lb/day) of VOCs. Therefore, VOC emissions from architectural-coating application would not exceed the SCAQMD VOC threshold of 75 lbs/day.

Localized Impacts Analysis

Table 11 shows the portion of the construction emissions that would be produced on the project sites compared to the LSTs. Table 11 shows that the localized construction emissions would not result in a locally significant air quality impact.

Table 11: Construction Localized Impacts Analysis

Emissions Sources	Pollutant Emissions (lbs/day)			
	NO _x	CO	PM ₁₀	PM _{2.5}
On-Site Emissions	14	13	4	2
LST	340	4,149	62	19
Exceeds Threshold?	No	No	No	No

Source: Compiled by LSA Associates, Inc. (September 2022)

Note: SRA 23- Metropolitan Riverside County, 2-ac construction area, 547 feet to the nearest sensitive receptors.

ac = acre

LST = localized significance threshold

CO = carbon monoxide

PM_{2.5} = particulate matter less than 2.5 microns in size

lbs/day = pounds per day

PM₁₀ = particulate matter less than 10 microns in size

NO_x = nitrogen oxides

SRA = Source Receptor Area

Odors from Construction Activities

Heavy-duty equipment in the project area during construction would emit odors, primarily from the equipment exhaust. However, the construction-produced odors would cease to occur after individual construction is completed. No other sources of objectionable odors have been identified for the proposed project, and no mitigation measures are required.

SCAQMD Rule 402 regarding nuisances states,

"A person shall not discharge from any source whatsoever such quantities of air contaminants or other material which cause injury, detriment, nuisance, or annoyance to any considerable number of persons or to the public, or which endanger the comfort, repose, health or safety of any such persons or the public, or which cause, or have a natural tendency to cause, injury or damage to business or property."

The proposed uses are not anticipated to emit any objectionable odors. Therefore, objectionable odors posing a health risk to potential on-site and existing off-site uses would not occur as a result of the proposed project.

Construction Emissions Conclusions

Tables 10 and 11 show that daily regional construction emissions and localized emissions would not exceed the established thresholds of any criteria pollutant emission thresholds established by SCAQMD; thus, during construction, there would be no air quality impacts.

OPERATIONAL EMISSIONS

Long-term air pollutant emission impacts are those associated with mobile sources (e.g., vehicle trips), energy sources (e.g., electricity and natural gas) and area sources (e.g., architectural coatings and the use of landscape maintenance equipment) related to the proposed project.

PM₁₀ emissions result from running exhaust, tire and brake wear, and the entrainment of dust into the atmosphere from vehicles traveling on paved roadways. Entrainment of PM₁₀ occurs when vehicle tires pulverize small rocks and pavement and the vehicle wakes generate airborne dust. The contribution of tire and brake wear is small compared to the other PM emission processes.

Gasoline-powered engines have small rates of particulate matter emissions compared with diesel-powered vehicles. Based on the Traffic Impact Analysis prepared for the project, the proposed project would generate a total of 2,686 vehicle trips on a peak day (weekday), which was accounted for in the CalEEMod analysis.

Energy source emissions result from activities in buildings for which electricity and natural gas are used. The quantity of emissions is the product of usage intensity (i.e., the amount of electricity or natural gas) and the emission factor of the fuel source. Major sources of energy demand include building mechanical systems, such as heating and air conditioning, lighting, and plug-in electronics, such as computers. Greater building or appliance efficiency reduces the amount of energy for a given activity and thus lowers the resultant emissions. The emission factor is determined by the fuel source, with cleaner energy sources, like renewable energy, producing fewer emissions than conventional sources.

Typically, area source emissions consist of direct sources of air emissions located at the project site, including architectural coatings and the use of landscape maintenance equipment. Area source emissions associated with the project would include emissions from the use of landscaping equipment and the use of consumer products.

Emission estimates for operation of the project were calculated using CalEEMod and are shown in Table 12, below. The peak daily emissions associated with project operations are identified in Table 12 for VOC, NO_x, CO, SO_x, PM₁₀, and PM_{2.5}.

The results shown in Table 12 indicate the project would not exceed the significance criteria for annual VOC, NO, CO, SO_x, PM₁₀, and PM_{2.5} emissions; therefore, operation of the proposed project would not result in a cumulatively considerable net increase of any criteria pollutant for which the project region is in nonattainment under an applicable federal or State AAQS.

Emission calculations sheets are included in Attachment B.

Table 12: Project Operation Emissions

	VOC	NO _x	CO	SO _x	PM ₁₀	PM _{2.5}
Existing Operation Emissions						
Area Source Emissions	2	<1-	<1	<1-	<1-	<1-
Energy Source Emissions	<1	<1	<1	<1-	<1	<1
Mobile Source Emissions	8	11	93	<1	21	6
Total Existing Emissions	10	12	93	<1	21	6
Proposed Operation Emissions						
Area Source Emissions	3	<1-	<1	<1-	<1-	<1-
Energy Source Emissions	<1	<1	<1	<1-	<1	<1
Mobile Source Emissions	10	11	111	<1	31	8
Total Project Emissions	12	12	111	<1	31	8
Net Change in Emissions	2	0	18	<1	10	2
SCAQMD Significance Threshold	55	55	550	150	55	150
Exceed Threshold?	No	No	No	No	No	No

Source: LSA (September 2022).

Localized Impacts Analysis

By design, the localized impacts analysis only includes on-site sources; however, the CalEEMod outputs do not separate on-site and off-site emissions for operations. Table 13 shows that the proposed operational emission rates would not exceed the LSTs for sensitive receptors in the project area. Therefore, the proposed operational activity would not result in a locally significant air quality impact. The proposed project would be less than significant.

Table 13: Long-Term Operational Localized Impacts Analysis

Emissions Sources	Pollutant Emissions (lbs/day)			
	NO _x	CO	PM ₁₀	PM _{2.5}
On-Site Emissions	<1	6	2	<1
LST	340	4,149	15	5
Exceeds Threshold?	No	No	No	No

Source: Compiled by LSA (September 2022) SRA 23- Metropolitan Riverside, 2-ac operating area, receptors at 547 feet (166 meters)

ac = acre

PM_{2.5} = particulate matter less than 2.5 microns in size

CO = carbon monoxide

PM₁₀ = particulate matter less than 10 microns in size

LST = local significance threshold

SRA = Source Receptor Area

NO_x = nitrogen oxides

Objectionable Odors

The SCAQMD addresses odor criteria within the CEQA Handbook. The district has not established a rule or standard regarding odor emissions, rather, the district has a nuisance rule: "Any project with the potential to frequently expose members of the public to objectionable odors should be deemed to have a significant impact."

The proposed project would not include any activities or operations that would generate objectionable odors. Therefore, the proposed project would not result in other emissions (such as those leading to odors) adversely affecting a substantial number of people.

Greenhouse Gas Impacts

Generate Greenhouse Gas Emissions

This section discusses the project's impacts related to the release of GHG emissions for the construction and operational phases of the project.

Emissions Background

Estimation of GHG emissions in the future does not account for all changes in technology that may reduce such emissions; therefore, the estimates are based on past performance and represent a scenario that is worse than that which is likely to be encountered (after energy-efficient technologies have been implemented). While information is presented below to assist the public and decision-makers in understanding the project's potential contribution to GCC impacts, the information available is not sufficiently detailed to allow a direct comparison between particular project characteristics and particular climate change impacts or between any particular proposed mitigation measure and any reduction in climate change impacts.

Construction and operation of the proposed project would generate GHG emissions, with the majority of energy consumption (and associated generation of GHG emissions) occurring during the project's operation.

Overall, the following activities associated with the proposed project could directly or indirectly contribute to the generation of GHG emissions.

Construction Activities. Construction activities associated with maximum buildout would produce combustion emissions from various sources. During construction, GHGs would be emitted through the operation of construction equipment and from worker and builder supply vendor vehicles, each of which typically use fossil-based fuels to operate. The combustion of fossil-based fuels creates GHGs such as CO₂, CH₄, and N₂O. Furthermore, CH₄ is emitted during the fueling of heavy equipment. Exhaust emissions from on-site construction activities would vary daily as construction activity levels change.

The SCAQMD does not provide a separate GHG significance threshold for construction emissions, rather their guidance specifies that construction emissions should be amortized over 30 years (a typical project lifetime), added to the project operational emissions, and that total compared to the GHG significance threshold.

Operational GHG Emissions. Long-term GHG emissions are typically generated from mobile sources (e.g., cars, trucks and buses), area sources (e.g., maintenance activities and landscaping), indirect emissions from sources associated with energy consumption, waste sources (land filling and waste disposal), and water sources (water supply and conveyance, treatment, and distribution). Mobile-source GHG emissions would include project-generated vehicle and truck trips to and from the

project. Area-source emissions would be associated with activities such as landscaping and maintenance on the project site. Waste source emissions generated by the proposed project include energy generated by land filling and other methods of disposal related to transporting and managing project generated waste. The site has an existing photovoltaic system that provides approximately 95 percent of the total electricity used by the school. After the proposed expansion the photovoltaic system would continue to provide approximately 95 percent of the total electricity used.

As described above, this analysis evaluates existing and proposed operational emissions associated with the project. Construction and Operational GHG emissions were estimated using CalEEMod and the results are presented in Table 14 and 15.

Table 14: Construction Greenhouse Gas Emissions

Construction Phase	Total Emissions per Phase (MT)			Total Emissions per Phase (MT CO ₂ e)
	CO ₂	CH ₄	N ₂ O	
Demolition	34	<1	<1	34
Site Preparation	16	<1	<1	16
Grading	43	<1	<1	43
Building Construction (2024, 2025, 2026)	509	<1	<1	514
Architectural Coating	5	<1	<1	5
Paving	22	<1	<1	23
Total Emissions for the Entire Construction Process				634
Total Construction Emissions Amortized over 30 Years				21

Source: Compiled by LSA Associates, Inc. (September 2022)

CH₄ = methane

MT CO₂e = metric tons of carbon dioxide equivalent

CO₂ = carbon dioxide

MT = metric tons

CO₂e = carbon dioxide equivalent

N₂O = nitrous oxide

As shown in Table 15, the project's net change to GHG emissions would be an increase of 914 MT CO₂e per year. This is less than SCAQMD's threshold of 3,000 MT CO₂e/yr and less than the post-2020-adjusted Tier 3 threshold of 2,280 MT CO₂e/yr.

Operational GHG emissions are calculated through varying means of combining emission factors from vehicular traffic data, energy consumption, water conveyance and treatment, and waste generation. The same methodology described above for criteria pollutant emissions applies to operational GHG estimates. The GHG emission estimates presented in Table 15 show the emissions associated with the existing operations, with the level of development envisioned by the proposed project at opening, and the net change as a result of the project.

Table 15: Long Term Operational GHG Emissions

Source	Pollutant Emissions (MT per year)					
	Bio-CO ₂	NBio-CO ₂	Total CO ₂	CH ₄	N ₂ O	CO ₂ e
Existing Operational Emissions						
Area	<1	<1	<1	<1	<1	<1
Energy	<1	51	51	<1	<1	52
Mobile	<1	2,702	2,702	<1	<1	2,740
Waste	24	<1	24	1	<1	59
Water	<1	42	43	<1	<1	46
Total Existing Emissions	24	2,795	2,820	1	<1	2,897
Proposed Operational Emissions						
Area	<1	<1	<1	<1	<1	<1
Energy	<1	74	74	<1	<1	74
Mobile	<1	3,518	3,518	<1	<1	3,565
Waste	34	<1	34	2	<1	85
Water	1	61	62	<1	<1	66
Total Proposed Project Emissions	36	3,652	3,687	2	<1	3,790
Construction Emissions Amortized over 30 Years						21
						914
						SCAQMD Threshold (Adjusted for 2026)
						2,280
						Net Emissions Exceed Threshold?
						No

Source: Compiled by LSA (September 2022).

Note: CalEEMod only allows including the photovoltaic system as mitigation, even though it is already in place. Thus, the results reported in this table are from the "Mitigated" results from CalEEMod.

Bio-CO₂ = biologically generated CO₂

CO₂e = carbon dioxide equivalent

CH₄ = methane

N₂O = nitrous oxide

CO₂ = carbon dioxide

NBio-CO₂ = non-biologically generated CO₂

CONCLUSION

Based on the analysis presented above, the increase in operational emissions associated with the difference between the existing operations and the proposed project would not exceed SCAQMD established significance thresholds. The proposed project is not expected to produce significant emissions that would affect nearby sensitive receptors. The proposed project would also not result in objectionable odors affecting a substantial number of people. The increase in GHG emissions associated with the difference between the existing operations and the proposed project are estimated to be lower than significance thresholds, and thus would not be cumulatively considerable.

REFERENCES

- California Air Resources Board (CARB). 2009. Health: Air Pollution Health Effects. Website: www.arb.ca.gov/our-work/topics/health (accessed September 2022).
- _____. 2016. Ambient Air Quality Standards. May 4. Website: www.arb.ca.gov/research/aaqs/aaqs2.pdf (accessed September 2022).
- _____. 2017. California's 2017 Climate Change Scoping Plan. November. Website: www.arb.ca.gov/cc/scopingplan/scoping_plan_2017.pdf (accessed September 2022).
- _____. 2020. GHG Current California Emission Inventory Data. Website: www.arb.ca.gov/cc/inventory/data/data.htm (accessed September 2022).
- _____. iADAM: Air Quality Data Statistics. Website: www.arb.ca.gov/adam (accessed September 2022).
- Intergovernmental Panel on Climate Change (IPCC) Sixth Assessment Report 2022. Website: www.ipcc.ch/assessment-report/ar6/ (accessed September 2022)
- Intergovernmental Panel on Climate Change (IPCC) 2022. Climate Change 2022: AR6 Synthesis Report (SYR) Website www.ipcc.ch/report/sixth-assessment-report-cycle/ (accessed September 2022)
- _____. Mitigation of Climate Change Website: www.ipcc.ch/report/sixth-assessment-report-working-group-3/#:~:text=the%20report%20AUTHORS-,Report,56th%20Session%20of%20the%20IPCC. (accessed September 2022)
- Pew Center. 2006. *Pew Center on Global Climate Change and the Pew Center on the States, Climate Change 101: Understanding and Responding to Global Climate Change*. October.
- City of Riverside 2007. General Plan. Website: riversideca.gov/cedd/planning/city-plans/general-plan-0 (accessed September 2022)
- South Coast Air Quality Management District (SCAQMD). 1993. *CEQA Air Quality Handbook*. April. Website: [www.aqmd.gov/home/rules-compliance/ceqa/air-quality-analysis-handbook/ceqa-air-quality-handbook-\(1993\)](http://www.aqmd.gov/home/rules-compliance/ceqa/air-quality-analysis-handbook/ceqa-air-quality-handbook-(1993)) (accessed September 2022).
- _____. 2005. Rule 403. Fugitive Dust. Website: www.aqmd.gov/docs/default-source/rule-book/rule-iv/rule-403.pdf (accessed September 2022).
- _____. 2008. *Final Localized Significance Threshold Methodology*. June. Website: www.aqmd.gov/docs/default-source/ceqa/handbook/localized-significance-thresholds/final-lst-methodology-document.pdf (accessed September 2022).

- _____. 2015. *Multiple Air Toxics Exposure Study in the South Coast Air Basin (MATES-IV)*. May. Website: www.aqmd.gov/home/air-quality/air-quality-studies/health-studies/mates-iv (accessed September 2022).
- _____. 2017. Final 2016 Air Quality Management Plan. March. Website: www.aqmd.gov/docs/default-source/clean-air-plans/air-quality-management-plans/2016-air-quality-management-plan/final-2016-aqmp/final2016aqmp.pdf?sfvrsn=15 (accessed September 2022)
- _____. 2022a. Air Quality Analysis Handbook. Website: www.aqmd.gov/home/rules-compliance/ceqa/air-quality-analysis-handbook (accessed September 2022)
- _____. 2022b. South Coast AQMD Air Quality Significance Thresholds. 2019. Website: www.aqmd.gov/docs/default-source/ceqa/handbook/scaqmd-air-quality-significance-thresholds.pdf (accessed September 2022).
- _____. Greenhouse Gases (GHG) CEQA Significance Thresholds. Website: www.aqmd.gov/home/regulations/ceqa/air-quality-analysis-handbook/ghg-significance-thresholds/ (accessed September 2022).
- _____. National Ambient Air Quality Standards (NAAQS) and California Ambient Air Quality Standards (CAAQS) Attainment Status for South Coast Air Basin. Website: www.aqmd.gov/docs/default-source/clean-air-plans/air-quality-management-plans/naaqs-caaqs-feb2016.pdf (accessed September 2022).

United States Department of Transportation's National Highway Traffic Safety Administration (NHTSA). 2022. Vehicle Fuel Economy Standards for Model Year 2024-2026. April. Website: www.nhtsa.gov/press-releases/usdot-announces-new-vehicle-fuel-economy-standards-model-year-2024-2026 (accessed September 2022).

United States Environmental Protection Agency (EPA). 2010. Methane and Nitrous Oxide Emissions from Natural Sources. Website: nepis.epa.gov/Exe/ZyPDF.cgi/P100717T.PDF?Dockey=P100717T.PDF (accessed September 2022).

- _____. 2021. The Safer Affordable Fuel Efficient (SAFE) Vehicles Proposed Rule for Model Years 2021-2026. Website: www.epa.gov/regulations-emissions-vehicles-and-engines/safer-affordable-fuel-efficient-safe-vehicles-proposed (accessed September 2022).
- _____. 2022a. Inventory of U.S. Greenhouse Gas Emissions and Sinks. Website: www.epa.gov/ghgemissions/inventory-us-greenhouse-gas-emissions-and-sinks (accessed September 2022).
- _____. 2022b. Air Data: Air Quality Data Collected at Outdoor Monitors across the US. Website: www.epa.gov/outdoor-air-quality-data (accessed September 2022).


- _____. 2022c. Nonattainment Areas for Criteria Pollutants (Green Book). Website: www.epa.gov/green-book (accessed September 2022).
- _____. 2022d. Clean Air Act Requirements and History. Website: www.epa.gov/clean-air-act-overview/clean-air-act-requirements-and-history (accessed September 2022).

Western Regional Climate Center (WRCC). 2022. Western Regional Climate Center. Website: www.wrcc.dri.edu (accessed September 2022).

Attachments: A – Figures
B – CalEEMod Output

ATTACHMENT A

FIGURES



LSA

FIGURE 1

LEGEND

- Project Location
- Single Family Residential Units
- Martin Luther King High School

Note: No nearby sensitive receptors north of Van Buren Boulevard


**Woodcrest Christian School
Improvement Project**

Project Location and Sensitive Receptors


SOURCE: Google Maps, 2022

I:\WCS2201\G\Project_Location_Sensitive_Receptors.ai (8/5/2022)

PR-2023-001080 (CUP, DR) - Exhibit 9d-ISMND - Appendix C



LSA



SOURCE: Charles Brown Architects

I:\WCS2201\G\Site_Plan.ai (8/4/2022)

PR-2023-001080 (CUP, DR) - Exhibit 9d-ISMND - Appendix C

FIGURE 2

Woodcrest Christian School
Improvement Project

Site Plan

ATTACHMENT B

CALEEMOD OUTPUT

Woodcrest Christian School Improvements - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Woodcrest Christian School - Existing**

South Coast AQMD Air District, Annual

1.0 Project Characteristics**1.1 Land Usage**

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
High School	644.00	Student	1.96	85,433.67	0
Parking Lot	150.00	1000sqft	3.44	150,000.00	0
City Park	23.89	Acre	23.89	1,040,648.40	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	31
Climate Zone	10			Operational Year	2022
Utility Company	Riverside Public Utilities/City of Riverside				
CO2 Intensity (lb/MWhr)	789.98	CH4 Intensity (lb/MWhr)	0.033	N2O Intensity (lb/MWhr)	0.004

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - Existing School

Construction Phase - The analysis will not have construction

Off-road Equipment - There will not be any site preparation

Trips and VMT - No construction analyzed.

Grading - .

Vehicle Trips - Trip generation daily equals to 2.91.

Area Coating - Architectural Coating would comply with Rule 113

Woodcrest Christian School Improvements - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Water And Wastewater - .

Construction Off-road Equipment Mitigation - Dust control measures as required from SCAQMD Rule 403

Mobile Commute Mitigation -

Area Mitigation - .

Energy Mitigation - The site generates 95 percent Solar

Fleet Mix - Project Trip Generation did not provide Fleet Mix. Defaults will apply.

On-road Fugitive Dust - construction not analyzed

Solid Waste - .

Table Name	Column Name	Default Value	New Value
tblAreaCoating	Area_EF_Nonresidential_Exterior	100	50
tblAreaCoating	Area_EF_Nonresidential_Interior	100	50
tblAreaCoating	Area_EF_Parking	100	50
tblConstructionPhase	NumDays	20.00	0.00
tblConstructionPhase	PhaseEndDate	4/29/2022	4/3/2022
tblOnRoadDust	HaulingPercentPave	100.00	0.00
tblOnRoadDust	VendorPercentPave	100.00	0.00
tblOnRoadDust	WorkerPercentPave	100.00	0.00
tblSolidWaste	SolidWasteGenerationRate	2.05	0.00
tblTripsAndVMT	WorkerTripNumber	18.00	0.00
tblVehicleTrips	DV_TP	28.00	0.00
tblVehicleTrips	DV_TP	19.00	0.00
tblVehicleTrips	PB_TP	6.00	0.00
tblVehicleTrips	PB_TP	6.00	0.00
tblVehicleTrips	PR_TP	66.00	0.00
tblVehicleTrips	PR_TP	75.00	100.00
tblVehicleTrips	ST_TR	1.96	0.00
tblVehicleTrips	ST_TR	0.58	0.83

Woodcrest Christian School Improvements - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

tblVehicleTrips	SU_TR	2.19	0.00
tblVehicleTrips	SU_TR	0.25	0.50
tblVehicleTrips	WD_TR	0.78	0.00
tblVehicleTrips	WD_TR	2.03	2.91
tblWater	OutdoorWaterUseRate	28,464,489.44	0.00

2.0 Emissions Summary**2.1 Overall Construction**Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2022	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Maximum	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					

Woodcrest Christian School Improvements - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

2022	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Maximum	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Quarter Start Date End Date Maximum Unmitigated ROG + NOX (tons/quarter) Maximum Mitigated ROG + NOX (tons/quarter)																
		Highest														

2.2 Overall OperationalUnmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category																
Area	0.3500	1.0000e-004	0.0105	0.0000		4.0000e-005	4.0000e-005		4.0000e-005	4.0000e-005	0.0000	0.0203	0.0203	5.0000e-005	0.0000	0.0216
Energy	4.0000e-003	0.0364	0.0306	2.2000e-004		2.7700e-003	2.7700e-003		2.7700e-003	2.7700e-003	0.0000	273.0302	273.0302	0.0105	1.9100e-003	273.8615
Mobile	1.0491	1.6347	12.5990	0.0291	2.9440	0.0247	2.9687	0.7857	0.0231	0.8088	0.0000	2,701.7231	2,701.7231	0.1571	0.1144	2,739.7294
Waste						0.0000	0.0000		0.0000	0.0000	23.8575	0.0000	23.8575	1.4099	0.0000	59.1060
Water						0.0000	0.0000		0.0000	0.0000	0.9000	42.2760	43.1760	0.0942	2.4000e-003	46.2453
Total	1.4031	1.6711	12.6401	0.0293	2.9440	0.0275	2.9715	0.7857	0.0259	0.8116	24.7575	3,017.0496	3,041.8071	1.6718	0.1187	3,118.9639

Woodcrest Christian School Improvements - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Mitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr											MT/yr					
Area	0.3500	1.0000e-004	0.0105	0.0000		4.0000e-005	4.0000e-005	4.0000e-005	4.0000e-005	0.0000	0.0203	0.0203	5.0000e-005	0.0000	0.0216		
Energy	4.0000e-003	0.0364	0.0306	2.2000e-004		2.7700e-003	2.7700e-003	2.7700e-003	2.7700e-003	0.0000	51.2889	51.2889	1.2500e-003	7.9000e-004	51.5541		
Mobile	1.0491	1.6347	12.5990	0.0291	2.9440	0.0247	2.9687	0.7857	0.0231	0.8088	0.0000	2,701.7231	2,701.7231	0.1571	0.1144	2,739.7294	
Waste						0.0000	0.0000		0.0000	0.0000	23.8575	0.0000	23.8575	1.4099	0.0000	59.1060	
Water						0.0000	0.0000		0.0000	0.0000	42.2760	43.1760	0.0942	2.4000e-003	46.2453		
Total	1.4031	1.6711	12.6401	0.0293	2.9440	0.0275	2.9715	0.7857	0.0259	0.8116	24.7575	2,795.3083	2,820.0659	1.6626	0.1176	2,896.6565	

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	7.35	7.29	0.55	0.94	7.13

3.0 Construction Detail**Construction Phase**

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description

Woodcrest Christian School Improvements - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

1	Site Preparation	Site Preparation	4/4/2022	4/3/2022	5	0
---	------------------	------------------	----------	----------	---	---

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 0

Acres of Paving: 3.44

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 0; Non-Residential Outdoor: 0; Striped Parking Area: 0 (Architectural Coating –

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Site Preparation	7	0.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Reduce Vehicle Speed on Unpaved Roads

3.2 Site Preparation - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					

Woodcrest Christian School Improvements - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Fugitive Dust	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr										MT/yr						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e

Woodcrest Christian School Improvements - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Category	tons/yr															MT/yr				
	Fugitive Dust	Off-Road	Total	Off-Road	Off-Road	Total	Off-Road	Total	Off-Road	Total										
Fugitive Dust	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr										MT/yr						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

4.0 Operational Detail - Mobile**4.1 Mitigation Measures Mobile**

Woodcrest Christian School Improvements - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	1.0491	1.6347	12.5990	0.0291	2.9440	0.0247	2.9687	0.7857	0.0231	0.8088	0.0000	2,701.7231	2,701.7231	0.1571	0.1144	2,739.7294
Unmitigated	1.0491	1.6347	12.5990	0.0291	2.9440	0.0247	2.9687	0.7857	0.0231	0.8088	0.0000	2,701.7231	2,701.7231	0.1571	0.1144	2,739.7294

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated		Mitigated	
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT	Annual VMT	Annual VMT
City Park	0.00	0.00	0.00				
High School	1,874.04	534.52	322.00	7,819,751	7,819,751	7,819,751	7,819,751
Parking Lot	0.00	0.00	0.00				
Total	1,874.04	534.52	322.00	7,819,751	7,819,751	7,819,751	7,819,751

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
City Park	16.60	8.40	6.90	33.00	48.00	19.00	0	0	0
High School	16.60	8.40	6.90	77.80	17.20	5.00	100	0	0
Parking Lot	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
City Park	0.543376	0.059966	0.184357	0.131187	0.023843	0.006245	0.012012	0.009162	0.000826	0.000515	0.023898	0.000748	0.003864

Woodcrest Christian School Improvements - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

High School	0.543376	0.059966	0.184357	0.131187	0.023843	0.006245	0.012012	0.009162	0.000826	0.000515	0.023898	0.000748	0.003864
Parking Lot	0.543376	0.059966	0.184357	0.131187	0.023843	0.006245	0.012012	0.009162	0.000826	0.000515	0.023898	0.000748	0.003864

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Percent of Electricity Use Generated with Renewable Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Electricity Mitigated							0.0000	0.0000		0.0000	0.0000	11.6706	11.6706	4.9000e-004	6.0000e-005	11.7004
Electricity Unmitigated							0.0000	0.0000		0.0000	0.0000	233.4119	233.4119	9.7500e-003	1.1800e-003	234.0078
NaturalGas Mitigated	4.0000e-003	0.0364	0.0306	2.2000e-004		2.7700e-003	-2.7700e-003	2.7700e-003	0.0000	39.6183	39.6183	7.6000e-004	7.3000e-004	39.8537		
NaturalGas Unmitigated	4.0000e-003	0.0364	0.0306	2.2000e-004		2.7700e-003	-2.7700e-003	2.7700e-003	0.0000	39.6183	39.6183	7.6000e-004	7.3000e-004	39.8537		

5.2 Energy by Land Use - NaturalGas**Unmitigated**

Woodcrest Christian School Improvements - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Land Use	kBTU/yr	tons/yr											MT/yr					
City Park	0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
High School	742419	4.0000e-003	0.0364	0.0306	2.2000e-004	2.7700e-003	2.7700e-003	2.7700e-003	2.7700e-003	2.7700e-003	2.7700e-003	0.0000	39.6183	39.6183	7.6000e-004	7.3000e-004	39.8537	
Parking Lot	0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Total		4.0000e-003	0.0364	0.0306	2.2000e-004		2.7700e-003	2.7700e-003		2.7700e-003	2.7700e-003	0.0000	39.6183	39.6183	7.6000e-004	7.3000e-004	39.8537	

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Land Use	kBTU/yr	tons/yr											MT/yr					
City Park	0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
High School	742419	4.0000e-003	0.0364	0.0306	2.2000e-004	2.7700e-003	2.7700e-003	2.7700e-003	2.7700e-003	2.7700e-003	2.7700e-003	0.0000	39.6183	39.6183	7.6000e-004	7.3000e-004	39.8537	
Parking Lot	0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Total		4.0000e-003	0.0364	0.0306	2.2000e-004		2.7700e-003	2.7700e-003		2.7700e-003	2.7700e-003	0.0000	39.6183	39.6183	7.6000e-004	7.3000e-004	39.8537	

5.3 Energy by Land Use - Electricity**Unmitigated**

Woodcrest Christian School Improvements - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
City Park	0	0.0000	0.0000	0.0000	0.0000
High School	598890	214.5996	8.9600e-003	1.0900e-003	215.1475
Parking Lot	52500	18.8123	7.9000e-004	1.0000e-004	18.8603
Total		233.4119	9.7500e-003	1.1900e-003	234.0078

Mitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
City Park	0	0.0000	0.0000	0.0000	0.0000
High School	29944.5	10.7300	4.5000e-004	5.0000e-005	10.7574
Parking Lot	2625	0.9406	4.0000e-005	0.0000	0.9430
Total		11.6706	4.9000e-004	5.0000e-005	11.7004

Woodcrest Christian School Improvements - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**6.0 Area Detail****6.1 Mitigation Measures Area**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.3500	1.0000e-004	0.0105	0.0000		4.0000e-005	4.0000e-005		4.0000e-005	4.0000e-005	0.0000	0.0203	0.0203	5.0000e-005	0.0000	0.0216
Unmitigated	0.3500	1.0000e-004	0.0105	0.0000		4.0000e-005	4.0000e-005		4.0000e-005	4.0000e-005	0.0000	0.0203	0.0203	5.0000e-005	0.0000	0.0216

6.2 Area by SubCategory**Unmitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.0208						0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.3282						0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	9.7000e-004	1.0000e-004	0.0105	0.0000		4.0000e-005	4.0000e-005		4.0000e-005	4.0000e-005	0.0000	0.0203	0.0203	5.0000e-005	0.0000	0.0216

Woodcrest Christian School Improvements - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Total	0.3500	1.0000e-004	0.0105	0.0000		4.0000e-005	4.0000e-005		4.0000e-005	4.0000e-005	0.0000	0.0203	0.0203	5.0000e-005	0.0000	0.0216
-------	--------	-------------	--------	--------	--	-------------	-------------	--	-------------	-------------	--------	--------	--------	-------------	--------	--------

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.0208						0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.3282						0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	9.7000e-004	1.0000e-004	0.0105	0.0000		4.0000e-005	4.0000e-005		4.0000e-005	4.0000e-005	0.0000	0.0203	0.0203	5.0000e-005	0.0000	0.0216
Total	0.3500	1.0000e-004	0.0105	0.0000		4.0000e-005	4.0000e-005		4.0000e-005	4.0000e-005	0.0000	0.0203	0.0203	5.0000e-005	0.0000	0.0216

7.0 Water Detail**7.1 Mitigation Measures Water**

	Total CO2	CH4	N2O	CO2e
--	-----------	-----	-----	------

Woodcrest Christian School Improvements - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Category	MT/yr			
	Mitigated	Unmitigated	Total CO2	CH4
Mitigated	43.1760	0.0942	2.4000e-003	46.2453
Unmitigated	43.1760	0.0942	2.4000e-003	46.2453

7.2 Water by Land Use**Unmitigated**

Indoor/Out door Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr		
City Park	0 / 0	0.0000	0.0000	0.0000
High School	2.83679 / 7.29461	43.1760	0.0942	2.4000e-003
Parking Lot	0 / 0	0.0000	0.0000	0.0000
Total	43.1760	0.0942	2.4000e-003	46.2453

Mitigated

Indoor/Out door Use	Total CO2	CH4	N2O	CO2e

Woodcrest Christian School Improvements - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Land Use	Mgal	MT/yr		
City Park	0 / 0	0.0000	0.0000	0.0000
High School	2.83679 / 7.29461	43.1760	0.0942	2.4000e-003
Parking Lot	0 / 0	0.0000	0.0000	0.0000
Total		43.1760	0.0942	2.4000e-003

8.0 Waste Detail**8.1 Mitigation Measures Waste**Category/Year

	Total CO2	CH4	N2O	CO2e
	MT/yr			
Mitigated	23.8575	1.4099	0.0000	59.1060
Unmitigated	23.8575	1.4099	0.0000	59.1060

8.2 Waste by Land UseUnmitigated

Woodcrest Christian School Improvements - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
City Park	0	0.0000	0.0000	0.0000	0.0000
High School	117.53	23.8575	1.4099	0.0000	59.1060
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Total		23.8575	1.4099	0.0000	59.1060

Mitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
City Park	0	0.0000	0.0000	0.0000	0.0000
High School	117.53	23.8575	1.4099	0.0000	59.1060
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Total		23.8575	1.4099	0.0000	59.1060

Woodcrest Christian School Improvements - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Woodcrest Christian School Improvements - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Woodcrest Christian School - Existing
South Coast AQMD Air District, Summer

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
High School	644.00	Student	1.96	85,433.67	0
Parking Lot	150.00	1000sqft	3.44	150,000.00	0
City Park	23.89	Acre	23.89	1,040,648.40	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	31
Climate Zone	10			Operational Year	2022
Utility Company					Riverside Public Utilities/City of Riverside
CO2 Intensity (lb/MWhr)	789.98	CH4 Intensity (lb/MWhr)	0.033	N2O Intensity (lb/MWhr)	0.004

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - Existing School

Construction Phase - The analysis will not have construction

Off-road Equipment - There will not be any site preparation

Trips and VMT - No construction analyzed.

Grading - .

Vehicle Trips - Trip generation daily equals to 2.91.

Area Coating - Architectural Coating would comply with Rule 113

Water And Wastewater - .

Woodcrest Christian School Improvements - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Construction Off-road Equipment Mitigation - Dust control measures as required from SCAQMD Rule 403

Mobile Commute Mitigation -

Area Mitigation - .

Energy Mitigation - The site generates 95 percent Solar

Fleet Mix - Project Trip Generation did not provide Fleet Mix. Defaults will apply.

On-road Fugitive Dust - construction not analyzed

Solid Waste - .

Table Name	Column Name	Default Value	New Value
tblAreaCoating	Area_EF_Nonresidential_Exterior	100	50
tblAreaCoating	Area_EF_Nonresidential_Interior	100	50
tblAreaCoating	Area_EF_Parking	100	50
tblConstructionPhase	NumDays	20.00	0.00
tblConstructionPhase	PhaseEndDate	4/29/2022	4/3/2022
tblOnRoadDust	HaulingPercentPave	100.00	0.00
tblOnRoadDust	VendorPercentPave	100.00	0.00
tblOnRoadDust	WorkerPercentPave	100.00	0.00
tblSolidWaste	SolidWasteGenerationRate	2.05	0.00
tblTripsAndVMT	WorkerTripNumber	18.00	0.00
tblVehicleTrips	DV_TP	28.00	0.00
tblVehicleTrips	DV_TP	19.00	0.00
tblVehicleTrips	PB_TP	6.00	0.00
tblVehicleTrips	PB_TP	6.00	0.00
tblVehicleTrips	PR_TP	66.00	0.00
tblVehicleTrips	PR_TP	75.00	100.00
tblVehicleTrips	ST_TR	1.96	0.00
tblVehicleTrips	ST_TR	0.58	0.83
tblVehicleTrips	SU_TR	2.19	0.00

Woodcrest Christian School Improvements - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

tblVehicleTrips	SU_TR	0.25	0.50
tblVehicleTrips	WD_TR	0.78	0.00
tblVehicleTrips	WD_TR	2.03	2.91
tblWater	OutdoorWaterUseRate	28,464,489.44	0.00

2.0 Emissions Summary**2.1 Overall Construction (Maximum Daily Emission)**Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day													lb/day		
2022	0.0000	0.0000	0.0000	0.0000	0.0000	1.6126	0.0000	0.0000	1.4836	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Maximum	0.0000	0.0000	0.0000	0.0000	0.0000	1.6126	0.0000	0.0000	1.4836	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day													lb/day		
2022	0.0000	0.0000	0.0000	0.0000	0.0000	1.6126	0.0000	0.0000	1.4836	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Woodcrest Christian School Improvements - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	1.9203	7.6000e-004	0.0836	1.0000e-005		3.0000e-004	3.0000e-004		3.0000e-004	3.0000e-004	0.1790	0.1790	4.7000e-004			0.1908
Energy	0.0219	0.1994	0.1675	1.2000e-003		0.0152	0.0152		0.0152	0.0152	239.2969	239.2969	4.5900e-003	4.3900e-003		240.7189
Mobile	7.6792	10.5733	92.2624	0.2127	21.1364	0.1741	21.3105	5.6326	0.1626	5.7953	21,788.852	21,788.852	1.2040	0.8480		22,071.643
Total	9.6215	10.7735	92.5136	0.2139	21.1364	0.1896	21.3260	5.6326	0.1781	5.8107	22,028.328	22,028.328	1.2091	0.8523		22,312.553
											8	8				6

Mitigated Operational

ROG NOx CO SO₂ Fugitive PM10 Exhaust PM10 PM10 Total Fugitive PM2.5 Exhaust PM2.5 PM2.5 Total Bio- CO₂ NBio- CO₂ Total CO₂ CH₄ N₂O CO₂e

Woodcrest Christian School Improvements - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Category	lb/day												lb/day				
	Area	1.9203	7.6000e-004	0.0836	1.0000e-005		3.0000e-004	3.0000e-004		3.0000e-004	3.0000e-004		0.1790	0.1790	4.7000e-004		0.1908
Energy	0.0219	0.1994	0.1675	1.2000e-003		0.0152	0.0152		0.0152	0.0152		239.2969	239.2969	4.5900e-003	4.3900e-003	240.7189	
Mobile	7.6792	10.5733	92.2624	0.2127	21.1364	0.1741	21.3105	5.6326	0.1626	5.7953		21,788.852	21,788.852	1.2040	0.8480	22,071.643	
Total	9.6215	10.7735	92.5136	0.2139	21.1364	0.1896	21.3260	5.6326	0.1781	5.8107		22,028.328	22,028.328	1.2091	0.8523	22,312.553	
												8	8			6	

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Site Preparation	Site Preparation	4/4/2022	4/3/2022	5	0	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 0

Acres of Paving: 3.44

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 0; Non-Residential Outdoor: 0; Striped Parking Area: 0 (Architectural Coating –

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37

Woodcrest Christian School Improvements - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Trips and VMT**

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Site Preparation	7	0.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Reduce Vehicle Speed on Unpaved Roads

3.2 Site Preparation - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e

Woodcrest Christian School Improvements - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Category	lb/day										lb/day						
	Hauling	Vendor	Worker	Total													
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Total	0.0000																

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Fugitive Dust	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Off-Road	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000								

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e

Woodcrest Christian School Improvements - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Category	lb/day										lb/day						
	Hauling	Vendor	Worker	Total													
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Total	0.0000																

4.0 Operational Detail - Mobile**4.1 Mitigation Measures Mobile**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Mitigated	7.6792	10.5733	92.2624	0.2127	21.1364	0.1741	21.3105	5.6326	0.1626	5.7953	21,788.852	21,788.852	1.2040	0.8480	22,071.643		
Unmitigated	7.6792	10.5733	92.2624	0.2127	21.1364	0.1741	21.3105	5.6326	0.1626	5.7953	21,788.852	21,788.852	1.2040	0.8480	22,071.643		

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated		Mitigated	
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT	Annual VMT	Annual VMT
City Park	0.00	0.00	0.00				
High School	1,874.04	534.52	322.00	7,819,751		7,819,751	

Woodcrest Christian School Improvements - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Parking Lot	0.00	0.00	0.00			
Total	1,874.04	534.52	322.00	7,819,751		7,819,751

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
City Park	16.60	8.40	6.90	33.00	48.00	19.00	0	0	0
High School	16.60	8.40	6.90	77.80	17.20	5.00	100	0	0
Parking Lot	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
City Park	0.543376	0.059966	0.184357	0.131187	0.023843	0.006245	0.012012	0.009162	0.000826	0.000515	0.023898	0.000748	0.003864
High School	0.543376	0.059966	0.184357	0.131187	0.023843	0.006245	0.012012	0.009162	0.000826	0.000515	0.023898	0.000748	0.003864
Parking Lot	0.543376	0.059966	0.184357	0.131187	0.023843	0.006245	0.012012	0.009162	0.000826	0.000515	0.023898	0.000748	0.003864

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Percent of Electricity Use Generated with Renewable Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					

Woodcrest Christian School Improvements - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

NaturalGas Mitigated	0.0219	0.1994	0.1675	1.2000e-003		0.0152	0.0152		0.0152	0.0152		239.2969	239.2969	4.5900e-003	4.3900e-003	240.7189
NaturalGas Unmitigated	0.0219	0.1994	0.1675	1.2000e-003		0.0152	0.0152		0.0152	0.0152		239.2969	239.2969	4.5900e-003	4.3900e-003	240.7189

5.2 Energy by Land Use - NaturalGasUnmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
City Park	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
High School	2034.02	0.0219	0.1994	0.1675	1.2000e-003		0.0152	0.0152		0.0152	0.0152		239.2969	239.2969	4.5900e-003	4.3900e-003	240.7189
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0219	0.1994	0.1675	1.2000e-003		0.0152	0.0152		0.0152	0.0152		239.2969	239.2969	4.5900e-003	4.3900e-003	240.7189

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
City Park	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000

Woodcrest Christian School Improvements - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

High School	2.03402	0.0219	0.1994	0.1675	1.2000e-003		0.0152	0.0152		0.0152	0.0152		239.2969	239.2969	4.5900e-003	4.3900e-003	240.7189
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0219	0.1994	0.1675	1.2000e-003		0.0152	0.0152		0.0152	0.0152		239.2969	239.2969	4.5900e-003	4.3900e-003	240.7189

6.0 Area Detail**6.1 Mitigation Measures Area**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	1.9203	7.6000e-004	0.0836	1.0000e-005		3.0000e-004	3.0000e-004		3.0000e-004	3.0000e-004	0.1790	0.1790	4.7000e-004			0.1908
Unmitigated	1.9203	7.6000e-004	0.0836	1.0000e-005		3.0000e-004	3.0000e-004		3.0000e-004	3.0000e-004	0.1790	0.1790	4.7000e-004			0.1908

6.2 Area by SubCategory**Unmitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Woodcrest Christian School Improvements - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

SubCategory	lb/day										lb/day					
Architectural Coating	0.1142					0.0000	0.0000			0.0000	0.0000				0.0000	
Consumer Products	1.7983					0.0000	0.0000			0.0000	0.0000				0.0000	
Landscaping	7.7800e-003	7.6000e-004	0.0836	1.0000e-005		3.0000e-004	3.0000e-004			3.0000e-004	3.0000e-004		0.1790	0.1790	4.7000e-004	0.1908
Total	1.9203	7.6000e-004	0.0836	1.0000e-005		3.0000e-004	3.0000e-004			3.0000e-004	3.0000e-004		0.1790	0.1790	4.7000e-004	0.1908

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.1142					0.0000	0.0000			0.0000	0.0000				0.0000	0.0000
Consumer Products	1.7983					0.0000	0.0000			0.0000	0.0000				0.0000	0.0000
Landscaping	7.7800e-003	7.6000e-004	0.0836	1.0000e-005		3.0000e-004	3.0000e-004			3.0000e-004	3.0000e-004		0.1790	0.1790	4.7000e-004	0.1908
Total	1.9203	7.6000e-004	0.0836	1.0000e-005		3.0000e-004	3.0000e-004			3.0000e-004	3.0000e-004		0.1790	0.1790	4.7000e-004	0.1908

7.0 Water Detail**7.1 Mitigation Measures Water**

Woodcrest Christian School Improvements - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

8.0 Waste Detail

8.1 Mitigation Measures Waste

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Woodcrest Christian School Improvements - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Woodcrest Christian School - Existing
South Coast AQMD Air District, Winter

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
High School	644.00	Student	1.96	85,433.67	0
Parking Lot	150.00	1000sqft	3.44	150,000.00	0
City Park	23.89	Acre	23.89	1,040,648.40	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	31
Climate Zone	10			Operational Year	2022
Utility Company					Riverside Public Utilities/City of Riverside
CO2 Intensity (lb/MWhr)	789.98	CH4 Intensity (lb/MWhr)	0.033	N2O Intensity (lb/MWhr)	0.004

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - Existing School

Construction Phase - The analysis will not have construction

Off-road Equipment - There will not be any site preparation

Trips and VMT - No construction analyzed.

Grading - .

Vehicle Trips - Trip generation daily equals to 2.91.

Area Coating - Architectural Coating would comply with Rule 113

Water And Wastewater - .

Woodcrest Christian School Improvements - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Construction Off-road Equipment Mitigation - Dust control measures as required from SCAQMD Rule 403

Mobile Commute Mitigation -

Area Mitigation - .

Energy Mitigation - The site generates 95 percent Solar

Fleet Mix - Project Trip Generation did not provide Fleet Mix. Defaults will apply.

On-road Fugitive Dust - construction not analyzed

Solid Waste - .

Table Name	Column Name	Default Value	New Value
tblAreaCoating	Area_EF_Nonresidential_Exterior	100	50
tblAreaCoating	Area_EF_Nonresidential_Interior	100	50
tblAreaCoating	Area_EF_Parking	100	50
tblConstructionPhase	NumDays	20.00	0.00
tblConstructionPhase	PhaseEndDate	4/29/2022	4/3/2022
tblOnRoadDust	HaulingPercentPave	100.00	0.00
tblOnRoadDust	VendorPercentPave	100.00	0.00
tblOnRoadDust	WorkerPercentPave	100.00	0.00
tblSolidWaste	SolidWasteGenerationRate	2.05	0.00
tblTripsAndVMT	WorkerTripNumber	18.00	0.00
tblVehicleTrips	DV_TP	28.00	0.00
tblVehicleTrips	DV_TP	19.00	0.00
tblVehicleTrips	PB_TP	6.00	0.00
tblVehicleTrips	PB_TP	6.00	0.00
tblVehicleTrips	PR_TP	66.00	0.00
tblVehicleTrips	PR_TP	75.00	100.00
tblVehicleTrips	ST_TR	1.96	0.00
tblVehicleTrips	ST_TR	0.58	0.83
tblVehicleTrips	SU_TR	2.19	0.00

Woodcrest Christian School Improvements - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

tblVehicleTrips	SU_TR	0.25	0.50
tblVehicleTrips	WD_TR	0.78	0.00
tblVehicleTrips	WD_TR	2.03	2.91
tblWater	OutdoorWaterUseRate	28,464,489.44	0.00

2.0 Emissions Summary**2.1 Overall Construction (Maximum Daily Emission)**Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2022	0.0000	0.0000	0.0000	0.0000	0.0000	1.6126	0.0000	0.0000	1.4836	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Maximum	0.0000	0.0000	0.0000	0.0000	0.0000	1.6126	0.0000	0.0000	1.4836	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2022	0.0000	0.0000	0.0000	0.0000	0.0000	1.6126	0.0000	0.0000	1.4836	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Woodcrest Christian School Improvements - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Area	1.9203	7.6000e-004	0.0836	1.0000e-005		3.0000e-004	3.0000e-004		3.0000e-004	3.0000e-004	0.1790	0.1790	4.7000e-004			0.1908	
Energy	0.0219	0.1994	0.1675	1.2000e-003		0.0152	0.0152		0.0152	0.0152	239.2969	239.2969	4.5900e-003	4.3900e-003		240.7189	
Mobile	7.4750	11.3340	87.4343	0.2026	21.1364	0.1742	21.3106	5.6326	0.1627	5.7953	20,760.3120	20,760.3120	1.2240	0.8810		21,053.4504	
Total	9.4172	11.5341	87.6854	0.2038	21.1364	0.1897	21.3260	5.6326	0.1781	5.8108	20,999.7879	20,999.7879	1.2290	0.8854		21,294.3601	

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Woodcrest Christian School Improvements - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Category	lb/day												lb/day				
	Area	1.9203	7.6000e-004	0.0836	1.0000e-005		3.0000e-004	3.0000e-004		3.0000e-004	3.0000e-004		0.1790	0.1790	4.7000e-004		0.1908
Energy	0.0219	0.1994	0.1675	1.2000e-003		0.0152	0.0152		0.0152	0.0152		239.2969	239.2969	4.5900e-003	4.3900e-003	240.7189	
Mobile	7.4750	11.3340	87.4343	0.2026	21.1364	0.1742	21.3106	5.6326	0.1627	5.7953		20,760.312	20,760.312	1.2240	0.8810	21,053.450	
Total	9.4172	11.5341	87.6854	0.2038	21.1364	0.1897	21.3260	5.6326	0.1781	5.8108		20,999.787	20,999.787	1.2290	0.8854	21,294.360	
												9	9			1	

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Site Preparation	Site Preparation	4/4/2022	4/3/2022	5	0	

Acres of Grading (Site Preparation Phase): 0**Acres of Grading (Grading Phase): 0****Acres of Paving: 3.44****Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 0; Non-Residential Outdoor: 0; Striped Parking Area: 0 (Architectural Coating –**

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37

Woodcrest Christian School Improvements - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Trips and VMT**

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Site Preparation	7	0.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Reduce Vehicle Speed on Unpaved Roads

3.2 Site Preparation - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e

Woodcrest Christian School Improvements - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Category	lb/day										lb/day						
	Hauling	Vendor	Worker	Total													
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Total	0.0000																

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Fugitive Dust	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Off-Road	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000								

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e

Woodcrest Christian School Improvements - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Category	lb/day										lb/day						
	Hauling	Vendor	Worker	Total													
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Total	0.0000																

4.0 Operational Detail - Mobile**4.1 Mitigation Measures Mobile**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Mitigated	7.4750	11.3340	87.4343	0.2026	21.1364	0.1742	21.3106	5.6326	0.1627	5.7953	20,760.312	20,760.312	1.2240	0.8810	21,053.450		
Unmitigated	7.4750	11.3340	87.4343	0.2026	21.1364	0.1742	21.3106	5.6326	0.1627	5.7953	20,760.312	20,760.312	1.2240	0.8810	21,053.450		

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated		Mitigated	
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT	Annual VMT	Annual VMT
City Park	0.00	0.00	0.00				
High School	1,874.04	534.52	322.00	7,819,751		7,819,751	

Woodcrest Christian School Improvements - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Parking Lot	0.00	0.00	0.00			
Total	1,874.04	534.52	322.00	7,819,751		7,819,751

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
City Park	16.60	8.40	6.90	33.00	48.00	19.00	0	0	0
High School	16.60	8.40	6.90	77.80	17.20	5.00	100	0	0
Parking Lot	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
City Park	0.543376	0.059966	0.184357	0.131187	0.023843	0.006245	0.012012	0.009162	0.000826	0.000515	0.023898	0.000748	0.003864
High School	0.543376	0.059966	0.184357	0.131187	0.023843	0.006245	0.012012	0.009162	0.000826	0.000515	0.023898	0.000748	0.003864
Parking Lot	0.543376	0.059966	0.184357	0.131187	0.023843	0.006245	0.012012	0.009162	0.000826	0.000515	0.023898	0.000748	0.003864

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Percent of Electricity Use Generated with Renewable Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					

Woodcrest Christian School Improvements - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

NaturalGas Mitigated	0.0219	0.1994	0.1675	1.2000e-003		0.0152	0.0152		0.0152	0.0152		239.2969	239.2969	4.5900e-003	4.3900e-003	240.7189
NaturalGas Unmitigated	0.0219	0.1994	0.1675	1.2000e-003		0.0152	0.0152		0.0152	0.0152		239.2969	239.2969	4.5900e-003	4.3900e-003	240.7189

5.2 Energy by Land Use - NaturalGasUnmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
City Park	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
High School	2034.02	0.0219	0.1994	0.1675	1.2000e-003		0.0152	0.0152		0.0152	0.0152		239.2969	239.2969	4.5900e-003	4.3900e-003	240.7189
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0219	0.1994	0.1675	1.2000e-003		0.0152	0.0152		0.0152	0.0152		239.2969	239.2969	4.5900e-003	4.3900e-003	240.7189

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
City Park	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000

Woodcrest Christian School Improvements - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

High School	2.03402	0.0219	0.1994	0.1675	1.2000e-003		0.0152	0.0152		0.0152	0.0152		239.2969	239.2969	4.5900e-003	4.3900e-003	240.7189
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0219	0.1994	0.1675	1.2000e-003		0.0152	0.0152		0.0152	0.0152		239.2969	239.2969	4.5900e-003	4.3900e-003	240.7189

6.0 Area Detail**6.1 Mitigation Measures Area**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	1.9203	7.6000e-004	0.0836	1.0000e-005		3.0000e-004	3.0000e-004		3.0000e-004	3.0000e-004	0.1790	0.1790	4.7000e-004			0.1908
Unmitigated	1.9203	7.6000e-004	0.0836	1.0000e-005		3.0000e-004	3.0000e-004		3.0000e-004	3.0000e-004	0.1790	0.1790	4.7000e-004			0.1908

6.2 Area by SubCategory**Unmitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Woodcrest Christian School Improvements - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

SubCategory	lb/day										lb/day					
Architectural Coating	0.1142					0.0000	0.0000			0.0000	0.0000				0.0000	
Consumer Products	1.7983					0.0000	0.0000			0.0000	0.0000				0.0000	
Landscaping	7.7800e-003	7.6000e-004	0.0836	1.0000e-005		3.0000e-004	3.0000e-004			3.0000e-004	3.0000e-004		0.1790	0.1790	4.7000e-004	0.1908
Total	1.9203	7.6000e-004	0.0836	1.0000e-005		3.0000e-004	3.0000e-004			3.0000e-004	3.0000e-004		0.1790	0.1790	4.7000e-004	0.1908

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.1142					0.0000	0.0000			0.0000	0.0000				0.0000	0.0000
Consumer Products	1.7983					0.0000	0.0000			0.0000	0.0000				0.0000	0.0000
Landscaping	7.7800e-003	7.6000e-004	0.0836	1.0000e-005		3.0000e-004	3.0000e-004			3.0000e-004	3.0000e-004		0.1790	0.1790	4.7000e-004	0.1908
Total	1.9203	7.6000e-004	0.0836	1.0000e-005		3.0000e-004	3.0000e-004			3.0000e-004	3.0000e-004		0.1790	0.1790	4.7000e-004	0.1908

7.0 Water Detail**7.1 Mitigation Measures Water**

Woodcrest Christian School Improvements - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

8.0 Waste Detail

8.1 Mitigation Measures Waste

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Woodcrest Christian School Improvements Construction
South Coast AQMD Air District, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
High School	280.00	Student	0.85	42,600.00	0
Parking Lot	92.00	Space	0.83	36,800.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	31
Climate Zone	10			Operational Year	2026
Utility Company	Riverside Public Utilities/City of Riverside				
CO2 Intensity (lb/MWhr)	789.98	CH4 Intensity (lb/MWhr)	0.033	N2O Intensity (lb/MWhr)	0.004

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - School additions total 42,600 sf plus a 92 space parking lot.

Construction Phase - Architectural Coatings will be happening during Building Construction

Grading - .

Architectural Coating - Assume All AC comply with Rule 1113000000

Vehicle Trips - Construction-only analysis

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Vehicle Emission Factors -

Vehicle Emission Factors -

Vehicle Emission Factors -

Area Coating - Construction-only analysis

Energy Use - Construction-only analysis

Water And Wastewater - .Construction-only analysis

Solid Waste - Construction-only analysis

Construction Off-road Equipment Mitigation - Dust Control Measures as required by SCAQMD Rule 403

Area Mitigation - .

Energy Mitigation - The project site generates 95 percent of their electricity with solar

Operational Off-Road Equipment - .

Fleet Mix - The proposed Trip Generation does not provide Fleet Mix/ Specific Vehicles used for this project.

Demolition - Estimated building square footage from Google Aerial view.

Consumer Products - Construction-only analysis

Landscape Equipment - Construction-only analysis

Table Name	Column Name	Default Value	New Value
tblArchitecturalCoating	EF_Nonresidential_Exterior	100.00	50.00
tblArchitecturalCoating	EF_Nonresidential_Interior	100.00	50.00
tblArchitecturalCoating	EF_Parking	100.00	50.00
tblAreaCoating	Area_Nonresidential_Exterior	21300	0
tblAreaCoating	Area_Nonresidential_Interior	63900	0
tblAreaCoating	Area_Parking	2208	0
tblConstDustMitigation	WaterUnpavedRoadVehicleSpeed	0	15
tblConstructionPhase	NumDays	20.00	30.00

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

tblConstructionPhase	NumDays	2.00	20.00
tblConstructionPhase	NumDays	4.00	45.00
tblConstructionPhase	NumDays	200.00	440.00
tblConstructionPhase	NumDays	10.00	30.00
tblConstructionPhase	NumDays	10.00	35.00
tblConstructionPhase	PhaseEndDate	4/26/2024	5/10/2024
tblConstructionPhase	PhaseEndDate	4/30/2024	6/7/2024
tblConstructionPhase	PhaseEndDate	5/6/2024	8/9/2024
tblConstructionPhase	PhaseEndDate	2/10/2025	4/17/2026
tblConstructionPhase	PhaseEndDate	3/10/2025	4/17/2026
tblConstructionPhase	PhaseEndDate	2/24/2025	6/5/2026
tblConstructionPhase	PhaseStartDate	4/27/2024	5/11/2024
tblConstructionPhase	PhaseStartDate	5/1/2024	6/8/2024
tblConstructionPhase	PhaseStartDate	5/7/2024	8/10/2024
tblConstructionPhase	PhaseStartDate	2/25/2025	3/9/2026
tblConstructionPhase	PhaseStartDate	2/11/2025	4/18/2026
tblConsumerProducts	ROG_EF	1.98E-05	0
tblConsumerProducts	ROG_EF_Degreaser	3.542E-07	0
tblConsumerProducts	ROG_EF_PesticidesFertilizers	5.152E-08	0
tblEnergyUse	LightingElect	3.03	0.00
tblEnergyUse	LightingElect	0.35	0.00
tblEnergyUse	NT24E	1.49	0.00
tblEnergyUse	NT24NG	1.79	0.00
tblEnergyUse	T24E	2.49	0.00

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

tblEnergyUse	T24NG	6.90	0.00
tblLandscapeEquipment	NumberSummerDays	250	0
tblLandUse	LandUseSquareFeet	37,145.07	42,600.00
tblSolidWaste	SolidWasteGenerationRate	51.10	0.00
tblVehicleTrips	ST_TR	0.58	0.00
tblVehicleTrips	SU_TR	0.25	0.00
tblVehicleTrips	WD_TR	2.03	0.00
tblWater	AerobicPercent	87.46	0.00
tblWater	AerobicPercent	87.46	0.00
tblWater	AnaDigestCombDigestGasPercent	100.00	0.00
tblWater	AnaDigestCombDigestGasPercent	100.00	0.00
tblWater	AnaerobicandFacultativeLagoonsPercent	2.21	0.00
tblWater	AnaerobicandFacultativeLagoonsPercent	2.21	0.00
tblWater	ElectricityIntensityFactorForWastewaterTreatment	1,911.00	0.00
tblWater	ElectricityIntensityFactorForWastewaterTreatment	1,911.00	0.00
tblWater	ElectricityIntensityFactorToDistribute	1,272.00	0.00
tblWater	ElectricityIntensityFactorToDistribute	1,272.00	0.00
tblWater	ElectricityIntensityFactorToSupply	9,727.00	0.00
tblWater	ElectricityIntensityFactorToSupply	9,727.00	0.00
tblWater	ElectricityIntensityFactorToTreat	111.00	0.00
tblWater	ElectricityIntensityFactorToTreat	111.00	0.00
tblWater	IndoorWaterUseRate	1,233,388.80	0.00
tblWater	OutdoorWaterUseRate	3,171,571.20	0.00
tblWater	SepticTankPercent	10.33	100.00

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

tblWater	SepticTankPercent	10.33	100.00
----------	-------------------	-------	--------

2.0 Emissions Summary**2.1 Overall Construction****Unmitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2024	0.1414	1.2325	1.1790	2.4400e-003	0.2512	0.0504	0.3016	0.1148	0.0476	0.1624	0.0000	210.5580	210.5580	0.0423	2.1800e-003	212.2650
2025	0.1864	1.4318	1.7700	3.5600e-003	0.0580	0.0518	0.1098	0.0156	0.0500	0.0656	0.0000	301.9857	301.9857	0.0405	5.0700e-003	304.5093
2026	0.1706	0.5330	0.7099	1.3500e-003	0.0207	0.0204	0.0411	5.5800e-003	0.0195	0.0251	0.0000	115.8205	115.8205	0.0187	1.5200e-003	116.7415
Maximum	0.1864	1.4318	1.7700	3.5600e-003	0.2512	0.0518	0.3016	0.1148	0.0500	0.1624	0.0000	301.9857	301.9857	0.0423	5.0700e-003	304.5093

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Year	tons/yr												MT/yr				
	0.1414	1.2325	1.1790	2.4400e-003	0.1286	0.0504	0.1790	0.0559	0.0476	0.1034	0.0000	210.5578	210.5578	0.0423	2.1800e-003	212.2648	
2024	0.1864	1.4318	1.7700	3.5600e-003	0.0580	0.0518	0.1098	0.0156	0.0500	0.0656	0.0000	301.9854	301.9854	0.0405	5.0700e-003	304.5090	
2025	0.1706	0.5330	0.7099	1.3500e-003	0.0207	0.0204	0.0411	5.5800e-003	0.0195	0.0251	0.0000	115.8204	115.8204	0.0187	1.5200e-003	116.7414	
Maximum	0.1864	1.4318	1.7700	3.5600e-003	0.1286	0.0518	0.1790	0.0559	0.0500	0.1034	0.0000	301.9854	301.9854	0.0423	5.0700e-003	304.5090	

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	37.18	0.00	27.10	43.35	0.00	23.30	0.00	0.00	0.00	0.00	0.00	0.00

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
1	4-1-2024	6-30-2024	0.4748	0.4748
2	7-1-2024	9-30-2024	0.4606	0.4606
3	10-1-2024	12-31-2024	0.4327	0.4327
4	1-1-2025	3-31-2025	0.3988	0.3988
5	4-1-2025	6-30-2025	0.4021	0.4021
6	7-1-2025	9-30-2025	0.4065	0.4065
7	10-1-2025	12-31-2025	0.4076	0.4076
8	1-1-2026	3-31-2026	0.4648	0.4648
9	4-1-2026	6-30-2026	0.2295	0.2295
		Highest	0.4748	0.4748

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**2.2 Overall Operational****Unmitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr											MT/yr					
Area	0.0000	0.0000	0.0000	0.0000			0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Energy	0.0000	0.0000	0.0000	0.0000			0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Mobile	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Waste							0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Water							0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000								

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Area	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Energy	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Mobile	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Waste						0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Water						0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0000																			

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	4/1/2024	5/10/2024	5	30	
2	Site Preparation	Site Preparation	5/11/2024	6/7/2024	5	20	
3	Grading	Grading	6/8/2024	8/9/2024	5	45	
4	Building Construction	Building Construction	8/10/2024	4/17/2026	5	440	
5	Paving	Paving	4/18/2026	6/5/2026	5	35	
6	Architectural Coating	Architectural Coating	3/9/2026	4/17/2026	5	30	

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Acres of Grading (Site Preparation Phase): 18.75****Acres of Grading (Grading Phase): 45****Acres of Paving: 0.83****Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 63,900; Non-Residential Outdoor: 21,300; Striped Parking Area: 2,208****OffRoad Equipment**

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Paving	Cement and Mortar Mixers	1	6.00	9	0.56
Demolition	Rubber Tired Dozers	1	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	1	7.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Site Preparation	Graders	1	8.00	187	0.41
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Demolition	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Grading	Tractors/Loaders/Backhoes	2	7.00	97	0.37
Building Construction	Cranes	1	6.00	231	0.29
Building Construction	Forklifts	1	6.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	1	6.00	97	0.37
Building Construction	Welders	3	8.00	46	0.45
Architectural Coating	Air Compressors	1	6.00	78	0.48
Paving	Pavers	1	6.00	130	0.42

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Paving	Paving Equipment	1	8.00	132	0.36
Paving	Rollers	1	7.00	80	0.38
Paving	Tractors/Loaders/Backhoes	1	8.00	97	0.37

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	5	13.00	0.00	9.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	3	8.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	4	10.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	7	33.00	13.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	7.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	5	13.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

3.2 Demolition - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Category	tons/yr												MT/yr					
	Fugitive Dust	0.0000	9.8000e-004	0.0000	9.8000e-004	1.5000e-004	0.0000	1.5000e-004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Off-Road	0.0216	0.2083	0.2023	3.6000e-004	9.4700e-003	9.4700e-003	8.8400e-003	8.8400e-003	0.0000	31.6373	31.6373	8.0100e-003	0.0000	0.0000	31.8375			
Total	0.0216	0.2083	0.2023	3.6000e-004	9.8000e-004	9.4700e-003	0.0105	1.5000e-004	8.8400e-003	8.9900e-003	0.0000	31.6373	31.6373	8.0100e-003	0.0000	0.0000	31.8375	

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr										MT/yr						
Hauling	1.0000e-005	5.7000e-004	1.6000e-004	0.0000	8.0000e-005	0.0000	8.0000e-005	2.0000e-005	0.0000	3.0000e-005	0.0000	0.2531	0.2531	1.0000e-005	4.0000e-005	0.2655	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	5.7000e-004	4.2000e-004	5.9500e-003	2.0000e-005	2.1400e-003	1.0000e-005	2.1500e-003	5.7000e-004	1.0000e-005	5.8000e-004	0.0000	1.6588	1.6588	4.0000e-005	4.0000e-005	1.6717	
Total	5.8000e-004	9.9000e-004	6.1100e-003	2.0000e-005	2.2200e-003	1.0000e-005	2.2300e-003	5.9000e-004	1.0000e-005	6.1000e-004	0.0000	1.9119	1.9119	5.0000e-005	8.0000e-005	1.9372	

Mitigated Construction On-Site

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr											MT/yr					
Fugitive Dust					4.4000e-004	0.0000	4.4000e-004	7.0000e-005	0.0000	7.0000e-005	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Off-Road	0.0216	0.2083	0.2023	3.6000e-004	9.4700e-003	9.4700e-003		8.8400e-003	8.8400e-003	0.0000	31.6373	31.6373	8.0100e-003	0.0000	31.8375		
Total	0.0216	0.2083	0.2023	3.6000e-004	4.4000e-004	9.4700e-003	9.9100e-003	7.0000e-005	8.8400e-003	8.9100e-003	0.0000	31.6373	31.6373	8.0100e-003	0.0000	31.8375	

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr											MT/yr					
Hauling	1.0000e-005	5.7000e-004	1.6000e-004	0.0000	8.0000e-005	0.0000	8.0000e-005	2.0000e-005	0.0000	3.0000e-005	0.0000	0.2531	0.2531	1.0000e-005	4.0000e-005	0.2655	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	5.7000e-004	4.2000e-004	5.9500e-003	2.0000e-005	2.1400e-003	1.0000e-005	2.1500e-003	5.7000e-004	1.0000e-005	5.8000e-004	0.0000	1.6588	1.6588	4.0000e-005	4.0000e-005	1.6717	
Total	5.8000e-004	9.9000e-004	6.1100e-003	2.0000e-005	2.2200e-003	1.0000e-005	2.2300e-003	5.9000e-004	1.0000e-005	6.1000e-004	0.0000	1.9119	1.9119	5.0000e-005	8.0000e-005	1.9372	

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**3.3 Site Preparation - 2024****Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr											MT/yr					
Fugitive Dust					0.0626	0.0000	0.0626	0.0300	0.0000	0.0300	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Off-Road	0.0111	0.1184	0.0663	1.7000e-004		4.8200e-003	4.8200e-003		4.4400e-003	4.4400e-003	0.0000	15.1126	15.1126	4.8900e-003	0.0000	15.2348	
Total	0.0111	0.1184	0.0663	1.7000e-004	0.0626	4.8200e-003	0.0675	0.0300	4.4400e-003	0.0345	0.0000	15.1126	15.1126	4.8900e-003	0.0000	15.2348	

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr											MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.3000e-004	1.7000e-004	2.4400e-003	1.0000e-005	8.8000e-004	0.0000	8.8000e-004	2.3000e-004	0.0000	2.4000e-004	0.0000	0.6805	0.6805	2.0000e-005	2.0000e-005	0.6858	
Total	2.3000e-004	1.7000e-004	2.4400e-003	1.0000e-005	8.8000e-004	0.0000	8.8000e-004	2.3000e-004	0.0000	2.4000e-004	0.0000	0.6805	0.6805	2.0000e-005	2.0000e-005	0.6858	

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr										MT/yr						
Fugitive Dust					0.0282	0.0000	0.0282	0.0135	0.0000	0.0135	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Off-Road	0.0111	0.1184	0.0663	1.7000e-004	4.8200e-003	4.8200e-003		4.4400e-003	4.4400e-003	0.0000	15.1126	15.1126	4.8900e-003	0.0000	15.2348		
Total	0.0111	0.1184	0.0663	1.7000e-004	0.0282	4.8200e-003	0.0330	0.0135	4.4400e-003	0.0180	0.0000	15.1126	15.1126	4.8900e-003	0.0000	15.2348	

Mitigated Construction Off-Site

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr										MT/yr						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	2.3000e-004	1.7000e-004	2.4400e-003	1.0000e-005	8.8000e-004	0.0000	8.8000e-004	2.3000e-004	0.0000	2.4000e-004	0.0000	0.6805	0.6805	2.0000e-005	2.0000e-005	0.6858	
Total	2.3000e-004	1.7000e-004	2.4400e-003	1.0000e-005	8.8000e-004	0.0000	8.8000e-004	2.3000e-004	0.0000	2.4000e-004	0.0000	0.6805	0.6805	2.0000e-005	2.0000e-005	0.6858	

3.4 Grading - 2024Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr										MT/yr						
Fugitive Dust					0.1594	0.0000	0.1594	0.0771	0.0000	0.0771	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Off-Road	0.0293	0.3109	0.1958	4.6000e-004	0.0129	0.0129		0.0119	0.0119	0.0000	40.7331	40.7331	0.0132	0.0000		41.0625	
Total	0.0293	0.3109	0.1958	4.6000e-004	0.1594	0.0129	0.1722	0.0771	0.0119	0.0889	0.0000	40.7331	40.7331	0.0132	0.0000		41.0625

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	6.6000e-004	4.8000e-004	6.8700e-003	2.0000e-005	2.4700e-003	1.0000e-005	2.4800e-003	6.6000e-004	1.0000e-005	6.7000e-004	0.0000	1.9140	1.9140	5.0000e-005	5.0000e-005	1.9289
Total	6.6000e-004	4.8000e-004	6.8700e-003	2.0000e-005	2.4700e-003	1.0000e-005	2.4800e-003	6.6000e-004	1.0000e-005	6.7000e-004	0.0000	1.9140	1.9140	5.0000e-005	5.0000e-005	1.9289

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0717	0.0000	0.0717	0.0347	0.0000	0.0347	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0293	0.3109	0.1958	4.6000e-004		0.0129	0.0129		0.0119	0.0119	0.0000	40.7331	40.7331	0.0132	0.0000	41.0624

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Total	0.0293	0.3109	0.1958	4.6000e-004	0.0717	0.0129	0.0846	0.0347	0.0119	0.0465	0.0000	40.7331	40.7331	0.0132	0.0000	41.0624
-------	--------	--------	--------	-------------	--------	--------	--------	--------	--------	--------	--------	---------	---------	--------	--------	---------

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	6.6000e-004	4.8000e-004	6.8700e-003	2.0000e-005	2.4700e-003	1.0000e-005	2.4800e-003	6.6000e-004	1.0000e-005	6.7000e-004	0.0000	1.9140	1.9140	5.0000e-005	5.0000e-005	1.9289
Total	6.6000e-004	4.8000e-004	6.8700e-003	2.0000e-005	2.4700e-003	1.0000e-005	2.4800e-003	6.6000e-004	1.0000e-005	6.7000e-004	0.0000	1.9140	1.9140	5.0000e-005	5.0000e-005	1.9289

3.5 Building Construction - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Category	tons/yr												MT/yr					
	Off-Road	0.0724	0.5643	0.6384	1.1200e-003	0.0230	0.0230	0.0222	0.0222	0.0000	92.6217	92.6217	0.0154	0.0000	93.0074			
Total	0.0724	0.5643	0.6384	1.1200e-003	0.0230	0.0230	0.0222	0.0222	0.0000	92.6217	92.6217	0.0154	0.0000	93.0074				

Unmitigated Construction Off-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	7.0000e-004	0.0254	9.4600e-003	1.2000e-004	4.1800e-003	1.4000e-004	4.3200e-003	1.2100e-003	1.3000e-004	1.3400e-003	0.0000	11.6299	11.6299	4.0000e-004	1.6900e-003	12.1427
Worker	4.9100e-003	3.6000e-003	0.0514	1.5000e-004	0.0185	1.0000e-004	0.0186	4.9000e-003	9.0000e-005	5.0000e-003	0.0000	14.3168	14.3168	3.4000e-004	3.5000e-004	14.4283
Total	5.6100e-003	0.0290	0.0609	2.7000e-004	0.0226	2.4000e-004	0.0229	6.1100e-003	2.2000e-004	6.3400e-003	0.0000	25.9467	25.9467	7.4000e-004	2.0400e-003	26.5709

Mitigated Construction On-Site

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr											MT/yr					
Off-Road	0.0724	0.5643	0.6384	1.1200e-003		0.0230	0.0230		0.0222	0.0222	0.0000	92.6216	92.6216	0.0154	0.0000	93.0073	
Total	0.0724	0.5643	0.6384	1.1200e-003		0.0230	0.0230		0.0222	0.0222	0.0000	92.6216	92.6216	0.0154	0.0000	93.0073	

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr											MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	7.0000e-004	0.0254	9.4600e-003	1.2000e-004	4.1800e-003	1.4000e-004	4.3200e-003	1.2100e-003	1.3000e-004	1.3400e-003	0.0000	11.6299	11.6299	4.0000e-004	1.6900e-003	12.1427	
Worker	4.9100e-003	3.6000e-003	0.0514	1.5000e-004	0.0185	1.0000e-004	0.0186	4.9000e-003	9.0000e-005	5.0000e-003	0.0000	14.3168	14.3168	3.4000e-004	3.5000e-004	14.4283	
Total	5.6100e-003	0.0290	0.0609	2.7000e-004	0.0226	2.4000e-004	0.0229	6.1100e-003	2.2000e-004	6.3400e-003	0.0000	25.9467	25.9467	7.4000e-004	2.0400e-003	26.5709	

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**3.5 Building Construction - 2025****Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1729	1.3589	1.6233	2.8800e-003		0.0512	0.0512		0.0494	0.0494	0.0000	237.0300	237.0300	0.0387	0.0000	237.9975
Total	0.1729	1.3589	1.6233	2.8800e-003		0.0512	0.0512		0.0494	0.0494	0.0000	237.0300	237.0300	0.0387	0.0000	237.9975

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	1.7500e-003	0.0646	0.0238	3.0000e-004	0.0107	3.6000e-004	0.0111	3.0900e-003	3.5000e-004	3.4300e-003	0.0000	29.2168	29.2168	1.0200e-003	4.2400e-003	30.5069
Worker	0.0118	8.2900e-003	0.1228	3.8000e-004	0.0473	2.5000e-004	0.0475	0.0126	2.3000e-004	0.0128	0.0000	35.7388	35.7388	7.8000e-004	8.3000e-004	36.0049
Total	0.0135	0.0729	0.1467	6.8000e-004	0.0580	6.1000e-004	0.0586	0.0156	5.8000e-004	0.0162	0.0000	64.9557	64.9557	1.8000e-003	5.0700e-003	66.5118

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr											MT/yr					
Off-Road	0.1729	1.3589	1.6233	2.8800e-003		0.0512	0.0512		0.0494	0.0494	0.0000	237.0298	237.0298	0.0387	0.0000	237.9973	
Total	0.1729	1.3589	1.6233	2.8800e-003		0.0512	0.0512		0.0494	0.0494	0.0000	237.0298	237.0298	0.0387	0.0000	237.9973	

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr											MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	1.7500e-003	0.0646	0.0238	3.0000e-004	0.0107	3.6000e-004	0.0111	3.0900e-003	3.5000e-004	3.4300e-003	0.0000	29.2168	29.2168	1.0200e-003	4.2400e-003	30.5069	

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Worker	0.0118	8.2900e-003	0.1228	3.8000e-004	0.0473	2.5000e-004	0.0475	0.0126	2.3000e-004	0.0128	0.0000	35.7388	35.7388	7.8000e-004	8.3000e-004	36.0049
Total	0.0135	0.0729	0.1467	6.8000e-004	0.0580	6.1000e-004	0.0586	0.0156	5.8000e-004	0.0162	0.0000	64.9557	64.9557	1.8000e-003	5.0700e-003	66.5118

3.5 Building Construction - 2026Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0510	0.4009	0.4789	8.5000e-004		0.0151	0.0151		0.0146	0.0146	0.0000	69.9284	69.9284	0.0114	0.0000	70.2138
Total	0.0510	0.4009	0.4789	8.5000e-004		0.0151	0.0151		0.0146	0.0146	0.0000	69.9284	69.9284	0.0114	0.0000	70.2138

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	5.1000e-004	0.0189	6.9500e-003	9.0000e-005	3.1600e-003	1.1000e-004	3.2600e-003	9.1000e-004	1.0000e-004	1.0100e-003	0.0000	8.4580	8.4580	3.0000e-004	1.2300e-003	8.8319	
Worker	3.2800e-003	2.2200e-003	0.0341	1.1000e-004	0.0139	7.0000e-005	0.0140	3.7000e-003	6.0000e-005	3.7700e-003	0.0000	10.3040	10.3040	2.1000e-004	2.3000e-004	10.3778	
Total	3.7900e-003	0.0212	0.0410	2.0000e-004	0.0171	1.8000e-004	0.0173	4.6100e-003	1.6000e-004	4.7800e-003	0.0000	18.7619	18.7619	5.1000e-004	1.4600e-003	19.2097	

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0510	0.4009	0.4789	8.5000e-004		0.0151	0.0151		0.0146	0.0146	0.0000	69.9283	69.9283	0.0114	0.0000	70.2138
Total	0.0510	0.4009	0.4789	8.5000e-004		0.0151	0.0151		0.0146	0.0146	0.0000	69.9283	69.9283	0.0114	0.0000	70.2138

Mitigated Construction Off-Site

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr										MT/yr						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	5.1000e-004	0.0189	6.9500e-003	9.0000e-005	3.1600e-003	1.1000e-004	3.2600e-003	9.1000e-004	1.0000e-004	1.0100e-003	0.0000	8.4580	8.4580	3.0000e-004	1.2300e-003	8.8319	
Worker	3.2800e-003	2.2200e-003	0.0341	1.1000e-004	0.0139	7.0000e-005	0.0140	3.7000e-003	6.0000e-005	3.7700e-003	0.0000	10.3040	10.3040	2.1000e-004	2.3000e-004	10.3778	
Total	3.7900e-003	0.0212	0.0410	2.0000e-004	0.0171	1.8000e-004	0.0173	4.6100e-003	1.6000e-004	4.7800e-003	0.0000	18.7619	18.7619	5.1000e-004	1.4600e-003	19.2097	

3.6 Paving - 2026Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr										MT/yr						
Off-Road	0.0100	0.0932	0.1539	2.4000e-004	4.3100e-003	4.3100e-003	4.3100e-003	3.9800e-003	3.9800e-003	0.0000	20.6037	20.6037	6.5300e-003	0.0000	20.7670		
Paving	1.0900e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		
Total	0.0111	0.0932	0.1539	2.4000e-004	4.3100e-003	4.3100e-003	4.3100e-003	3.9800e-003	3.9800e-003	0.0000	20.6037	20.6037	6.5300e-003	0.0000	20.7670		

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.9000e-004	4.0000e-004	6.1100e-003	2.0000e-005	2.5000e-003	1.0000e-005	2.5100e-003	6.6000e-004	1.0000e-005	6.7000e-004	0.0000	1.8451	1.8451	4.0000e-005	4.0000e-005	1.8583
Total	5.9000e-004	4.0000e-004	6.1100e-003	2.0000e-005	2.5000e-003	1.0000e-005	2.5100e-003	6.6000e-004	1.0000e-005	6.7000e-004	0.0000	1.8451	1.8451	4.0000e-005	4.0000e-005	1.8583

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0100	0.0932	0.1539	2.4000e-004	4.3100e-003	4.3100e-003	4.3100e-003	3.9800e-003	3.9800e-003	3.9800e-003	0.0000	20.6037	20.6037	6.5300e-003	0.0000	20.7669
Paving	1.0900e-003				0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Total	0.0111	0.0932	0.1539	2.4000e-004		4.3100e-003	4.3100e-003		3.9800e-003	3.9800e-003	0.0000	20.6037	20.6037	6.5300e-003	0.0000	20.7669
-------	--------	--------	--------	-------------	--	-------------	-------------	--	-------------	-------------	--------	---------	---------	-------------	--------	---------

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.9000e-004	4.0000e-004	6.1100e-003	2.0000e-005	2.5000e-003	1.0000e-005	2.5100e-003	6.6000e-004	1.0000e-005	6.7000e-004	0.0000	1.8451	1.8451	4.0000e-005	4.0000e-005	1.8583
Total	5.9000e-004	4.0000e-004	6.1100e-003	2.0000e-005	2.5000e-003	1.0000e-005	2.5100e-003	6.6000e-004	1.0000e-005	6.7000e-004	0.0000	1.8451	1.8451	4.0000e-005	4.0000e-005	1.8583

3.7 Architectural Coating - 2026**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Category	tons/yr												MT/yr					
	Archit. Coating	0.1013					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	2.5600e-003	0.0172	0.0271	4.0000e-005		7.7000e-004	7.7000e-004		7.7000e-004	7.7000e-004	0.0000	3.8299	3.8299	2.1000e-004	0.0000	3.8351		
Total	0.1038	0.0172	0.0271	4.0000e-005		7.7000e-004	7.7000e-004		7.7000e-004	7.7000e-004	0.0000	3.8299	3.8299	2.1000e-004	0.0000	3.8351		

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr										MT/yr						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	2.7000e-004	1.8000e-004	2.8200e-003	1.0000e-005	1.1500e-003	1.0000e-005	1.1600e-003	3.1000e-004	1.0000e-005	3.1000e-004	0.0000	0.8516	0.8516	2.0000e-005	2.0000e-005	0.8577	
Total	2.7000e-004	1.8000e-004	2.8200e-003	1.0000e-005	1.1500e-003	1.0000e-005	1.1600e-003	3.1000e-004	1.0000e-005	3.1000e-004	0.0000	0.8516	0.8516	2.0000e-005	2.0000e-005	0.8577	

Mitigated Construction On-Site

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr											MT/yr					
Archit. Coating	0.1013						0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	2.5600e-003	0.0172	0.0271	4.0000e-005		7.7000e-004	7.7000e-004		7.7000e-004	7.7000e-004	0.0000	3.8299	3.8299	2.1000e-004	0.0000	3.8351	
Total	0.1038	0.0172	0.0271	4.0000e-005		7.7000e-004	7.7000e-004		7.7000e-004	7.7000e-004	0.0000	3.8299	3.8299	2.1000e-004	0.0000	3.8351	

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr											MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	2.7000e-004	1.8000e-004	2.8200e-003	1.0000e-005	1.1500e-003	1.0000e-005	1.1600e-003	3.1000e-004	1.0000e-005	3.1000e-004	0.0000	0.8516	0.8516	2.0000e-005	2.0000e-005	0.8577	
Total	2.7000e-004	1.8000e-004	2.8200e-003	1.0000e-005	1.1500e-003	1.0000e-005	1.1600e-003	3.1000e-004	1.0000e-005	3.1000e-004	0.0000	0.8516	0.8516	2.0000e-005	2.0000e-005	0.8577	

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Unmitigated	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated		Mitigated	
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT	Annual VMT	Annual VMT
Parking Lot	0.00	0.00	0.00				
High School	0.00	0.00	0.00				
Total	0.00	0.00	0.00				

4.3 Trip Type Information

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Parking Lot	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
High School	16.60	8.40	6.90	77.80	17.20	5.00	75	19	6

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
High School	0.540893	0.062748	0.186142	0.127785	0.023768	0.006610	0.012333	0.009205	0.000817	0.000491	0.024860	0.000754	0.003594
Parking Lot	0.540893	0.062748	0.186142	0.127785	0.023768	0.006610	0.012333	0.009205	0.000817	0.000491	0.024860	0.000754	0.003594

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Percent of Electricity Use Generated with Renewable Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Electricity Mitigated							0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Electricity Unmitigated	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
NaturalGas Mitigated	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
NaturalGas Unmitigated	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

5.2 Energy by Land Use - NaturalGas**Unmitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
High School	0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Mitigated

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Land Use	kBTU/yr	tons/yr											MT/yr					
High School	0	0.0000	0.0000	0.0000	0.0000			0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000			0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000			0.0000	0.0000		0.0000							

5.3 Energy by Land Use - Electricity**Unmitigated**

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
High School	0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Mitigated**

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
High School	0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000

6.0 Area Detail**6.1 Mitigation Measures Area**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Unmitigated	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
-------------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------

6.2 Area by SubCategory**Unmitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.0000						0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.0000						0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	0.0000	0.0000	0.0000	0.0000			0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0000	0.0000	0.0000	0.0000			0.0000	0.0000		0.0000						

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

SubCategory	tons/yr												MT/yr											
	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Architectural Coating	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Consumer Products	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Landscaping	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	

7.0 Water Detail**7.1 Mitigation Measures Water**

	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	0.0000	0.0000	0.0000	0.0000
Unmitigated	0.0000	0.0000	0.0000	0.0000

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**7.2 Water by Land Use****Unmitigated**

Indoor/Out door Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr		
High School	0 / 0	0.0000	0.0000	0.0000
Parking Lot	0 / 0	0.0000	0.0000	0.0000
Total	0.0000	0.0000	0.0000	0.0000

Mitigated

Indoor/Out door Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr		
High School	0 / 0	0.0000	0.0000	0.0000
Parking Lot	0 / 0	0.0000	0.0000	0.0000
Total	0.0000	0.0000	0.0000	0.0000

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

8.0 Waste Detail

8.1 Mitigation Measures Waste

Category/Year

	Total CO2	CH4	N2O	CO2e
	MT/yr			
Mitigated	0.0000	0.0000	0.0000	0.0000
Unmitigated	0.0000	0.0000	0.0000	0.0000

8.2 Waste by Land Use

Unmitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

High School	0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000

Mitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
High School	0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type

10.0 Stationary Equipment

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type

User Defined Equipment

Equipment Type	Number

11.0 Vegetation

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Woodcrest Christian School Improvements Construction
South Coast AQMD Air District, Summer

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
High School	280.00	Student	0.85	42,600.00	0
Parking Lot	92.00	Space	0.83	36,800.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	31
Climate Zone	10			Operational Year	2026
Utility Company	Riverside Public Utilities/City of Riverside				
CO2 Intensity (lb/MWhr)	789.98	CH4 Intensity (lb/MWhr)	0.033	N2O Intensity (lb/MWhr)	0.004

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - School additions total 42,600 sf plus a 92 space parking lot.

Construction Phase - Architectural Coatings will be happening during Building Construction

Grading - .

Architectural Coating - Assume All AC comply with Rule 1113000000

Vehicle Trips - Construction-only analysis

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Vehicle Emission Factors -

Vehicle Emission Factors -

Vehicle Emission Factors -

Area Coating - Construction-only analysis

Energy Use - Construction-only analysis

Water And Wastewater - .Construction-only analysis

Solid Waste - Construction-only analysis

Construction Off-road Equipment Mitigation - Dust Control Measures as required by SCAQMD Rule 403

Area Mitigation - .

Energy Mitigation - The project site generates 95 percent of their electricity with solar

Operational Off-Road Equipment - .

Fleet Mix - The proposed Trip Generation does not provide Fleet Mix/ Specific Vehicles used for this project.

Demolition - Estimated building square footage from Google Aerial view.

Consumer Products - Construction-only analysis

Landscape Equipment - Construction-only analysis

Table Name	Column Name	Default Value	New Value
tblArchitecturalCoating	EF_Nonresidential_Exterior	100.00	50.00
tblArchitecturalCoating	EF_Nonresidential_Interior	100.00	50.00
tblArchitecturalCoating	EF_Parking	100.00	50.00
tblAreaCoating	Area_Nonresidential_Exterior	21300	0
tblAreaCoating	Area_Nonresidential_Interior	63900	0
tblAreaCoating	Area_Parking	2208	0
tblConstDustMitigation	WaterUnpavedRoadVehicleSpeed	0	15
tblConstructionPhase	NumDays	20.00	30.00

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

tblConstructionPhase	NumDays	2.00	20.00
tblConstructionPhase	NumDays	4.00	45.00
tblConstructionPhase	NumDays	200.00	440.00
tblConstructionPhase	NumDays	10.00	30.00
tblConstructionPhase	NumDays	10.00	35.00
tblConstructionPhase	PhaseEndDate	4/26/2024	5/10/2024
tblConstructionPhase	PhaseEndDate	4/30/2024	6/7/2024
tblConstructionPhase	PhaseEndDate	5/6/2024	8/9/2024
tblConstructionPhase	PhaseEndDate	2/10/2025	4/17/2026
tblConstructionPhase	PhaseEndDate	3/10/2025	4/17/2026
tblConstructionPhase	PhaseEndDate	2/24/2025	6/5/2026
tblConstructionPhase	PhaseStartDate	4/27/2024	5/11/2024
tblConstructionPhase	PhaseStartDate	5/1/2024	6/8/2024
tblConstructionPhase	PhaseStartDate	5/7/2024	8/10/2024
tblConstructionPhase	PhaseStartDate	2/25/2025	3/9/2026
tblConstructionPhase	PhaseStartDate	2/11/2025	4/18/2026
tblConsumerProducts	ROG_EF	1.98E-05	0
tblConsumerProducts	ROG_EF_Degreaser	3.542E-07	0
tblConsumerProducts	ROG_EF_PesticidesFertilizers	5.152E-08	0
tblEnergyUse	LightingElect	3.03	0.00
tblEnergyUse	LightingElect	0.35	0.00
tblEnergyUse	NT24E	1.49	0.00
tblEnergyUse	NT24NG	1.79	0.00
tblEnergyUse	T24E	2.49	0.00

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

tblEnergyUse	T24NG	6.90	0.00
tblLandscapeEquipment	NumberSummerDays	250	0
tblLandUse	LandUseSquareFeet	37,145.07	42,600.00
tblSolidWaste	SolidWasteGenerationRate	51.10	0.00
tblVehicleTrips	ST_TR	0.58	0.00
tblVehicleTrips	SU_TR	0.25	0.00
tblVehicleTrips	WD_TR	2.03	0.00
tblWater	AerobicPercent	87.46	0.00
tblWater	AerobicPercent	87.46	0.00
tblWater	AnaDigestCombDigestGasPercent	100.00	0.00
tblWater	AnaDigestCombDigestGasPercent	100.00	0.00
tblWater	AnaerobicandFacultativeLagoonsPercent	2.21	0.00
tblWater	AnaerobicandFacultativeLagoonsPercent	2.21	0.00
tblWater	ElectricityIntensityFactorForWastewaterTreatment	1,911.00	0.00
tblWater	ElectricityIntensityFactorForWastewaterTreatment	1,911.00	0.00
tblWater	ElectricityIntensityFactorToDistribute	1,272.00	0.00
tblWater	ElectricityIntensityFactorToDistribute	1,272.00	0.00
tblWater	ElectricityIntensityFactorToSupply	9,727.00	0.00
tblWater	ElectricityIntensityFactorToSupply	9,727.00	0.00
tblWater	ElectricityIntensityFactorToTreat	111.00	0.00
tblWater	ElectricityIntensityFactorToTreat	111.00	0.00
tblWater	IndoorWaterUseRate	1,233,388.80	0.00
tblWater	OutdoorWaterUseRate	3,171,571.20	0.00
tblWater	SepticTankPercent	10.33	100.00

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

tblWater	SepticTankPercent	10.33	100.00
----------	-------------------	-------	--------

2.0 Emissions Summary**2.1 Overall Construction (Maximum Daily Emission)**Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2024	1.5325	13.9479	13.9248	0.0275	7.1944	0.6322	7.7672	3.4544	0.5904	3.9814	0.0000	2,576.6425	2,576.6425	0.6476	0.0434	2,598.2920
2025	1.4306	10.9415	13.6301	0.0274	0.4521	0.3971	0.8492	0.1218	0.3829	0.5047	0.0000	2,564.3732	2,564.3732	0.3420	0.0423	2,585.5236
2026	8.3665	12.0894	15.5788	0.0308	0.5303	0.4489	0.9793	0.1425	0.4347	0.5772	0.0000	2,899.4392	2,899.4392	0.4137	0.0426	2,921.0779
Maximum	8.3665	13.9479	15.5788	0.0308	7.1944	0.6322	7.7672	3.4544	0.5904	3.9814	0.0000	2,899.4392	2,899.4392	0.6476	0.0434	2,921.0779

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Year	lb/day												lb/day				
	1.5325	13.9479	13.9248	0.0275	3.2989	0.6322	3.8718	1.5708	0.5904	2.0978	0.0000	2,576.6425	2,576.6425	0.6476	0.0434	2,598.2920	
2024	1.4306	10.9415	13.6301	0.0274	0.4521	0.3971	0.8492	0.1218	0.3829	0.5047	0.0000	2,564.3732	2,564.3732	0.3420	0.0423	2,585.5236	
2026	8.3665	12.0894	15.5788	0.0308	0.5303	0.4489	0.9793	0.1425	0.4347	0.5772	0.0000	2,899.4392	2,899.4392	0.4137	0.0426	2,921.0779	
Maximum	8.3665	13.9479	15.5788	0.0308	3.2989	0.6322	3.8718	1.5708	0.5904	2.0978	0.0000	2,899.4392	2,899.4392	0.6476	0.0434	2,921.0779	

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	47.64	0.00	40.60	50.65	0.00	37.20	0.00	0.00	0.00	0.00	0.00	0.00

2.2 Overall OperationalUnmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	3.4900e-003	3.4000e-004	0.0379	0.0000		1.3000e-004	1.3000e-004		1.3000e-004	1.3000e-004	0.0814	0.0814	2.1000e-004		0.0867	
Energy	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Mobile	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Total	3.4900e-003	3.4000e-004	0.0379	0.0000	0.0000	1.3000e-004	1.3000e-004	0.0000	1.3000e-004	1.3000e-004		0.0814	0.0814	2.1000e-004	0.0000	0.0867
-------	-------------	-------------	--------	--------	--------	-------------	-------------	--------	-------------	-------------	--	--------	--------	-------------	--------	--------

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	3.4900e-003	3.4000e-004	0.0379	0.0000		1.3000e-004	1.3000e-004		1.3000e-004	1.3000e-004		0.0814	0.0814	2.1000e-004		0.0867
Energy	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Mobile	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total	3.4900e-003	3.4000e-004	0.0379	0.0000	0.0000	1.3000e-004	1.3000e-004	0.0000	1.3000e-004	1.3000e-004		0.0814	0.0814	2.1000e-004	0.0000	0.0867

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail**Construction Phase**

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	4/1/2024	5/10/2024	5	30	
2	Site Preparation	Site Preparation	5/11/2024	6/7/2024	5	20	
3	Grading	Grading	6/8/2024	8/9/2024	5	45	
4	Building Construction	Building Construction	8/10/2024	4/17/2026	5	440	
5	Paving	Paving	4/18/2026	6/5/2026	5	35	
6	Architectural Coating	Architectural Coating	3/9/2026	4/17/2026	5	30	

Acres of Grading (Site Preparation Phase): 18.75**Acres of Grading (Grading Phase): 45****Acres of Paving: 0.83****Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 63,900; Non-Residential Outdoor: 21,300; Striped Parking Area: 2,208****OffRoad Equipment**

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Paving	Cement and Mortar Mixers	1	6.00	9	0.56
Demolition	Rubber Tired Dozers	1	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	1	7.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Site Preparation	Graders	1	8.00	187	0.41
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Demolition	Tractors/Loaders/Backhoes	3	8.00	97	0.37

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Grading	Tractors/Loaders/Backhoes	2	7.00	97	0.37
Building Construction	Cranes	1	6.00	231	0.29
Building Construction	Forklifts	1	6.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	1	6.00	97	0.37
Building Construction	Welders	3	8.00	46	0.45
Architectural Coating	Air Compressors	1	6.00	78	0.48
Paving	Pavers	1	6.00	130	0.42
Paving	Paving Equipment	1	8.00	132	0.36
Paving	Rollers	1	7.00	80	0.38
Paving	Tractors/Loaders/Backhoes	1	8.00	97	0.37

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	5	13.00	0.00	9.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	3	8.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	4	10.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	7	33.00	13.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	7.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	5	13.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Water Exposed Area

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Reduce Vehicle Speed on Unpaved Roads

3.2 Demolition - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Fugitive Dust					0.0656	0.0000	0.0656	9.9400e-003	0.0000	9.9400e-003			0.0000			0.0000	
Off-Road	1.4397	13.8867	13.4879	0.0241		0.6311	0.6311		0.5895	0.5895		2,324.9459	2,324.9459	0.5884			2,339.6562
Total	1.4397	13.8867	13.4879	0.0241	0.0656	0.6311	0.6967	9.9400e-003	0.5895	0.5994		2,324.9459	2,324.9459	0.5884			2,339.6562

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	6.4000e-004	0.0363	0.0103	1.7000e-004	5.2500e-003	2.7000e-004	5.5200e-003	1.4400e-003	2.6000e-004	1.7000e-003			18.5932	18.5932	1.0500e-003	2.9500e-003	19.5000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			0.0000	0.0000	0.0000	0.0000	0.0000

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Worker	0.0388	0.0249	0.4266	1.2400e-003	0.1453	7.8000e-004	0.1461	0.0385	7.2000e-004	0.0393			127.4579	127.4579	2.8200e-003	2.7400e-003	128.3437
Total	0.0394	0.0612	0.4369	1.4100e-003	0.1506	1.0500e-003	0.1516	0.0400	9.8000e-004	0.0410			146.0511	146.0511	3.8700e-003	5.6900e-003	147.8437

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.0295	0.0000	0.0295	4.4700e-003	0.0000	4.4700e-003			0.0000			0.0000
Off-Road	1.4397	13.8867	13.4879	0.0241		0.6311	0.6311		0.5895	0.5895	0.0000	2,324.9459	2,324.9459	0.5884		2,339.6562
Total	1.4397	13.8867	13.4879	0.0241	0.0295	0.6311	0.6606	4.4700e-003	0.5895	0.5939	0.0000	2,324.9459	2,324.9459	0.5884		2,339.6562

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Category	lb/day												lb/day				
	Hauling	6.4000e-004	0.0363	0.0103	1.7000e-004	5.2500e-003	2.7000e-004	5.5200e-003	1.4400e-003	2.6000e-004	1.7000e-003	18.5932	18.5932	1.0500e-003	2.9500e-003	19.5000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	0.0388	0.0249	0.4266	1.2400e-003	0.1453	7.8000e-004	0.1461	0.0385	7.2000e-004	0.0393	127.4579	127.4579	2.8200e-003	2.7400e-003	128.3437		
Total	0.0394	0.0612	0.4369	1.4100e-003	0.1506	1.0500e-003	0.1516	0.0400	9.8000e-004	0.0410		146.0511	146.0511	3.8700e-003	5.6900e-003	147.8437	

3.3 Site Preparation - 2024Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Fugitive Dust					6.2635	0.0000	6.2635	3.0038	0.0000	3.0038			0.0000			0.0000	
Off-Road	1.1067	11.8407	6.6317	0.0172		0.4823	0.4823		0.4437	0.4437		1,665.8826	1,665.8826	0.5388		1,679.3521	
Total	1.1067	11.8407	6.6317	0.0172	6.2635	0.4823	6.7458	3.0038	0.4437	3.4475		1,665.8826	1,665.8826	0.5388		1,679.3521	

Unmitigated Construction Off-Site

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0239	0.0153	0.2625	7.6000e-004	0.0894	4.8000e-004	0.0899	0.0237	4.4000e-004	0.0242	78.4356	78.4356	1.7400e-003	1.6800e-003	78.9808	
Total	0.0239	0.0153	0.2625	7.6000e-004	0.0894	4.8000e-004	0.0899	0.0237	4.4000e-004	0.0242	78.4356	78.4356	1.7400e-003	1.6800e-003	78.9808	

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					2.8186	0.0000	2.8186	1.3517	0.0000	1.3517	0.0000	0.0000				0.0000
Off-Road	1.1067	11.8407	6.6317	0.0172	0.4823	0.4823		0.4437	0.4437	0.0000	1,665.8826	1,665.8826	0.5388			1,679.3521
Total	1.1067	11.8407	6.6317	0.0172	2.8186	0.4823	3.3008	1.3517	0.4437	1.7954	0.0000	1,665.8826	1,665.8826	0.5388		1,679.3521

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0239	0.0153	0.2625	7.6000e-004	0.0894	4.8000e-004	0.0899	0.0237	4.4000e-004	0.0242	78.4356	78.4356	1.7400e-003	1.6800e-003	78.9808	
Total	0.0239	0.0153	0.2625	7.6000e-004	0.0894	4.8000e-004	0.0899	0.0237	4.4000e-004	0.0242	78.4356	78.4356	1.7400e-003	1.6800e-003	78.9808	

3.4 Grading - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Fugitive Dust					7.0826	0.0000	7.0826	3.4247	0.0000	3.4247			0.0000			0.0000	
Off-Road	1.3015	13.8178	8.6998	0.0206		0.5722	0.5722		0.5265	0.5265			1,995.5803	1,995.5803	0.6454		2,011.7155
Total	1.3015	13.8178	8.6998	0.0206	7.0826	0.5722	7.6548	3.4247	0.5265	3.9512			1,995.5803	1,995.5803	0.6454		2,011.7155

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	0.0298	0.0192	0.3281	9.5000e-004	0.1118	6.0000e-004	0.1124	0.0296	5.6000e-004	0.0302	98.0445	98.0445	2.1700e-003	2.1000e-003	98.7259		
Total	0.0298	0.0192	0.3281	9.5000e-004	0.1118	6.0000e-004	0.1124	0.0296	5.6000e-004	0.0302			98.0445	98.0445	2.1700e-003	2.1000e-003	98.7259

Mitigated Construction On-Site

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day											lb/day					
Fugitive Dust					3.1872	0.0000	3.1872	1.5411	0.0000	1.5411			0.0000			0.0000	
Off-Road	1.3015	13.8178	8.6998	0.0206		0.5722	0.5722		0.5265	0.5265	0.0000	1,995.5803	1,995.5803	0.6454		2,011.7155	
Total	1.3015	13.8178	8.6998	0.0206	3.1872	0.5722	3.7594	1.5411	0.5265	2.0676	0.0000	1,995.5803	1,995.5803	0.6454		2,011.7155	

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day											lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			0.0000	0.0000	0.0000	0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			0.0000	0.0000	0.0000	0.0000	
Worker	0.0298	0.0192	0.3281	9.5000e-004	0.1118	6.0000e-004	0.1124	0.0296	5.6000e-004	0.0302			98.0445	98.0445	2.1700e-003	2.1000e-003	98.7259
Total	0.0298	0.0192	0.3281	9.5000e-004	0.1118	6.0000e-004	0.1124	0.0296	5.6000e-004	0.0302			98.0445	98.0445	2.1700e-003	2.1000e-003	98.7259

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**3.5 Building Construction - 2024****Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.4200	11.0639	12.5172	0.0221		0.4506	0.4506		0.4348	0.4348	2,001.9214	2,001.9214	0.3334			2,010.2563
Total	1.4200	11.0639	12.5172	0.0221		0.4506	0.4506		0.4348	0.4348	2,001.9214	2,001.9214	0.3334			2,010.2563

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0140	0.4741	0.1827	2.3300e-003	0.0832	2.7500e-003	0.0860	0.0240	2.6300e-003	0.0266	251.1741	251.1741	8.5700e-003	0.0364		262.2402

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Worker	0.0984	0.0632	1.0828	3.1400e-003	0.3689	1.9900e-003	0.3709	0.0978	1.8300e-003	0.0997			323.5470	323.5470	7.1700e-003	6.9400e-003	325.7956
Total	0.1125	0.5373	1.2655	5.4700e-003	0.4521	4.7400e-003	0.4569	0.1218	4.4600e-003	0.1263			574.7210	574.7210	0.0157	0.0434	588.0358

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.4200	11.0639	12.5172	0.0221		0.4506	0.4506		0.4348	0.4348	0.0000	2,001.9214	2,001.9214	0.3334		2,010.2563
Total	1.4200	11.0639	12.5172	0.0221		0.4506	0.4506		0.4348	0.4348	0.0000	2,001.9214	2,001.9214	0.3334		2,010.2563

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0140	0.4741	0.1827	2.3300e-003	0.0832	2.7500e-003	0.0860	0.0240	2.6300e-003	0.0266			251.1741	251.1741	8.5700e-003	0.0364	262.2402
Worker	0.0984	0.0632	1.0828	3.1400e-003	0.3689	1.9900e-003	0.3709	0.0978	1.8300e-003	0.0997			323.5470	323.5470	7.1700e-003	6.9400e-003	325.7956
Total	0.1125	0.5373	1.2655	5.4700e-003	0.4521	4.7400e-003	0.4569	0.1218	4.4600e-003	0.1263			574.7210	574.7210	0.0157	0.0434	588.0358

3.5 Building Construction - 2025

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3246	10.4128	12.4393	0.0221		0.3925	0.3925		0.3785	0.3785	2,002.1524	2,002.1524	0.3269			2,010.3248
Total	1.3246	10.4128	12.4393	0.0221		0.3925	0.3925		0.3785	0.3785	2,002.1524	2,002.1524	0.3269			2,010.3248

Unmitigated Construction Off-Site

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0137	0.4718	0.1800	2.2900e-003	0.0832	2.7600e-003	0.0860	0.0240	2.6400e-003	0.0266	246.5960	246.5960	8.5900e-003	0.0358	257.4772	
Worker	0.0922	0.0569	1.0108	3.0300e-003	0.3689	1.9000e-003	0.3708	0.0978	1.7500e-003	0.0996	315.6248	315.6248	6.4700e-003	6.4900e-003	317.7217	
Total	0.1059	0.5287	1.1908	5.3200e-003	0.4521	4.6600e-003	0.4568	0.1218	4.3900e-003	0.1262	562.2208	562.2208	0.0151	0.0423	575.1989	

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3246	10.4128	12.4393	0.0221		0.3925	0.3925		0.3785	0.3785	0.0000	2,002.1524	2,002.1524	0.3269		2,010.3248
Total	1.3246	10.4128	12.4393	0.0221		0.3925	0.3925		0.3785	0.3785	0.0000	2,002.1524	2,002.1524	0.3269		2,010.3248

Mitigated Construction Off-Site

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day											lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0137	0.4718	0.1800	2.2900e-003	0.0832	2.7600e-003	0.0860	0.0240	2.6400e-003	0.0266	246.5960	246.5960	8.5900e-003	0.0358	257.4772		
Worker	0.0922	0.0569	1.0108	3.0300e-003	0.3689	1.9000e-003	0.3708	0.0978	1.7500e-003	0.0996	315.6248	315.6248	6.4700e-003	6.4900e-003	317.7217		
Total	0.1059	0.5287	1.1908	5.3200e-003	0.4521	4.6600e-003	0.4568	0.1218	4.3900e-003	0.1262	562.2208	562.2208	0.0151	0.0423	575.1989		

3.5 Building Construction - 2026Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3246	10.4128	12.4393	0.0221		0.3925	0.3925		0.3785	0.3785	2,002.1524	2,002.1524	0.3269		2,010.3248	
Total	1.3246	10.4128	12.4393	0.0221		0.3925	0.3925		0.3785	0.3785	2,002.1524	2,002.1524	0.3269		2,010.3248	

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0135	0.4685	0.1778	2.2400e-003	0.0832	2.7600e-003	0.0860	0.0240	2.6400e-003	0.0266	241.9713	241.9713	8.6100e-003	0.0352	252.6631	
Worker	0.0869	0.0517	0.9508	2.9400e-003	0.3689	1.8000e-003	0.3707	0.0978	1.6600e-003	0.0995	308.4406	308.4406	5.8800e-003	6.1300e-003	310.4129	
Total	0.1003	0.5202	1.1286	5.1800e-003	0.4521	4.5600e-003	0.4567	0.1218	4.3000e-003	0.1261	550.4120	550.4120	0.0145	0.0413	563.0761	

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3246	10.4128	12.4393	0.0221		0.3925	0.3925		0.3785	0.3785	0.0000	2,002.1524	2,002.1524	0.3269		2,010.3248
Total	1.3246	10.4128	12.4393	0.0221		0.3925	0.3925		0.3785	0.3785	0.0000	2,002.1524	2,002.1524	0.3269		2,010.3248

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0135	0.4685	0.1778	2.2400e-003	0.0832	2.7600e-003	0.0860	0.0240	2.6400e-003	0.0266	241.9713	241.9713	8.6100e-003	0.0352	252.6631	
Worker	0.0869	0.0517	0.9508	2.9400e-003	0.3689	1.8000e-003	0.3707	0.0978	1.6600e-003	0.0995	308.4406	308.4406	5.8800e-003	6.1300e-003	310.4129	
Total	0.1003	0.5202	1.1286	5.1800e-003	0.4521	4.5600e-003	0.4567	0.1218	4.3000e-003	0.1261	550.4120	550.4120	0.0145	0.0413	563.0761	

3.6 Paving - 2026**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Off-Road	0.5732	5.3259	8.7951	0.0136		0.2465	0.2465		0.2276	0.2276		1,297.8096	1,297.8096	0.4114		1,308.0951
Paving	0.0621					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.6353	5.3259	8.7951	0.0136		0.2465	0.2465		0.2276	0.2276		1,297.8096	1,297.8096	0.4114		1,308.0951

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0342	0.0204	0.3746	1.1600e-003	0.1453	7.1000e-004	0.1460	0.0385	6.5000e-004	0.0392	121.5069	121.5069	2.3200e-003	2.4100e-003	122.2839	
Total	0.0342	0.0204	0.3746	1.1600e-003	0.1453	7.1000e-004	0.1460	0.0385	6.5000e-004	0.0392		121.5069	121.5069	2.3200e-003	2.4100e-003	122.2839

Mitigated Construction On-Site

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day											lb/day					
Off-Road	0.5732	5.3259	8.7951	0.0136		0.2465	0.2465		0.2276	0.2276	0.0000	1,297.8096	1,297.8096	0.4114		1,308.0951	
Paving	0.0621					0.0000	0.0000		0.0000	0.0000		0.0000	0.0000			0.0000	
Total	0.6353	5.3259	8.7951	0.0136		0.2465	0.2465		0.2276	0.2276	0.0000	1,297.8096	1,297.8096	0.4114		1,308.0951	

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0342	0.0204	0.3746	1.1600e-003	0.1453	7.1000e-004	0.1460	0.0385	6.5000e-004	0.0392		121.5069	121.5069	2.3200e-003	2.4100e-003	122.2839
Total	0.0342	0.0204	0.3746	1.1600e-003	0.1453	7.1000e-004	0.1460	0.0385	6.5000e-004	0.0392		121.5069	121.5069	2.3200e-003	2.4100e-003	122.2839

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**3.7 Architectural Coating - 2026**Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Archit. Coating	6.7523						0.0000	0.0000		0.0000	0.0000		0.0000			0.0000	
Off-Road	0.1709	1.1455	1.8091	2.9700e-003			0.0515	0.0515		0.0515	0.0515		281.4481	281.4481	0.0154		281.8319
Total	6.9231	1.1455	1.8091	2.9700e-003			0.0515	0.0515		0.0515	0.0515		281.4481	281.4481	0.0154		281.8319

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0184	0.0110	0.2017	6.2000e-004	0.0782	3.8000e-004	0.0786	0.0208	3.5000e-004	0.0211		65.4268	65.4268	1.2500e-003	1.3000e-003	65.8452	
Total	0.0184	0.0110	0.2017	6.2000e-004	0.0782	3.8000e-004	0.0786	0.0208	3.5000e-004	0.0211		65.4268	65.4268	1.2500e-003	1.3000e-003	65.8452	

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	6.7523						0.0000	0.0000		0.0000	0.0000		0.0000			0.0000
Off-Road	0.1709	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515	0.0000	281.4481	281.4481	0.0154		281.8319
Total	6.9231	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515	0.0000	281.4481	281.4481	0.0154		281.8319

Mitigated Construction Off-Site

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day											lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	0.0184	0.0110	0.2017	6.2000e-004	0.0782	3.8000e-004	0.0786	0.0208	3.5000e-004	0.0211	65.4268	65.4268	1.2500e-003	1.3000e-003	65.8452		
Total	0.0184	0.0110	0.2017	6.2000e-004	0.0782	3.8000e-004	0.0786	0.0208	3.5000e-004	0.0211	65.4268	65.4268	1.2500e-003	1.3000e-003	65.8452		

4.0 Operational Detail - Mobile**4.1 Mitigation Measures Mobile**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Unmitigated	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**4.2 Trip Summary Information**

Land Use	Average Daily Trip Rate			Unmitigated		Mitigated	
	Weekday	Saturday	Sunday	Annual VMT		Annual VMT	
Parking Lot	0.00	0.00	0.00				
High School	0.00	0.00	0.00				
Total	0.00	0.00	0.00				

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Parking Lot	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
High School	16.60	8.40	6.90	77.80	17.20	5.00	75	19	6

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
High School	0.540893	0.062748	0.186142	0.127785	0.023768	0.006610	0.012333	0.009205	0.000817	0.000491	0.024860	0.000754	0.003594
Parking Lot	0.540893	0.062748	0.186142	0.127785	0.023768	0.006610	0.012333	0.009205	0.000817	0.000491	0.024860	0.000754	0.003594

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Percent of Electricity Use Generated with Renewable Energy

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
NaturalGas Mitigated	0.0000	0.0000	0.0000	0.0000			0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
NaturalGas Unmitigated	0.0000	0.0000	0.0000	0.0000			0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000

5.2 Energy by Land Use - NaturalGas**Unmitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Land Use	kBTU/yr	lb/day										lb/day						
High School	0	0.0000	0.0000	0.0000	0.0000			0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000			0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000			0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
High School	0	0.0000	0.0000	0.0000	0.0000			0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000			0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000			0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

6.0 Area Detail

6.1 Mitigation Measures Area

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Mitigated	3.4900e-003	3.4000e-004	0.0379	0.0000		1.3000e-004	1.3000e-004		1.3000e-004	1.3000e-004		0.0814	0.0814	2.1000e-004		0.0867
Unmitigated	3.4900e-003	3.4000e-004	0.0379	0.0000		1.3000e-004	1.3000e-004		1.3000e-004	1.3000e-004		0.0814	0.0814	2.1000e-004		0.0867

6.2 Area by SubCategory**Unmitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	3.4900e-003	3.4000e-004	0.0379	0.0000		1.3000e-004	1.3000e-004		1.3000e-004	1.3000e-004		0.0814	0.0814	2.1000e-004		0.0867
Total	3.4900e-003	3.4000e-004	0.0379	0.0000		1.3000e-004	1.3000e-004		1.3000e-004	1.3000e-004		0.0814	0.0814	2.1000e-004		0.0867

Mitigated

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	3.4900e-003	3.4000e-004	0.0379	0.0000		1.3000e-004	1.3000e-004		1.3000e-004	1.3000e-004		0.0814	0.0814	2.1000e-004		0.0867
Total	3.4900e-003	3.4000e-004	0.0379	0.0000		1.3000e-004	1.3000e-004		1.3000e-004	1.3000e-004		0.0814	0.0814	2.1000e-004		0.0867

7.0 Water Detail**7.1 Mitigation Measures Water****8.0 Waste Detail****8.1 Mitigation Measures Waste****9.0 Operational Offroad**

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment**Fire Pumps and Emergency Generators**

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Woodcrest Christian School Improvements Construction
South Coast AQMD Air District, Winter

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
High School	280.00	Student	0.85	42,600.00	0
Parking Lot	92.00	Space	0.83	36,800.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	31
Climate Zone	10			Operational Year	2026
Utility Company	Riverside Public Utilities/City of Riverside				
CO2 Intensity (lb/MWhr)	789.98	CH4 Intensity (lb/MWhr)	0.033	N2O Intensity (lb/MWhr)	0.004

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - School additions total 42,600 sf plus a 92 space parking lot.

Construction Phase - Architectural Coatings will be happening during Building Construction

Grading - .

Architectural Coating - Assume All AC comply with Rule 1113000000

Vehicle Trips - Construction-only analysis

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Vehicle Emission Factors -

Vehicle Emission Factors -

Vehicle Emission Factors -

Area Coating - Construction-only analysis

Energy Use - Construction-only analysis

Water And Wastewater - .Construction-only analysis

Solid Waste - Construction-only analysis

Construction Off-road Equipment Mitigation - Dust Control Measures as required by SCAQMD Rule 403

Area Mitigation - .

Energy Mitigation - The project site generates 95 percent of their electricity with solar

Operational Off-Road Equipment - .

Fleet Mix - The proposed Trip Generation does not provide Fleet Mix/ Specific Vehicles used for this project.

Demolition - Estimated building square footage from Google Aerial view.

Consumer Products - Construction-only analysis

Landscape Equipment - Construction-only analysis

Table Name	Column Name	Default Value	New Value
tblArchitecturalCoating	EF_Nonresidential_Exterior	100.00	50.00
tblArchitecturalCoating	EF_Nonresidential_Interior	100.00	50.00
tblArchitecturalCoating	EF_Parking	100.00	50.00
tblAreaCoating	Area_Nonresidential_Exterior	21300	0
tblAreaCoating	Area_Nonresidential_Interior	63900	0
tblAreaCoating	Area_Parking	2208	0
tblConstDustMitigation	WaterUnpavedRoadVehicleSpeed	0	15
tblConstructionPhase	NumDays	20.00	30.00

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

tblConstructionPhase	NumDays	2.00	20.00
tblConstructionPhase	NumDays	4.00	45.00
tblConstructionPhase	NumDays	200.00	440.00
tblConstructionPhase	NumDays	10.00	30.00
tblConstructionPhase	NumDays	10.00	35.00
tblConstructionPhase	PhaseEndDate	4/26/2024	5/10/2024
tblConstructionPhase	PhaseEndDate	4/30/2024	6/7/2024
tblConstructionPhase	PhaseEndDate	5/6/2024	8/9/2024
tblConstructionPhase	PhaseEndDate	2/10/2025	4/17/2026
tblConstructionPhase	PhaseEndDate	3/10/2025	4/17/2026
tblConstructionPhase	PhaseEndDate	2/24/2025	6/5/2026
tblConstructionPhase	PhaseStartDate	4/27/2024	5/11/2024
tblConstructionPhase	PhaseStartDate	5/1/2024	6/8/2024
tblConstructionPhase	PhaseStartDate	5/7/2024	8/10/2024
tblConstructionPhase	PhaseStartDate	2/25/2025	3/9/2026
tblConstructionPhase	PhaseStartDate	2/11/2025	4/18/2026
tblConsumerProducts	ROG_EF	1.98E-05	0
tblConsumerProducts	ROG_EF_Degreaser	3.542E-07	0
tblConsumerProducts	ROG_EF_PesticidesFertilizers	5.152E-08	0
tblEnergyUse	LightingElect	3.03	0.00
tblEnergyUse	LightingElect	0.35	0.00
tblEnergyUse	NT24E	1.49	0.00
tblEnergyUse	NT24NG	1.79	0.00
tblEnergyUse	T24E	2.49	0.00

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

tblEnergyUse	T24NG	6.90	0.00
tblLandscapeEquipment	NumberSummerDays	250	0
tblLandUse	LandUseSquareFeet	37,145.07	42,600.00
tblSolidWaste	SolidWasteGenerationRate	51.10	0.00
tblVehicleTrips	ST_TR	0.58	0.00
tblVehicleTrips	SU_TR	0.25	0.00
tblVehicleTrips	WD_TR	2.03	0.00
tblWater	AerobicPercent	87.46	0.00
tblWater	AerobicPercent	87.46	0.00
tblWater	AnaDigestCombDigestGasPercent	100.00	0.00
tblWater	AnaDigestCombDigestGasPercent	100.00	0.00
tblWater	AnaerobicandFacultativeLagoonsPercent	2.21	0.00
tblWater	AnaerobicandFacultativeLagoonsPercent	2.21	0.00
tblWater	ElectricityIntensityFactorForWastewaterTreatment	1,911.00	0.00
tblWater	ElectricityIntensityFactorForWastewaterTreatment	1,911.00	0.00
tblWater	ElectricityIntensityFactorToDistribute	1,272.00	0.00
tblWater	ElectricityIntensityFactorToDistribute	1,272.00	0.00
tblWater	ElectricityIntensityFactorToSupply	9,727.00	0.00
tblWater	ElectricityIntensityFactorToSupply	9,727.00	0.00
tblWater	ElectricityIntensityFactorToTreat	111.00	0.00
tblWater	ElectricityIntensityFactorToTreat	111.00	0.00
tblWater	IndoorWaterUseRate	1,233,388.80	0.00
tblWater	OutdoorWaterUseRate	3,171,571.20	0.00
tblWater	SepticTankPercent	10.33	100.00

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

tblWater	SepticTankPercent	10.33	100.00
----------	-------------------	-------	--------

2.0 Emissions Summary**2.1 Overall Construction (Maximum Daily Emission)**Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2024	1.5376	13.9519	13.8846	0.0273	7.1944	0.6322	7.7672	3.4544	0.5904	3.9814	0.0000	2,558.3387	2,558.3387	0.6476	0.0439	2,580.1434
2025	1.4356	10.9702	13.5410	0.0272	0.4521	0.3972	0.8493	0.1218	0.3829	0.5047	0.0000	2,546.5510	2,546.5510	0.3420	0.0428	2,567.8471
2026	8.3727	12.1185	15.4767	0.0306	0.5303	0.4489	0.9793	0.1425	0.4347	0.5772	0.0000	2,878.2585	2,878.2585	0.4138	0.0431	2,900.0586
Maximum	8.3727	13.9519	15.4767	0.0306	7.1944	0.6322	7.7672	3.4544	0.5904	3.9814	0.0000	2,878.2585	2,878.2585	0.6476	0.0439	2,900.0586

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Year	lb/day												lb/day				
	1.5376	13.9519	13.8846	0.0273	3.2989	0.6322	3.8718	1.5708	0.5904	2.0978	0.0000	2,558.3387	2,558.3387	0.6476	0.0439	2,580.1434	
2024	1.4356	10.9702	13.5410	0.0272	0.4521	0.3972	0.8493	0.1218	0.3829	0.5047	0.0000	2,546.5510	2,546.5510	0.3420	0.0428	2,567.8471	
2025	8.3727	12.1185	15.4767	0.0306	0.5303	0.4489	0.9793	0.1425	0.4347	0.5772	0.0000	2,878.2585	2,878.2585	0.4138	0.0431	2,900.0586	
Maximum	8.3727	13.9519	15.4767	0.0306	3.2989	0.6322	3.8718	1.5708	0.5904	2.0978	0.0000	2,878.2585	2,878.2585	0.6476	0.0439	2,900.0586	

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	47.64	0.00	40.60	50.65	0.00	37.20	0.00	0.00	0.00	0.00	0.00	0.00

2.2 Overall OperationalUnmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	3.4900e-003	3.4000e-004	0.0379	0.0000		1.3000e-004	1.3000e-004		1.3000e-004	1.3000e-004	0.0814	0.0814	2.1000e-004		0.0867	
Energy	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Mobile	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Total	3.4900e-003	3.4000e-004	0.0379	0.0000	0.0000	1.3000e-004	1.3000e-004	0.0000	1.3000e-004	1.3000e-004		0.0814	0.0814	2.1000e-004	0.0000	0.0867
-------	-------------	-------------	--------	--------	--------	-------------	-------------	--------	-------------	-------------	--	--------	--------	-------------	--------	--------

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	3.4900e-003	3.4000e-004	0.0379	0.0000		1.3000e-004	1.3000e-004		1.3000e-004	1.3000e-004		0.0814	0.0814	2.1000e-004		0.0867
Energy	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Mobile	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total	3.4900e-003	3.4000e-004	0.0379	0.0000	0.0000	1.3000e-004	1.3000e-004	0.0000	1.3000e-004	1.3000e-004		0.0814	0.0814	2.1000e-004	0.0000	0.0867

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail**Construction Phase**

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	4/1/2024	5/10/2024	5	30	
2	Site Preparation	Site Preparation	5/11/2024	6/7/2024	5	20	
3	Grading	Grading	6/8/2024	8/9/2024	5	45	
4	Building Construction	Building Construction	8/10/2024	4/17/2026	5	440	
5	Paving	Paving	4/18/2026	6/5/2026	5	35	
6	Architectural Coating	Architectural Coating	3/9/2026	4/17/2026	5	30	

Acres of Grading (Site Preparation Phase): 18.75**Acres of Grading (Grading Phase): 45****Acres of Paving: 0.83****Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 63,900; Non-Residential Outdoor: 21,300; Striped Parking Area: 2,208****OffRoad Equipment**

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Paving	Cement and Mortar Mixers	1	6.00	9	0.56
Demolition	Rubber Tired Dozers	1	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	1	7.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Site Preparation	Graders	1	8.00	187	0.41
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Demolition	Tractors/Loaders/Backhoes	3	8.00	97	0.37

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Grading	Tractors/Loaders/Backhoes	2	7.00	97	0.37
Building Construction	Cranes	1	6.00	231	0.29
Building Construction	Forklifts	1	6.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	1	6.00	97	0.37
Building Construction	Welders	3	8.00	46	0.45
Architectural Coating	Air Compressors	1	6.00	78	0.48
Paving	Pavers	1	6.00	130	0.42
Paving	Paving Equipment	1	8.00	132	0.36
Paving	Rollers	1	7.00	80	0.38
Paving	Tractors/Loaders/Backhoes	1	8.00	97	0.37

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	5	13.00	0.00	9.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	3	8.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	4	10.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	7	33.00	13.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	7.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	5	13.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Water Exposed Area

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Reduce Vehicle Speed on Unpaved Roads

3.2 Demolition - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.0656	0.0000	0.0656	9.9400e-003	0.0000	9.9400e-003			0.0000			0.0000
Off-Road	1.4397	13.8867	13.4879	0.0241		0.6311	0.6311		0.5895	0.5895		2,324.9459	2,324.9459	0.5884		2,339.6562
Total	1.4397	13.8867	13.4879	0.0241	0.0656	0.6311	0.6967	9.9400e-003	0.5895	0.5994		2,324.9459	2,324.9459	0.5884		2,339.6562

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	6.0000e-004	0.0380	0.0105	1.7000e-004	5.2500e-003	2.7000e-004	5.5200e-003	1.4400e-003	2.6000e-004	1.7000e-003			18.6143	18.6143	1.0500e-003	2.9600e-003	19.5221
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			0.0000	0.0000	0.0000	0.0000	0.0000

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Worker	0.0411	0.0272	0.3862	1.1600e-003	0.1453	7.8000e-004	0.1461	0.0385	7.2000e-004	0.0393			120.0655	120.0655	2.8700e-003	2.9000e-003	121.0015
Total	0.0417	0.0653	0.3967	1.3300e-003	0.1506	1.0500e-003	0.1516	0.0400	9.8000e-004	0.0410			138.6798	138.6798	3.9200e-003	5.8600e-003	140.5236

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.0295	0.0000	0.0295	4.4700e-003	0.0000	4.4700e-003			0.0000			0.0000
Off-Road	1.4397	13.8867	13.4879	0.0241		0.6311	0.6311		0.5895	0.5895	0.0000	2,324.9459	2,324.9459	0.5884		2,339.6562
Total	1.4397	13.8867	13.4879	0.0241	0.0295	0.6311	0.6606	4.4700e-003	0.5895	0.5939	0.0000	2,324.9459	2,324.9459	0.5884		2,339.6562

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Category	lb/day												lb/day				
	Hauling	6.0000e-004	0.0380	0.0105	1.7000e-004	5.2500e-003	2.7000e-004	5.5200e-003	1.4400e-003	2.6000e-004	1.7000e-003	18.6143	18.6143	1.0500e-003	2.9600e-003	19.5221	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	0.0411	0.0272	0.3862	1.1600e-003	0.1453	7.8000e-004	0.1461	0.0385	7.2000e-004	0.0393	120.0655	120.0655	2.8700e-003	2.9000e-003	121.0015		
Total	0.0417	0.0653	0.3967	1.3300e-003	0.1506	1.0500e-003	0.1516	0.0400	9.8000e-004	0.0410		138.6798	138.6798	3.9200e-003	5.8600e-003	140.5236	

3.3 Site Preparation - 2024Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Fugitive Dust					6.2635	0.0000	6.2635	3.0038	0.0000	3.0038			0.0000			0.0000	
Off-Road	1.1067	11.8407	6.6317	0.0172		0.4823	0.4823		0.4437	0.4437		1,665.8826	1,665.8826	0.5388		1,679.3521	
Total	1.1067	11.8407	6.6317	0.0172	6.2635	0.4823	6.7458	3.0038	0.4437	3.4475		1,665.8826	1,665.8826	0.5388		1,679.3521	

Unmitigated Construction Off-Site

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day											lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	0.0253	0.0168	0.2377	7.2000e-004	0.0894	4.8000e-004	0.0899	0.0237	4.4000e-004	0.0242	73.8865	73.8865	1.7600e-003	1.7800e-003	74.4625		
Total	0.0253	0.0168	0.2377	7.2000e-004	0.0894	4.8000e-004	0.0899	0.0237	4.4000e-004	0.0242	73.8865	73.8865	1.7600e-003	1.7800e-003	74.4625		

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					2.8186	0.0000	2.8186	1.3517	0.0000	1.3517	0.0000	0.0000				0.0000
Off-Road	1.1067	11.8407	6.6317	0.0172	2.8186	0.4823	3.3008	1.3517	0.4437	1.7954	0.0000	1,665.8826	1,665.8826	0.5388		1,679.3521
Total	1.1067	11.8407	6.6317	0.0172	2.8186	0.4823	3.3008	1.3517	0.4437	1.7954	0.0000	1,665.8826	1,665.8826	0.5388		1,679.3521

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0253	0.0168	0.2377	7.2000e-004	0.0894	4.8000e-004	0.0899	0.0237	4.4000e-004	0.0242	73.8865	73.8865	1.7600e-003	1.7800e-003	74.4625	
Total	0.0253	0.0168	0.2377	7.2000e-004	0.0894	4.8000e-004	0.0899	0.0237	4.4000e-004	0.0242	73.8865	73.8865	1.7600e-003	1.7800e-003	74.4625	

3.4 Grading - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Fugitive Dust					7.0826	0.0000	7.0826	3.4247	0.0000	3.4247				0.0000			0.0000
Off-Road	1.3015	13.8178	8.6998	0.0206		0.5722	0.5722		0.5265	0.5265		1,995.5803	1,995.5803	0.6454			2,011.7155
Total	1.3015	13.8178	8.6998	0.0206	7.0826	0.5722	7.6548	3.4247	0.5265	3.9512		1,995.5803	1,995.5803	0.6454			2,011.7155

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0316	0.0210	0.2971	9.0000e-004	0.1118	6.0000e-004	0.1124	0.0296	5.6000e-004	0.0302	92.3581	92.3581	2.2100e-003	2.2300e-003	93.0781	
Total	0.0316	0.0210	0.2971	9.0000e-004	0.1118	6.0000e-004	0.1124	0.0296	5.6000e-004	0.0302		92.3581	92.3581	2.2100e-003	2.2300e-003	93.0781

Mitigated Construction On-Site

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day											lb/day					
Fugitive Dust					3.1872	0.0000	3.1872	1.5411	0.0000	1.5411			0.0000			0.0000	
Off-Road	1.3015	13.8178	8.6998	0.0206	0.5722	0.5722		0.5265	0.5265	0.0000	1,995.5803	1,995.5803	0.6454			2,011.7155	
Total	1.3015	13.8178	8.6998	0.0206	3.1872	0.5722	3.7594	1.5411	0.5265	2.0676	0.0000	1,995.5803	1,995.5803	0.6454			2,011.7155

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day											lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			0.0000	0.0000	0.0000	0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			0.0000	0.0000	0.0000	0.0000	
Worker	0.0316	0.0210	0.2971	9.0000e-004	0.1118	6.0000e-004	0.1124	0.0296	5.6000e-004	0.0302			92.3581	92.3581	2.2100e-003	2.2300e-003	93.0781
Total	0.0316	0.0210	0.2971	9.0000e-004	0.1118	6.0000e-004	0.1124	0.0296	5.6000e-004	0.0302			92.3581	92.3581	2.2100e-003	2.2300e-003	93.0781

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**3.5 Building Construction - 2024****Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.4200	11.0639	12.5172	0.0221		0.4506	0.4506		0.4348	0.4348	2,001.9214	2,001.9214	0.3334			2,010.2563
Total	1.4200	11.0639	12.5172	0.0221		0.4506	0.4506		0.4348	0.4348	2,001.9214	2,001.9214	0.3334			2,010.2563

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0134	0.4976	0.1886	2.3300e-003	0.0832	2.7700e-003	0.0860	0.0240	2.6500e-003	0.0266	251.6357	251.6357	8.5300e-003	0.0365		262.7295

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Worker	0.1042	0.0691	0.9804	2.9500e-003	0.3689	1.9900e-003	0.3709	0.0978	1.8300e-003	0.0997			304.7816	304.7816	7.2800e-003	7.3600e-003	307.1577
Total	0.1176	0.5667	1.1690	5.2800e-003	0.4521	4.7600e-003	0.4569	0.1218	4.4800e-003	0.1263			556.4173	556.4173	0.0158	0.0439	569.8871

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.4200	11.0639	12.5172	0.0221		0.4506	0.4506		0.4348	0.4348	0.0000	2,001.9214	2,001.9214	0.3334		2,010.2563
Total	1.4200	11.0639	12.5172	0.0221		0.4506	0.4506		0.4348	0.4348	0.0000	2,001.9214	2,001.9214	0.3334		2,010.2563

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0134	0.4976	0.1886	2.3300e-003	0.0832	2.7700e-003	0.0860	0.0240	2.6500e-003	0.0266		251.6357	251.6357	8.5300e-003	0.0365		262.7295
Worker	0.1042	0.0691	0.9804	2.9500e-003	0.3689	1.9900e-003	0.3709	0.0978	1.8300e-003	0.0997		304.7816	304.7816	7.2800e-003	7.3600e-003		307.1577
Total	0.1176	0.5667	1.1690	5.2800e-003	0.4521	4.7600e-003	0.4569	0.1218	4.4800e-003	0.1263		556.4173	556.4173	0.0158	0.0439		569.8871

3.5 Building Construction - 2025Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3246	10.4128	12.4393	0.0221		0.3925	0.3925		0.3785	0.3785		2,002.1524	2,002.1524	0.3269		2,010.3248
Total	1.3246	10.4128	12.4393	0.0221		0.3925	0.3925		0.3785	0.3785		2,002.1524	2,002.1524	0.3269		2,010.3248

Unmitigated Construction Off-Site

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0131	0.4952	0.1858	2.2900e-003	0.0832	2.7800e-003	0.0860	0.0240	2.6600e-003	0.0266	247.0560	247.0560	8.5500e-003	0.0359	257.9642		
Worker	0.0979	0.0622	0.9158	2.8500e-003	0.3689	1.9000e-003	0.3708	0.0978	1.7500e-003	0.0996	297.3425	297.3425	6.5800e-003	6.8800e-003	299.5581		
Total	0.1110	0.5574	1.1016	5.1400e-003	0.4521	4.6800e-003	0.4568	0.1218	4.4100e-003	0.1262	544.3985	544.3985	0.0151	0.0428	557.5223		

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Off-Road	1.3246	10.4128	12.4393	0.0221		0.3925	0.3925		0.3785	0.3785	0.0000	2,002.1524	2,002.1524	0.3269		2,010.3248	
Total	1.3246	10.4128	12.4393	0.0221		0.3925	0.3925		0.3785	0.3785	0.0000	2,002.1524	2,002.1524	0.3269		2,010.3248	

Mitigated Construction Off-Site

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day											lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0131	0.4952	0.1858	2.2900e-003	0.0832	2.7800e-003	0.0860	0.0240	2.6600e-003	0.0266	247.0560	247.0560	8.5500e-003	0.0359	257.9642		
Worker	0.0979	0.0622	0.9158	2.8500e-003	0.3689	1.9000e-003	0.3708	0.0978	1.7500e-003	0.0996	297.3425	297.3425	6.5800e-003	6.8800e-003	299.5581		
Total	0.1110	0.5574	1.1016	5.1400e-003	0.4521	4.6800e-003	0.4568	0.1218	4.4100e-003	0.1262	544.3985	544.3985	0.0151	0.0428	557.5223		

3.5 Building Construction - 2026Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3246	10.4128	12.4393	0.0221		0.3925	0.3925		0.3785	0.3785	2,002.1524	2,002.1524	0.3269		2,010.3248	
Total	1.3246	10.4128	12.4393	0.0221		0.3925	0.3925		0.3785	0.3785	2,002.1524	2,002.1524	0.3269		2,010.3248	

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0128	0.4918	0.1836	2.2500e-003	0.0832	2.7700e-003	0.0860	0.0240	2.6500e-003	0.0266	242.4286	242.4286	8.5700e-003	0.0353	253.1468	
Worker	0.0925	0.0565	0.8618	2.7700e-003	0.3689	1.8000e-003	0.3707	0.0978	1.6600e-003	0.0995	290.5893	290.5893	5.9800e-003	6.4900e-003	292.6730	
Total	0.1053	0.5482	1.0454	5.0200e-003	0.4521	4.5700e-003	0.4567	0.1218	4.3100e-003	0.1261	533.0179	533.0179	0.0146	0.0417	545.8198	

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3246	10.4128	12.4393	0.0221		0.3925	0.3925		0.3785	0.3785	0.0000	2,002.1524	2,002.1524	0.3269		2,010.3248
Total	1.3246	10.4128	12.4393	0.0221		0.3925	0.3925		0.3785	0.3785	0.0000	2,002.1524	2,002.1524	0.3269		2,010.3248

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0128	0.4918	0.1836	2.2500e-003	0.0832	2.7700e-003	0.0860	0.0240	2.6500e-003	0.0266	242.4286	242.4286	8.5700e-003	0.0353	253.1468	
Worker	0.0925	0.0565	0.8618	2.7700e-003	0.3689	1.8000e-003	0.3707	0.0978	1.6600e-003	0.0995	290.5893	290.5893	5.9800e-003	6.4900e-003	292.6730	
Total	0.1053	0.5482	1.0454	5.0200e-003	0.4521	4.5700e-003	0.4567	0.1218	4.3100e-003	0.1261	533.0179	533.0179	0.0146	0.0417	545.8198	

3.6 Paving - 2026**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Off-Road	0.5732	5.3259	8.7951	0.0136		0.2465	0.2465		0.2276	0.2276		1,297.8096	1,297.8096	0.4114		1,308.0951
Paving	0.0621					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.6353	5.3259	8.7951	0.0136		0.2465	0.2465		0.2276	0.2276		1,297.8096	1,297.8096	0.4114		1,308.0951

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0365	0.0222	0.3395	1.0900e-003	0.1453	7.1000e-004	0.1460	0.0385	6.5000e-004	0.0392	114.4746	114.4746	2.3600e-003	2.5600e-003	115.2954	
Total	0.0365	0.0222	0.3395	1.0900e-003	0.1453	7.1000e-004	0.1460	0.0385	6.5000e-004	0.0392		114.4746	114.4746	2.3600e-003	2.5600e-003	115.2954

Mitigated Construction On-Site

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day											lb/day					
Off-Road	0.5732	5.3259	8.7951	0.0136		0.2465	0.2465		0.2276	0.2276	0.0000	1,297.8096	1,297.8096	0.4114		1,308.0951	
Paving	0.0621					0.0000	0.0000		0.0000	0.0000		0.0000	0.0000			0.0000	
Total	0.6353	5.3259	8.7951	0.0136		0.2465	0.2465		0.2276	0.2276	0.0000	1,297.8096	1,297.8096	0.4114		1,308.0951	

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day											lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	0.0365	0.0222	0.3395	1.0900e-003	0.1453	7.1000e-004	0.1460	0.0385	6.5000e-004	0.0392		114.4746	114.4746	2.3600e-003	2.5600e-003	115.2954	
Total	0.0365	0.0222	0.3395	1.0900e-003	0.1453	7.1000e-004	0.1460	0.0385	6.5000e-004	0.0392		114.4746	114.4746	2.3600e-003	2.5600e-003	115.2954	

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**3.7 Architectural Coating - 2026****Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	6.7523						0.0000	0.0000		0.0000	0.0000		0.0000			0.0000
Off-Road	0.1709	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515		281.4481	281.4481	0.0154		281.8319
Total	6.9231	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515		281.4481	281.4481	0.0154		281.8319

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0196	0.0120	0.1828	5.9000e-004	0.0782	3.8000e-004	0.0786	0.0208	3.5000e-004	0.0211		61.6402	61.6402	1.2700e-003	1.3800e-003	62.0822	
Total	0.0196	0.0120	0.1828	5.9000e-004	0.0782	3.8000e-004	0.0786	0.0208	3.5000e-004	0.0211		61.6402	61.6402	1.2700e-003	1.3800e-003	62.0822	

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	6.7523						0.0000	0.0000		0.0000	0.0000		0.0000			0.0000
Off-Road	0.1709	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515	0.0000	281.4481	281.4481	0.0154		281.8319
Total	6.9231	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515	0.0000	281.4481	281.4481	0.0154		281.8319

Mitigated Construction Off-Site

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day											lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	0.0196	0.0120	0.1828	5.9000e-004	0.0782	3.8000e-004	0.0786	0.0208	3.5000e-004	0.0211	61.6402	61.6402	1.2700e-003	1.3800e-003	62.0822		
Total	0.0196	0.0120	0.1828	5.9000e-004	0.0782	3.8000e-004	0.0786	0.0208	3.5000e-004	0.0211	61.6402	61.6402	1.2700e-003	1.3800e-003	62.0822		

4.0 Operational Detail - Mobile**4.1 Mitigation Measures Mobile**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Unmitigated	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**4.2 Trip Summary Information**

Land Use	Average Daily Trip Rate			Unmitigated		Mitigated	
	Weekday	Saturday	Sunday	Annual VMT		Annual VMT	
Parking Lot	0.00	0.00	0.00				
High School	0.00	0.00	0.00				
Total	0.00	0.00	0.00				

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Parking Lot	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
High School	16.60	8.40	6.90	77.80	17.20	5.00	75	19	6

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
High School	0.540893	0.062748	0.186142	0.127785	0.023768	0.006610	0.012333	0.009205	0.000817	0.000491	0.024860	0.000754	0.003594
Parking Lot	0.540893	0.062748	0.186142	0.127785	0.023768	0.006610	0.012333	0.009205	0.000817	0.000491	0.024860	0.000754	0.003594

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Percent of Electricity Use Generated with Renewable Energy

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
NaturalGas Mitigated	0.0000	0.0000	0.0000	0.0000			0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
NaturalGas Unmitigated	0.0000	0.0000	0.0000	0.0000			0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000

5.2 Energy by Land Use - NaturalGas**Unmitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Land Use	kBTU/yr	lb/day										lb/day						
High School	0	0.0000	0.0000	0.0000	0.0000			0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000			0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000			0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Mitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
High School	0	0.0000	0.0000	0.0000	0.0000			0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000			0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000			0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

6.0 Area Detail**6.1 Mitigation Measures Area**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Mitigated	3.4900e-003	3.4000e-004	0.0379	0.0000		1.3000e-004	1.3000e-004		1.3000e-004	1.3000e-004		0.0814	0.0814	2.1000e-004		0.0867
Unmitigated	3.4900e-003	3.4000e-004	0.0379	0.0000		1.3000e-004	1.3000e-004		1.3000e-004	1.3000e-004		0.0814	0.0814	2.1000e-004		0.0867

6.2 Area by SubCategory**Unmitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	3.4900e-003	3.4000e-004	0.0379	0.0000		1.3000e-004	1.3000e-004		1.3000e-004	1.3000e-004		0.0814	0.0814	2.1000e-004		0.0867
Total	3.4900e-003	3.4000e-004	0.0379	0.0000		1.3000e-004	1.3000e-004		1.3000e-004	1.3000e-004		0.0814	0.0814	2.1000e-004		0.0867

Mitigated

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	3.4900e-003	3.4000e-004	0.0379	0.0000		1.3000e-004	1.3000e-004		1.3000e-004	1.3000e-004		0.0814	0.0814	2.1000e-004		0.0867
Total	3.4900e-003	3.4000e-004	0.0379	0.0000		1.3000e-004	1.3000e-004		1.3000e-004	1.3000e-004		0.0814	0.0814	2.1000e-004		0.0867

7.0 Water Detail**7.1 Mitigation Measures Water**

8.0 Waste Detail**8.1 Mitigation Measures Waste**

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment**Fire Pumps and Emergency Generators**

Woodcrest Christian School Improvements Construction - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Woodcrest Christian School Improvements Proposed**

South Coast AQMD Air District, Annual

1.0 Project Characteristics**1.1 Land Usage**

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
High School	924.00	Student	2.81	122,578.74	0
Parking Lot	214.85	1000sqft	4.93	214,853.00	0
City Park	21.55	Acre	21.55	938,718.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	31
Climate Zone	10			Operational Year	2026
Utility Company	Riverside Public Utilities/City of Riverside				
CO2 Intensity (lb/MWhr)	789.98	CH4 Intensity (lb/MWhr)	0.033	N2O Intensity (lb/MWhr)	0.004

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - Existing site with additions and improvements.

Construction Phase - Architectural Coatings will be happening during Building Construction

Grading - .

Architectural Coating - Assume All AC comply with Rule 1113

Vehicle Trips - Proposed Trip Generation is 2.91. Assume Divert and Pass-by are accounted for in the Trip Generation

Vehicle Emission Factors -

Vehicle Emission Factors -

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Vehicle Emission Factors -

Area Coating - Area Architectural Coatings would comply with Rule 1113

Energy Use -

Construction Off-road Equipment Mitigation - Dust Control Measures as required from SCAQMD Rule 403

Area Mitigation - .

Energy Mitigation - The project site generates 95 percent of their electricity with solar

Operational Off-Road Equipment - .

Fleet Mix - The proposed Trip Generation does not provide Fleet Mix/ Specific Vehicles used for this project.

Water And Wastewater - .

Solid Waste - .

Table Name	Column Name	Default Value	New Value
tblArchitecturalCoating	EF_Nonresidential_Exterior	100.00	50.00
tblArchitecturalCoating	EF_Nonresidential_Interior	100.00	50.00
tblArchitecturalCoating	EF_Parking	100.00	50.00
tblAreaCoating	Area_EF_Nonresidential_Exterior	100	50
tblAreaCoating	Area_EF_Nonresidential_Interior	100	50
tblAreaCoating	Area_EF_Parking	100	50
tblConstDustMitigation	WaterUnpavedRoadVehicleSpeed	0	15
tblConstructionPhase	NumDays	35.00	30.00
tblLandUse	LandUseSquareFeet	214,850.00	214,853.00
tblSolidWaste	SolidWasteGenerationRate	1.85	0.00
tblVehicleTrips	DV_TP	28.00	0.00
tblVehicleTrips	DV_TP	19.00	0.00
tblVehicleTrips	PB_TP	6.00	0.00
tblVehicleTrips	PB_TP	6.00	0.00
tblVehicleTrips	PR_TP	66.00	0.00
tblVehicleTrips	PR_TP	75.00	100.00

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

tblVehicleTrips	ST_TR	1.96	0.00
tblVehicleTrips	ST_TR	0.58	0.83
tblVehicleTrips	SU_TR	2.19	0.00
tblVehicleTrips	SU_TR	0.25	0.50
tblVehicleTrips	WD_TR	0.78	0.00
tblVehicleTrips	WD_TR	2.03	2.91
tblWater	OutdoorWaterUseRate	25,676,423.09	0.00

2.0 Emissions Summary**2.1 Overall Construction****Unmitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Year	tons/yr											MT/yr					
2024	0.3012	2.4674	2.9401	8.2100e-003	0.7802	0.0920	0.8722	0.2848	0.0855	0.3703	0.0000	752.1486	752.1486	0.1047	0.0329	764.5779	
2025	0.3978	2.8008	4.4772	0.0145	0.9394	0.0787	1.0181	0.2534	0.0740	0.3275	0.0000	1,352.8572	1,352.8572	0.1001	0.0817	1,379.6971	
2026	0.4428	0.9911	1.6171	4.7900e-003	0.2976	0.0314	0.3290	0.0802	0.0294	0.1096	0.0000	446.6375	446.6375	0.0411	0.0239	454.7702	
Maximum	0.4428	2.8008	4.4772	0.0145	0.9394	0.0920	1.0181	0.2848	0.0855	0.3703	0.0000	1,352.8572	1,352.8572	0.1047	0.0817	1,379.6971	

Mitigated Construction

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Year	tons/yr											MT/yr					
2024	0.3012	2.4674	2.9401	8.2100e-003	0.5582	0.0920	0.6501	0.1840	0.0855	0.2695	0.0000	752.1482	752.1482	0.1047	0.0329	764.5775	
2025	0.3978	2.8008	4.4772	0.0145	0.9394	0.0787	1.0181	0.2534	0.0740	0.3275	0.0000	1,352.8568	1,352.8568	0.1001	0.0817	1,379.6967	
2026	0.4428	0.9911	1.6171	4.7900e-003	0.2976	0.0314	0.3290	0.0802	0.0294	0.1096	0.0000	446.6374	446.6374	0.0411	0.0239	454.7700	
Maximum	0.4428	2.8008	4.4772	0.0145	0.9394	0.0920	1.0181	0.2534	0.0855	0.3275	0.0000	1,352.8568	1,352.8568	0.1047	0.0817	1,379.6967	

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	11.01	0.00	10.00	16.30	0.00	12.48	0.00	0.00	0.00	0.00	0.00	0.00
Quarter	Start Date		End Date		Maximum Unmitigated ROG + NOX (tons/quarter)						Maximum Mitigated ROG + NOX (tons/quarter)					
1	4-1-2024		6-30-2024		0.9238						0.9238					
2	7-1-2024		9-30-2024		0.9814						0.9814					
3	10-1-2024		12-31-2024		0.8525						0.8525					
4	1-1-2025		3-31-2025		0.7910						0.7910					
5	4-1-2025		6-30-2025		0.7821						0.7821					
6	7-1-2025		9-30-2025		0.7907						0.7907					
7	10-1-2025		12-31-2025		0.8086						0.8086					
8	1-1-2026		3-31-2026		0.9618						0.9618					
9	4-1-2026		6-30-2026		0.4502						0.4502					
			Highest		0.9814						0.9814					

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**2.2 Overall Operational****Unmitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.4969	1.3000e-004	0.0148	0.0000		5.0000e-005	5.0000e-005	5.0000e-005	5.0000e-005	0.0000	0.0288	0.0288	7.0000e-005	0.0000	0.0307	
Energy	5.7400e-003	0.0522	0.0439	3.1000e-004		3.9700e-003	3.9700e-003	3.9700e-003	3.9700e-003	0.0000	391.6932	391.6932	0.0151	2.7400e-003	392.8860	
Mobile	1.3280	1.7285	15.2453	0.0369	4.2241	0.0261	4.2542	1.1273	0.0243	1.1516	0.0000	3,517.6161	3,517.6161	0.2004	0.1411	3,564.6617
Waste						0.0000	0.0000	0.0000	0.0000	34.2304	0.0000	34.2304	2.0230	0.0000	84.8043	
Water						0.0000	0.0000	0.0000	0.0000	1.2913	60.6569	61.9482	0.1352	3.4400e-003	66.3520	
Total	1.8307	1.7808	15.3039	0.0372	4.2241	0.0301	4.2542	1.1273	0.0283	1.1557	35.5217	3,969.9950	4,005.5167	2.3736	0.1472	4,108.7346

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.4969	1.3000e-004	0.0148	0.0000		5.0000e-005	5.0000e-005	5.0000e-005	5.0000e-005	0.0000	0.0288	0.0288	7.0000e-005	0.0000	0.0307	
Energy	5.7400e-003	0.0522	0.0439	3.1000e-004		3.9700e-003	3.9700e-003	3.9700e-003	3.9700e-003	0.0000	73.5861	73.5861	1.7900e-003	1.1300e-003	73.9666	

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Mobile	1.3280	1.7285	15.2453	0.0369	4.2241	0.0261	4.2502	1.1273	0.0243	1.1516	0.0000	3,517.6161	3,517.6161	0.2004	0.1411	3,564.6617
Waste						0.0000	0.0000		0.0000	0.0000	34.2304	0.0000	34.2304	2.0230	0.0000	84.8043
Water						0.0000	0.0000		0.0000	0.0000	1.2913	60.6569	61.9482	0.1352	3.4400e-003	66.3520
Total	1.8307	1.7808	15.3039	0.0372	4.2241	0.0301	4.2542	1.1273	0.0283	1.1557	35.5217	3,651.8879	3,687.4096	2.3603	0.1456	3,789.8153

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.01	7.94	0.56	1.09	7.76

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	4/1/2024	5/10/2024	5	30	
2	Site Preparation	Site Preparation	5/11/2024	6/7/2024	5	20	
3	Grading	Grading	6/8/2024	8/9/2024	5	45	
4	Building Construction	Building Construction	8/10/2024	4/17/2026	5	440	
5	Architectural Coating	Architectural Coating	3/9/2026	4/17/2026	5	30	
6	Paving	Paving	4/18/2026	6/5/2026	5	35	

Acres of Grading (Site Preparation Phase): 30**Acres of Grading (Grading Phase): 135****Acres of Paving: 4.93****Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 183,868; Non-Residential Outdoor: 61,289; Striped Parking Area: 12,891**

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**OffRoad Equipment**

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Grading	Excavators	2	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Scrapers	2	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Architectural Coating	Air Compressors	1	6.00	78	0.48
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	7	18.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Grading	8	20.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	536.00	209.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	107.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

3.2 Demolition - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0337	0.3132	0.2956	5.8000e-004		0.0144	0.0144		0.0134	0.0134	0.0000	50.9941	50.9941	0.0143	0.0000	51.3508
Total	0.0337	0.3132	0.2956	5.8000e-004		0.0144	0.0144		0.0134	0.0134	0.0000	50.9941	50.9941	0.0143	0.0000	51.3508

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Category	tons/yr												MT/yr					
	Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	6.6000e-004	4.8000e-004	6.8700e-003	2.0000e-005	2.4700e-003	1.0000e-005	2.4800e-003	6.6000e-004	1.0000e-005	6.7000e-004	0.0000	1.9140	1.9140	5.0000e-005	5.0000e-005	1.9289		
Total	6.6000e-004	4.8000e-004	6.8700e-003	2.0000e-005	2.4700e-003	1.0000e-005	2.4800e-003	6.6000e-004	1.0000e-005	6.7000e-004	0.0000	1.9140	1.9140	5.0000e-005	5.0000e-005	1.9289		

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr										MT/yr						
Off-Road	0.0337	0.3132	0.2956	5.8000e-004	0.0144	0.0144	0.0144	0.0134	0.0134	0.0134	0.0000	50.9940	50.9940	0.0143	0.0000	51.3507	
Total	0.0337	0.3132	0.2956	5.8000e-004		0.0144	0.0144		0.0134	0.0134	0.0000	50.9940	50.9940	0.0143	0.0000	51.3507	

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Category	tons/yr												MT/yr					
	Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	6.6000e-004	4.8000e-004	6.8700e-003	2.0000e-005	2.4700e-003	1.0000e-005	2.4800e-003	6.6000e-004	1.0000e-005	6.7000e-004	0.0000	1.9140	1.9140	5.0000e-005	5.0000e-005	1.9289		
Total	6.6000e-004	4.8000e-004	6.8700e-003	2.0000e-005	2.4700e-003	1.0000e-005	2.4800e-003	6.6000e-004	1.0000e-005	6.7000e-004	0.0000	1.9140	1.9140	5.0000e-005	5.0000e-005	1.9289		

3.3 Site Preparation - 2024Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr										MT/yr						
Fugitive Dust					0.1966	0.0000	0.1966	0.1010	0.0000	0.1010	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Off-Road	0.0266	0.2718	0.1834	3.8000e-004		0.0123	0.0123		0.0113	0.0113	0.0000	33.4571	33.4571	0.0108	0.0000	33.7276	
Total	0.0266	0.2718	0.1834	3.8000e-004	0.1966	0.0123	0.2089	0.1010	0.0113	0.1123	0.0000	33.4571	33.4571	0.0108	0.0000	33.7276	

Unmitigated Construction Off-Site

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr											MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	5.2000e-004	3.9000e-004	5.5000e-003	2.0000e-005	1.9700e-003	1.0000e-005	1.9900e-003	5.2000e-004	1.0000e-005	5.3000e-004	0.0000	1.5312	1.5312	4.0000e-005	4.0000e-005	1.5431	
Total	5.2000e-004	3.9000e-004	5.5000e-003	2.0000e-005	1.9700e-003	1.0000e-005	1.9900e-003	5.2000e-004	1.0000e-005	5.3000e-004	0.0000	1.5312	1.5312	4.0000e-005	4.0000e-005	1.5431	

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0885	0.0000	0.0885	0.0455	0.0000	0.0455	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0266	0.2718	0.1834	3.8000e-004		0.0123	0.0123		0.0113	0.0113	0.0000	33.4570	33.4570	0.0108	0.0000	33.7275
Total	0.0266	0.2718	0.1834	3.8000e-004	0.0885	0.0123	0.1008	0.0455	0.0113	0.0568	0.0000	33.4570	33.4570	0.0108	0.0000	33.7275

Mitigated Construction Off-Site

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr												MT/yr				
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	5.2000e-004	3.9000e-004	5.5000e-003	2.0000e-005	1.9700e-003	1.0000e-005	1.9900e-003	5.2000e-004	1.0000e-005	5.3000e-004	0.0000	1.5312	1.5312	4.0000e-005	4.0000e-005	1.5431	
Total	5.2000e-004	3.9000e-004	5.5000e-003	2.0000e-005	1.9700e-003	1.0000e-005	1.9900e-003	5.2000e-004	1.0000e-005	5.3000e-004	0.0000	1.5312	1.5312	4.0000e-005	4.0000e-005	1.5431	

3.4 Grading - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.2071	0.0000	0.2071	0.0822	0.0000	0.0822	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0724	0.7285	0.6238	1.4000e-003	0.0301	0.0301	0.2371	0.0822	0.0276	0.1099	0.0000	122.6689	122.6689	0.0397	0.0000	123.6608
Total	0.0724	0.7285	0.6238	1.4000e-003	0.2071	0.0301	0.2371	0.0822	0.0276	0.1099	0.0000	122.6689	122.6689	0.0397	0.0000	123.6608

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.3100e-003	9.6000e-004	0.0137	4.0000e-005	4.9400e-003	3.0000e-005	4.9600e-003	1.3100e-003	2.0000e-005	1.3400e-003	0.0000	3.8280	3.8280	9.0000e-005	9.0000e-005	3.8578
Total	1.3100e-003	9.6000e-004	0.0137	4.0000e-005	4.9400e-003	3.0000e-005	4.9600e-003	1.3100e-003	2.0000e-005	1.3400e-003	0.0000	3.8280	3.8280	9.0000e-005	9.0000e-005	3.8578

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0932	0.0000	0.0932	0.0370	0.0000	0.0370	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0724	0.7285	0.6238	1.4000e-003	0.0301	0.0301	0.1232	0.0370	0.0276	0.0276	0.0000	122.6688	122.6688	0.0397	0.0000	123.6606
Total	0.0724	0.7285	0.6238	1.4000e-003	0.0932	0.0301	0.1232	0.0370	0.0276	0.0276	0.0000	122.6688	122.6688	0.0397	0.0000	123.6606

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr											MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	1.3100e-003	9.6000e-004	0.0137	4.0000e-005	4.9400e-003	3.0000e-005	4.9600e-003	1.3100e-003	2.0000e-005	1.3400e-003	0.0000	3.8280	3.8280	9.0000e-005	9.0000e-005	3.8578	
Total	1.3100e-003	9.6000e-004	0.0137	4.0000e-005	4.9400e-003	3.0000e-005	4.9600e-003	1.3100e-003	2.0000e-005	1.3400e-003	0.0000	3.8280	3.8280	9.0000e-005	9.0000e-005	3.8578	

3.5 Building Construction - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr											MT/yr					
Off-Road	0.0751	0.6856	0.8245	1.3700e-003		0.0313	0.0313		0.0294	0.0294	0.0000	118.2430	118.2430	0.0280	0.0000	118.9421	
Total	0.0751	0.6856	0.8245	1.3700e-003		0.0313	0.0313		0.0294	0.0294	0.0000	118.2430	118.2430	0.0280	0.0000	118.9421	

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr											MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0112	0.4079	0.1521	1.9100e-003	0.0672	2.2600e-003	0.0695	0.0194	2.1600e-003	0.0216	0.0000	186.9733	186.9733	6.3600e-003	0.0271	195.2167	
Worker	0.0797	0.0586	0.8347	2.4800e-003	0.2999	1.6500e-003	0.3016	0.0797	1.5200e-003	0.0812	0.0000	232.5390	232.5390	5.4700e-003	5.6200e-003	234.3502	
Total	0.0909	0.4665	0.9867	4.3900e-003	0.3671	3.9100e-003	0.3710	0.0991	3.6800e-003	0.1027	0.0000	419.5122	419.5122	0.0118	0.0328	429.5669	

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr											MT/yr					
Off-Road	0.0751	0.6856	0.8245	1.3700e-003	0.0313	0.0313	0.0313	0.0294	0.0294	0.0294	0.0000	118.2429	118.2429	0.0280	0.0000	118.9419	
Total	0.0751	0.6856	0.8245	1.3700e-003	0.0313	0.0313	0.0313	0.0294	0.0294	0.0294	0.0000	118.2429	118.2429	0.0280	0.0000	118.9419	

Mitigated Construction Off-Site

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr												MT/yr				
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0112	0.4079	0.1521	1.9100e-003	0.0672	2.2600e-003	0.0695	0.0194	2.1600e-003	0.0216	0.0000	186.9733	186.9733	6.3600e-003	0.0271	195.2167	
Worker	0.0797	0.0586	0.8347	2.4800e-003	0.2999	1.6500e-003	0.3016	0.0797	1.5200e-003	0.0812	0.0000	232.5390	232.5390	5.4700e-003	5.6200e-003	234.3502	
Total	0.0909	0.4665	0.9867	4.3900e-003	0.3671	3.9100e-003	0.3710	0.0991	3.6800e-003	0.1027	0.0000	419.5122	419.5122	0.0118	0.0328	429.5669	

3.5 Building Construction - 2025Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1785	1.6273	2.0991	3.5200e-003		0.0689	0.0689		0.0648	0.0648	0.0000	302.6549	302.6549	0.0711	0.0000	304.4335
Total	0.1785	1.6273	2.0991	3.5200e-003		0.0689	0.0689		0.0648	0.0648	0.0000	302.6549	302.6549	0.0711	0.0000	304.4335

Unmitigated Construction Off-Site

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr											MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0281	1.0388	0.3833	4.8000e-003	0.1720	5.8100e-003	0.1778	0.0496	5.5600e-003	0.0552	0.0000	469.7169	469.7169	0.0163	0.0682	490.4569	
Worker	0.1912	0.1347	1.9949	6.1400e-003	0.7674	4.0300e-003	0.7715	0.2038	3.7000e-003	0.2075	0.0000	580.4854	580.4854	0.0127	0.0134	584.8067	
Total	0.2194	1.1735	2.3781	0.0109	0.9394	9.8400e-003	0.9493	0.2534	9.2600e-003	0.2627	0.0000	1,050.2023	1,050.2023	0.0290	0.0817	1,075.2636	

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr											MT/yr					
Off-Road	0.1784	1.6273	2.0991	3.5200e-003		0.0689	0.0689		0.0648	0.0648	0.0000	302.6545	302.6545	0.0711	0.0000	304.4331	
Total	0.1784	1.6273	2.0991	3.5200e-003		0.0689	0.0689		0.0648	0.0648	0.0000	302.6545	302.6545	0.0711	0.0000	304.4331	

Mitigated Construction Off-Site

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr											MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0281	1.0388	0.3833	4.8000e-003	0.1720	5.8100e-003	0.1778	0.0496	5.5600e-003	0.0552	0.0000	469.7169	469.7169	0.0163	0.0682	490.4569	
Worker	0.1912	0.1347	1.9949	6.1400e-003	0.7674	4.0300e-003	0.7715	0.2038	3.7000e-003	0.2075	0.0000	580.4854	580.4854	0.0127	0.0134	584.8067	
Total	0.2194	1.1735	2.3781	0.0109	0.9394	9.8400e-003	0.9493	0.2534	9.2600e-003	0.2627	0.0000	1,050.2023	1,050.2023	0.0290	0.0817	1,075.2636	

3.5 Building Construction - 2026Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0526	0.4801	0.6193	1.0400e-003		0.0203	0.0203		0.0191	0.0191	0.0000	89.2890	89.2890	0.0210	0.0000	89.8137
Total	0.0526	0.4801	0.6193	1.0400e-003		0.0203	0.0203		0.0191	0.0191	0.0000	89.2890	89.2890	0.0210	0.0000	89.8137

Unmitigated Construction Off-Site

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr												MT/yr				
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	8.1300e-003	0.3043	0.1117	1.3900e-003	0.0507	1.7100e-003	0.0525	0.0146	1.6400e-003	0.0163	0.0000	135.9780	135.9780	4.8200e-003	0.0198	141.9900	
Worker	0.0532	0.0361	0.5538	1.7600e-003	0.2264	1.1300e-003	0.2275	0.0601	1.0400e-003	0.0612	0.0000	167.3612	167.3612	3.3900e-003	3.7400e-003	168.5602	
Total	0.0613	0.3404	0.6655	3.1500e-003	0.2771	2.8400e-003	0.2800	0.0748	2.6800e-003	0.0775	0.0000	303.3392	303.3392	8.2100e-003	0.0235	310.5502	

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0526	0.4801	0.6193	1.0400e-003		0.0203	0.0203		0.0191	0.0191	0.0000	89.2889	89.2889	0.0210	0.0000	89.8136
Total	0.0526	0.4801	0.6193	1.0400e-003		0.0203	0.0203		0.0191	0.0191	0.0000	89.2889	89.2889	0.0210	0.0000	89.8136

Mitigated Construction Off-Site

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr												MT/yr				
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	8.1300e-003	0.3043	0.1117	1.3900e-003	0.0507	1.7100e-003	0.0525	0.0146	1.6400e-003	0.0163	0.0000	135.9780	135.9780	4.8200e-003	0.0198	141.9900	
Worker	0.0532	0.0361	0.5538	1.7600e-003	0.2264	1.1300e-003	0.2275	0.0601	1.0400e-003	0.0612	0.0000	167.3612	167.3612	3.3900e-003	3.7400e-003	168.5602	
Total	0.0613	0.3404	0.6655	3.1500e-003	0.2771	2.8400e-003	0.2800	0.0748	2.6800e-003	0.0775	0.0000	303.3392	303.3392	8.2100e-003	0.0235	310.5502	

3.6 Architectural Coating - 2026Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.2990						0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	2.5600e-003	0.0172	0.0271	4.0000e-005		7.7000e-004	7.7000e-004		7.7000e-004	7.7000e-004	0.0000	3.8299	3.8299	2.1000e-004	0.0000	3.8351
Total	0.3016	0.0172	0.0271	4.0000e-005		7.7000e-004	7.7000e-004		7.7000e-004	7.7000e-004	0.0000	3.8299	3.8299	2.1000e-004	0.0000	3.8351

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr											MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	4.1400e-003	2.8100e-003	0.0431	1.4000e-004	0.0176	9.0000e-005	0.0177	4.6800e-003	8.0000e-005	4.7600e-003	0.0000	13.0168	13.0168	2.6000e-004	2.9000e-004	13.1101	
Total	4.1400e-003	2.8100e-003	0.0431	1.4000e-004	0.0176	9.0000e-005	0.0177	4.6800e-003	8.0000e-005	4.7600e-003	0.0000	13.0168	13.0168	2.6000e-004	2.9000e-004	13.1101	

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr											MT/yr					
Archit. Coating	0.2990						0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Off-Road	2.5600e-003	0.0172	0.0271	4.0000e-005		7.7000e-004	7.7000e-004		7.7000e-004	7.7000e-004	0.0000	3.8299	3.8299	2.1000e-004	0.0000	3.8351	
Total	0.3016	0.0172	0.0271	4.0000e-005		7.7000e-004	7.7000e-004		7.7000e-004	7.7000e-004	0.0000	3.8299	3.8299	2.1000e-004	0.0000	3.8351	

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr											MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	4.1400e-003	2.8100e-003	0.0431	1.4000e-004	0.0176	9.0000e-005	0.0177	4.6800e-003	8.0000e-005	4.7600e-003	0.0000	13.0168	13.0168	2.6000e-004	2.9000e-004	13.1101	
Total	4.1400e-003	2.8100e-003	0.0431	1.4000e-004	0.0176	9.0000e-005	0.0177	4.6800e-003	8.0000e-005	4.7600e-003	0.0000	13.0168	13.0168	2.6000e-004	2.9000e-004	13.1101	

3.7 Paving - 2026**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr											MT/yr					
Off-Road	0.0160	0.1502	0.2551	4.0000e-004		7.3200e-003	7.3200e-003		6.7400e-003	6.7400e-003	0.0000	35.0337	35.0337	0.0113	0.0000	35.3170	
Paving	6.4600e-003					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Total	0.0225	0.1502	0.2551	4.0000e-004		7.3200e-003	7.3200e-003		6.7400e-003	6.7400e-003	0.0000	35.0337	35.0337	0.0113	0.0000	35.3170	

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr												MT/yr				
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	6.8000e-004	4.6000e-004	7.0400e-003	2.0000e-005	2.8800e-003	1.0000e-005	2.8900e-003	7.6000e-004	1.0000e-005	7.8000e-004	0.0000	2.1289	2.1289	4.0000e-005	5.0000e-005	2.1442	
Total	6.8000e-004	4.6000e-004	7.0400e-003	2.0000e-005	2.8800e-003	1.0000e-005	2.8900e-003	7.6000e-004	1.0000e-005	7.8000e-004	0.0000	2.1289	2.1289	4.0000e-005	5.0000e-005	2.1442	

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0160	0.1502	0.2551	4.0000e-004	7.3200e-003	7.3200e-003		6.7400e-003	6.7400e-003	0.0000	35.0337	35.0337	0.0113	0.0000	35.3169	
Paving	6.4600e-003				0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Total	0.0225	0.1502	0.2551	4.0000e-004	7.3200e-003	7.3200e-003		6.7400e-003	6.7400e-003	0.0000	35.0337	35.0337	0.0113	0.0000	35.3169	

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr											MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	6.8000e-004	4.6000e-004	7.0400e-003	2.0000e-005	2.8800e-003	1.0000e-005	2.8900e-003	7.6000e-004	1.0000e-005	7.8000e-004	0.0000	2.1289	2.1289	4.0000e-005	5.0000e-005	2.1442	
Total	6.8000e-004	4.6000e-004	7.0400e-003	2.0000e-005	2.8800e-003	1.0000e-005	2.8900e-003	7.6000e-004	1.0000e-005	7.8000e-004	0.0000	2.1289	2.1289	4.0000e-005	5.0000e-005	2.1442	

4.0 Operational Detail - Mobile**4.1 Mitigation Measures Mobile**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Category	tons/yr												MT/yr			
	Mitigated	1.3280	1.7285	15.2453	0.0369	4.2241	0.0261	4.2502	1.1273	0.0243	1.1516	0.0000	3,517.6161	3,517.6161	0.2004	0.1411
Unmitigated	1.3280	1.7285	15.2453	0.0369	4.2241	0.0261	4.2502	1.1273	0.0243	1.1516	0.0000	3,517.6161	3,517.6161	0.2004	0.1411	3,564.6617

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated		Mitigated	
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT	Annual VMT	Annual VMT
City Park	0.00	0.00	0.00				
High School	2,688.84	766.92	462.00	11,219,643			11,219,643
Parking Lot	0.00	0.00	0.00				
Total	2,688.84	766.92	462.00	11,219,643			11,219,643

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
City Park	16.60	8.40	6.90	33.00	48.00	19.00	0	0	0
High School	16.60	8.40	6.90	77.80	17.20	5.00	100	0	0
Parking Lot	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
City Park	0.540893	0.062748	0.186142	0.127785	0.023768	0.006610	0.012333	0.009205	0.000817	0.000491	0.024860	0.000754	0.003594
High School	0.540893	0.062748	0.186142	0.127785	0.023768	0.006610	0.012333	0.009205	0.000817	0.000491	0.024860	0.000754	0.003594
Parking Lot	0.540893	0.062748	0.186142	0.127785	0.023768	0.006610	0.012333	0.009205	0.000817	0.000491	0.024860	0.000754	0.003594

5.0 Energy Detail

Historical Energy Use: N

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**5.1 Mitigation Measures Energy**

Percent of Electricity Use Generated with Renewable Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	16.7425	16.7425	7.0000e-004	8.0000e-005	16.7852
Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	334.8496	334.8496	0.0140	1.7000e-003	335.7045
NaturalGas Mitigated	5.7400e-003	0.0522	0.0439	3.1000e-004		3.9700e-003	3.9700e-003		3.9700e-003	3.9700e-003	0.0000	56.8436	56.8436	1.0900e-003	1.0400e-003	57.1814
NaturalGas Unmitigated	5.7400e-003	0.0522	0.0439	3.1000e-004		3.9700e-003	3.9700e-003		3.9700e-003	3.9700e-003	0.0000	56.8436	56.8436	1.0900e-003	1.0400e-003	57.1814

5.2 Energy by Land Use - NaturalGasUnmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
City Park	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
High School	1.06521e+006	5.7400e-003	0.0522	0.0439	3.1000e-004		3.9700e-003	3.9700e-003		3.9700e-003	3.9700e-003	0.0000	56.8436	56.8436	1.0900e-003	1.0400e-003	57.1814

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Parking Lot	0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		
Total		5.7400e-003	0.0522	0.0439	3.1000e-004		3.9700e-003	3.9700e-003		3.9700e-003	3.9700e-003	0.0000	56.8436	56.8436	1.0900e-003	1.0400e-003	57.1814

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
City Park	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
High School	1.06521e+006	5.7400e-003	0.0522	0.0439	3.1000e-004		3.9700e-003	3.9700e-003		3.9700e-003	3.9700e-003	0.0000	56.8436	56.8436	1.0900e-003	1.0400e-003	57.1814
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total		5.7400e-003	0.0522	0.0439	3.1000e-004		3.9700e-003	3.9700e-003		3.9700e-003	3.9700e-003	0.0000	56.8436	56.8436	1.0900e-003	1.0400e-003	57.1814

5.3 Energy by Land Use - Electricity**Unmitigated**

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

City Park	0	0.0000	0.0000	0.0000	0.0000
High School	859277	307.9038	0.0129	1.5600e-003	308.6899
Parking Lot	75198.5	26.9458	1.1300e-003	1.4000e-004	27.0146
Total		334.8496	0.0140	1.7000e-003	335.7045

Mitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
City Park	0	0.0000	0.0000	0.0000	0.0000
High School	42963.8	15.3952	6.4000e-004	8.0000e-005	15.4345
Parking Lot	3759.93	1.3473	6.0000e-005	1.0000e-005	1.3507
Total		16.7425	7.0000e-004	9.0000e-005	16.7852

6.0 Area Detail**6.1 Mitigation Measures Area**

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.4969	1.3000e-004	0.0148	0.0000		5.0000e-005	5.0000e-005		5.0000e-005	5.0000e-005	0.0000	0.0288	0.0288	7.0000e-005	0.0000	0.0307
Unmitigated	0.4969	1.3000e-004	0.0148	0.0000		5.0000e-005	5.0000e-005		5.0000e-005	5.0000e-005	0.0000	0.0288	0.0288	7.0000e-005	0.0000	0.0307

6.2 Area by SubCategory**Unmitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.0299					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.4657					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	1.3600e-003	1.3000e-004	0.0148	0.0000		5.0000e-005	5.0000e-005		5.0000e-005	5.0000e-005	0.0000	0.0288	0.0288	7.0000e-005	0.0000	0.0307
Total	0.4969	1.3000e-004	0.0148	0.0000		5.0000e-005	5.0000e-005		5.0000e-005	5.0000e-005	0.0000	0.0288	0.0288	7.0000e-005	0.0000	0.0307

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.0299						0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.4657						0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	1.3600e-003	1.3000e-004	0.0148	0.0000			5.0000e-005	5.0000e-005		5.0000e-005	5.0000e-005	0.0000	0.0288	0.0288	7.0000e-005	0.0000
Total	0.4969	1.3000e-004	0.0148	0.0000			5.0000e-005	5.0000e-005		5.0000e-005	5.0000e-005	0.0000	0.0288	0.0288	7.0000e-005	0.0000
																0.0307

7.0 Water Detail**7.1 Mitigation Measures Water**

	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	61.9482	0.1352	3.4400e-003	66.3520
Unmitigated	61.9482	0.1352	3.4400e-003	66.3520

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**7.2 Water by Land Use****Unmitigated**

Indoor/Out door Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr		
City Park	0 / 0	0.0000	0.0000	0.0000
High School	4.07018 / 10.4662	61.9482	0.1352	3.4400e- 003
Parking Lot	0 / 0	0.0000	0.0000	0.0000
Total		61.9482	0.1352	3.4400e- 003

Mitigated

Indoor/Out door Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr		
City Park	0 / 0	0.0000	0.0000	0.0000
High School	4.07018 / 10.4662	61.9482	0.1352	3.4400e- 003
Parking Lot	0 / 0	0.0000	0.0000	0.0000

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Total	61.9482	0.1352	3.4400e-003	66.3520
-------	---------	--------	-------------	---------

8.0 Waste Detail**8.1 Mitigation Measures Waste**Category/Year

	Total CO2	CH4	N2O	CO2e
	MT/yr			
Mitigated	34.2304	2.0230	0.0000	84.8043
Unmitigated	34.2304	2.0230	0.0000	84.8043

8.2 Waste by Land UseUnmitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
City Park	0	0.0000	0.0000	0.0000	0.0000

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

High School	168.63	34.2304	2.0230	0.0000	84.8043
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Total		34.2304	2.0230	0.0000	84.8043

Mitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
City Park	0	0.0000	0.0000	0.0000	0.0000
High School	168.63	34.2304	2.0230	0.0000	84.8043
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Total		34.2304	2.0230	0.0000	84.8043

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment**Fire Pumps and Emergency Generators**

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Woodcrest Christian School Improvements Proposed**

South Coast AQMD Air District, Summer

1.0 Project Characteristics**1.1 Land Usage**

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
High School	924.00	Student	2.81	122,578.74	0
Parking Lot	214.85	1000sqft	4.93	214,853.00	0
City Park	21.55	Acre	21.55	938,718.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	31
Climate Zone	10			Operational Year	2026
Utility Company					Riverside Public Utilities/City of Riverside
CO2 Intensity (lb/MWhr)	789.98	CH4 Intensity (lb/MWhr)	0.033	N2O Intensity (lb/MWhr)	0.004

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - Existing site with additions and improvements.

Additional 280 Students, Parking lot
Construction Phase - Architectural Coatings will be happening during Building Construction

Grading - .

Architectural Coating - Assume All AC comply with Rule 1113

Vehicle Trips - Proposed Trip Generation is 2.91. Assume Divert and Pass-by are accounted for in the Trip Generation

Vehicle Emission Factors -

Vehicle Emission Factors -

Vehicle Emission Factors -

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Area Coating - Area Architectural Coatings would comply with Rule 1113

Energy Use -

Construction Off-road Equipment Mitigation - Dust Control Measures as required from SCAQMD Rule 403

Area Mitigation - .

Energy Mitigation - The project site generates 95 percent of their electricity with solar

Operational Off-Road Equipment - .

Fleet Mix - The proposed Trip Generation does not provide Fleet Mix/ Specific Vehicles used for this project.

Water And Wastewater - .

Solid Waste - .

Table Name	Column Name	Default Value	New Value
tblArchitecturalCoating	EF_Nonresidential_Exterior	100.00	50.00
tblArchitecturalCoating	EF_Nonresidential_Interior	100.00	50.00
tblArchitecturalCoating	EF_Parking	100.00	50.00
tblAreaCoating	Area_EF_Nonresidential_Exterior	100	50
tblAreaCoating	Area_EF_Nonresidential_Interior	100	50
tblAreaCoating	Area_EF_Parking	100	50
tblConstDustMitigation	WaterUnpavedRoadVehicleSpeed	0	15
tblConstructionPhase	NumDays	35.00	30.00
tblLandUse	LandUseSquareFeet	214,850.00	214,853.00
tblSolidWaste	SolidWasteGenerationRate	1.85	0.00
tblVehicleTrips	DV_TP	28.00	0.00
tblVehicleTrips	DV_TP	19.00	0.00
tblVehicleTrips	PB_TP	6.00	0.00
tblVehicleTrips	PB_TP	6.00	0.00
tblVehicleTrips	PR_TP	66.00	0.00
tblVehicleTrips	PR_TP	75.00	100.00
tblVehicleTrips	ST_TR	1.96	0.00

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

tblVehicleTrips	ST_TR	0.58	0.83
tblVehicleTrips	SU_TR	2.19	0.00
tblVehicleTrips	SU_TR	0.25	0.50
tblVehicleTrips	WD_TR	0.78	0.00
tblVehicleTrips	WD_TR	2.03	2.91
tblWater	OutdoorWaterUseRate	25,676,423.09	0.00

2.0 Emissions Summary**2.1 Overall Construction (Maximum Daily Emission)**Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2024	3.2960	32.4153	36.6919	0.1154	19.8582	1.3366	21.0886	10.1558	1.2297	11.2878	0.0000	11,848.992 3	11,848.992 3	1.9480	0.6982	12,078.532 8
2025	3.0858	20.9787	35.3961	0.1129	7.3295	0.6028	7.9323	1.9742	0.5671	2.5414	0.0000	11,647.490 9	11,647.490 9	0.8442	0.6809	11,871.509 1
2026	23.3810	22.1537	39.2783	0.1232	8.5255	0.6585	9.1840	2.2914	0.6225	2.9139	0.0000	12,737.995 7	12,737.995 7	0.8692	0.6846	12,963.724 5
Maximum	23.3810	32.4153	39.2783	0.1232	19.8582	1.3366	21.0886	10.1558	1.2297	11.2878	0.0000	12,737.995 7	12,737.995 7	1.9480	0.6982	12,963.724 5

Mitigated Construction

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Year	lb/day										lb/day						
2024	3.2960	32.4153	36.6919	0.1154	9.0469	1.3366	10.2773	4.5995	1.2297	5.7315	0.0000	11,848.992	11,848.992	1.9480	0.6982	12,078.532	
2025	3.0858	20.9787	35.3961	0.1129	7.3295	0.6028	7.9323	1.9742	0.5671	2.5414	0.0000	11,647.490	11,647.490	0.8442	0.6809	11,871.509	
2026	23.3810	22.1537	39.2783	0.1232	8.5255	0.6585	9.1840	2.2914	0.6225	2.9139	0.0000	12,737.995	12,737.995	0.8692	0.6846	12,963.724	
Maximum	23.3810	32.4153	39.2783	0.1232	9.0469	1.3366	10.2773	4.5995	1.2297	5.7315	0.0000	12,737.995	12,737.995	1.9480	0.6982	12,963.724	

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	30.27	0.00	28.30	38.53	0.00	33.19	0.00	0.00	0.00	0.00	0.00	0.00

2.2 Overall OperationalUnmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Area	2.7263	1.0700e-003	0.1182	1.0000e-005		4.2000e-004	4.2000e-004		4.2000e-004	4.2000e-004	0.2540	0.2540	6.6000e-004			0.2705	
Energy	0.0315	0.2861	0.2403	1.7200e-003		0.0217	0.0217		0.0217	0.0217	343.3390	343.3390	6.5800e-003	6.2900e-003		345.3793	
Mobile	9.7112	11.1748	110.9584	0.2694	30.3264	0.1843	30.5107	8.0817	0.1715	8.2532	28,356.711	28,356.711	1.5351	1.0496		28,707.867	
Total	12.4689	11.4620	111.3170	0.2712	30.3264	0.2065	30.5328	8.0817	0.1937	8.2754	28,700.304	28,700.304	1.5423	1.0559		29,053.517	

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Mitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	2.7263	1.0700e-003	0.1182	1.0000e-005		4.2000e-004	4.2000e-004		4.2000e-004	4.2000e-004		0.2540	0.2540	6.6000e-004		0.2705
Energy	0.0315	0.2861	0.2403	1.7200e-003		0.0217	0.0217		0.0217	0.0217		343.3390	343.3390	6.5800e-003	6.2900e-003	345.3793
Mobile	9.7112	11.1748	110.9584	0.2694	30.3264	0.1843	30.5107	8.0817	0.1715	8.2532		28,356.711	28,356.711	1.5351	1.0496	28,707.867
Total	12.4689	11.4620	111.3170	0.2712	30.3264	0.2065	30.5328	8.0817	0.1937	8.2754		28,700.304	28,700.304	1.5423	1.0559	29,053.517
											6	6				2

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail**Construction Phase**

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	4/1/2024	5/10/2024	5	30	
2	Site Preparation	Site Preparation	5/11/2024	6/7/2024	5	20	
3	Grading	Grading	6/8/2024	8/9/2024	5	45	
4	Building Construction	Building Construction	8/10/2024	4/17/2026	5	440	

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

5	Architectural Coating	Architectural Coating	3/9/2026	4/17/2026	5	30
6	Paving	Paving	4/18/2026	6/5/2026	5	35

Acres of Grading (Site Preparation Phase): 30**Acres of Grading (Grading Phase): 135****Acres of Paving: 4.93****Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 183,868; Non-Residential Outdoor: 61,289; Striped Parking Area: 12,891****OffRoad Equipment**

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Grading	Excavators	2	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Scrapers	2	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Architectural Coating	Air Compressors	1	6.00	78	0.48
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Paving	Rollers	2	8.00	80	0.38
--------	---------	---	------	----	------

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	7	18.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	8	20.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	536.00	209.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	107.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

3.2 Demolition - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	2.2437	20.8781	19.7073	0.0388		0.9602	0.9602		0.8922	0.8922	3,747.4228	3,747.4228	1.0485			3,773.6345
Total	2.2437	20.8781	19.7073	0.0388		0.9602	0.9602		0.8922	0.8922	3,747.4228	3,747.4228	1.0485			3,773.6345

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0447	0.0287	0.4922	1.4300e-003	0.1677	9.0000e-004	0.1686	0.0445	8.3000e-004	0.0453	147.0668	147.0668	3.2600e-003	3.1600e-003	148.0889	
Total	0.0447	0.0287	0.4922	1.4300e-003	0.1677	9.0000e-004	0.1686	0.0445	8.3000e-004	0.0453	147.0668	147.0668	3.2600e-003	3.1600e-003	148.0889	

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	2.2437	20.8781	19.7073	0.0388		0.9602	0.9602		0.8922	0.8922	0.0000	3,747.4228	3,747.4228	1.0485		3,773.6345
Total	2.2437	20.8781	19.7073	0.0388		0.9602	0.9602		0.8922	0.8922	0.0000	3,747.4228	3,747.4228	1.0485		3,773.6345

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day											lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	0.0447	0.0287	0.4922	1.4300e-003	0.1677	9.0000e-004	0.1686	0.0445	8.3000e-004	0.0453	147.0668	147.0668	3.2600e-003	3.1600e-003	148.0889		
Total	0.0447	0.0287	0.4922	1.4300e-003	0.1677	9.0000e-004	0.1686	0.0445	8.3000e-004	0.0453	147.0668	147.0668	3.2600e-003	3.1600e-003	148.0889		

3.3 Site Preparation - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					19.6570	0.0000	19.6570	10.1025	0.0000	10.1025			0.0000			0.0000
Off-Road	2.6609	27.1760	18.3356	0.0381		1.2294	1.2294		1.1310	1.1310		3,688.0100	3,688.0100	1.1928		3,717.8294
Total	2.6609	27.1760	18.3356	0.0381	19.6570	1.2294	20.8864	10.1025	1.1310	11.2335		3,688.0100	3,688.0100	1.1928		3,717.8294

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day											lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	0.0537	0.0345	0.5906	1.7100e-003	0.2012	1.0900e-003	0.2023	0.0534	1.0000e-003	0.0544	176.4802	176.4802	3.9100e-003	3.7900e-003	177.7067		
Total	0.0537	0.0345	0.5906	1.7100e-003	0.2012	1.0900e-003	0.2023	0.0534	1.0000e-003	0.0544	176.4802	176.4802	3.9100e-003	3.7900e-003	177.7067		

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.8457	0.0000	8.8457	4.5461	0.0000	4.5461	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	2.6609	27.1760	18.3356	0.0381		1.2294	1.2294		1.1310	1.1310	0.0000	3,688.0100	3,688.0100	1.1928		3,717.8294
Total	2.6609	27.1760	18.3356	0.0381	8.8457	1.2294	10.0750	4.5461	1.1310	5.6771	0.0000	3,688.0100	3,688.0100	1.1928		3,717.8294

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day											lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	0.0537	0.0345	0.5906	1.7100e-003	0.2012	1.0900e-003	0.2023	0.0534	1.0000e-003	0.0544	176.4802	176.4802	3.9100e-003	3.7900e-003	177.7067		
Total	0.0537	0.0345	0.5906	1.7100e-003	0.2012	1.0900e-003	0.2023	0.0534	1.0000e-003	0.0544	176.4802	176.4802	3.9100e-003	3.7900e-003	177.7067		

3.4 Grading - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					9.2036	0.0000	9.2036	3.6538	0.0000	3.6538			0.0000			0.0000
Off-Road	3.2181	32.3770	27.7228	0.0621		1.3354	1.3354		1.2286	1.2286		6,009.7487	6,009.7487	1.9437		6,058.3405
Total	3.2181	32.3770	27.7228	0.0621	9.2036	1.3354	10.5390	3.6538	1.2286	4.8823		6,009.7487	6,009.7487	1.9437		6,058.3405

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day											lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	0.0597	0.0383	0.6562	1.9000e-003	0.2236	1.2100e-003	0.2248	0.0593	1.1100e-003	0.0604	196.0891	196.0891	4.3500e-003	4.2100e-003	197.4519		
Total	0.0597	0.0383	0.6562	1.9000e-003	0.2236	1.2100e-003	0.2248	0.0593	1.1100e-003	0.0604	196.0891	196.0891	4.3500e-003	4.2100e-003	197.4519		

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					4.1416	0.0000	4.1416	1.6442	0.0000	1.6442	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	3.2181	32.3770	27.7228	0.0621		1.3354	1.3354		1.2286	1.2286	0.0000	6,009.7487	6,009.7487	1.9437		6,058.3405
Total	3.2181	32.3770	27.7228	0.0621	4.1416	1.3354	5.4770	1.6442	1.2286	2.8728	0.0000	6,009.7487	6,009.7487	1.9437		6,058.3405

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day											lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	0.0597	0.0383	0.6562	1.9000e-003	0.2236	1.2100e-003	0.2248	0.0593	1.1100e-003	0.0604	196.0891	196.0891	4.3500e-003	4.2100e-003	197.4519		
Total	0.0597	0.0383	0.6562	1.9000e-003	0.2236	1.2100e-003	0.2248	0.0593	1.1100e-003	0.0604	196.0891	196.0891	4.3500e-003	4.2100e-003	197.4519		

3.5 Building Construction - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.4716	13.4438	16.1668	0.0270	0.6133	0.6133	0.6133	0.5769	0.5769	2,555.6989	2,555.6989	0.6044	0.6044	2,570.8077		
Total	1.4716	13.4438	16.1668	0.0270	0.6133	0.6133	0.6133	0.5769	0.5769	2,555.6989	2,555.6989	0.6044	0.6044	2,570.8077		

Unmitigated Construction Off-Site

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.2256	7.6212	2.9377	0.0375	1.3383	0.0443	1.3826	0.3853	0.0424	0.4277	4,038.1065	4,038.1065	0.1377	0.5855	4,216.0148	
Worker	1.5988	1.0271	17.5873	0.0509	5.9912	0.0323	6.0236	1.5889	0.0298	1.6187	5,255.1868	5,255.1868	0.1165	0.1128	5,291.7103	
Total	1.8244	8.6483	20.5250	0.0884	7.3295	0.0766	7.4061	1.9742	0.0721	2.0463	9,293.2934	9,293.2934	0.2542	0.6982	9,507.7251	

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.4716	13.4438	16.1668	0.0270	0.6133	0.6133	0.6133	0.5769	0.5769	0.0000	2,555.6989	2,555.6989	0.6044	0.6044	0.6044	2,570.8077
Total	1.4716	13.4438	16.1668	0.0270	0.6133	0.6133	0.6133	0.5769	0.5769	0.0000	2,555.6989	2,555.6989	0.6044	0.6044	0.6044	2,570.8077

Mitigated Construction Off-Site

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.2256	7.6212	2.9377	0.0375	1.3383	0.0443	1.3826	0.3853	0.0424	0.4277	4,038.1065	4,038.1065	0.1377	0.5855	4,216.0148	
Worker	1.5988	1.0271	17.5873	0.0509	5.9912	0.0323	6.0236	1.5889	0.0298	1.6187	5,255.1868	5,255.1868	0.1165	0.1128	5,291.7103	
Total	1.8244	8.6483	20.5250	0.0884	7.3295	0.0766	7.4061	1.9742	0.0721	2.0463	9,293.2934	9,293.2934	0.2542	0.6982	9,507.7251	

3.5 Building Construction - 2025Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963	2,556.4744	2,556.4744	0.6010			2,571.4981
Total	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963	2,556.4744	2,556.4744	0.6010			2,571.4981

Unmitigated Construction Off-Site

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.2207	7.5851	2.8935	0.0368	1.3383	0.0444	1.3827	0.3853	0.0425	0.4278	3,964.5054	3,964.5054	0.1381	0.5754	4,139.4411	
Worker	1.4977	0.9239	16.4179	0.0492	5.9912	0.0309	6.0221	1.5889	0.0284	1.6173	5,126.5111	5,126.5111	0.1051	0.1055	5,160.5699	
Total	1.7184	8.5090	19.3115	0.0860	7.3295	0.0753	7.4048	1.9742	0.0709	2.0451	9,091.0166	9,091.0166	0.2433	0.6809	9,300.0111	

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3674	12.4697	16.0847	0.0270	0.5276	0.5276	0.5276	0.4963	0.4963	0.4963	2,556.4744	2,556.4744	0.6010	0.6010	0.6010	2,571.4981
Total	1.3674	12.4697	16.0847	0.0270	0.5276	0.5276	0.5276	0.4963	0.4963	0.4963	2,556.4744	2,556.4744	0.6010	0.6010	0.6010	2,571.4981

Mitigated Construction Off-Site

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.2207	7.5851	2.8935	0.0368	1.3383	0.0444	1.3827	0.3853	0.0425	0.4278	3,964.5054	3,964.5054	0.1381	0.5754	4,139.4411	
Worker	1.4977	0.9239	16.4179	0.0492	5.9912	0.0309	6.0221	1.5889	0.0284	1.6173	5,126.5111	5,126.5111	0.1051	0.1055	5,160.5699	
Total	1.7184	8.5090	19.3115	0.0860	7.3295	0.0753	7.4048	1.9742	0.0709	2.0451	9,091.0166	9,091.0166	0.2433	0.6809	9,300.0111	

3.5 Building Construction - 2026Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963	2,556.4744	2,556.4744	0.6010			2,571.4981
Total	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963	2,556.4744	2,556.4744	0.6010			2,571.4981

Unmitigated Construction Off-Site

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.2163	7.5314	2.8585	0.0360	1.3383	0.0443	1.3826	0.3853	0.0424	0.4277	3,890.1541	3,890.1541	0.1384	0.5652	4,062.0458	
Worker	1.4107	0.8395	15.4431	0.0477	5.9912	0.0293	6.0205	1.5889	0.0270	1.6159	5,009.8238	5,009.8238	0.0955	0.0995	5,041.8584	
Total	1.6269	8.3709	18.3016	0.0837	7.3295	0.0736	7.4031	1.9742	0.0694	2.0436	8,899.9778	8,899.9778	0.2339	0.6647	9,103.9042	

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3674	12.4697	16.0847	0.0270	0.5276	0.5276	0.5276	0.4963	0.4963	0.4963	2,556.4744	2,556.4744	0.6010	0.6010	0.6010	2,571.4981
Total	1.3674	12.4697	16.0847	0.0270	0.5276	0.5276	0.5276	0.4963	0.4963	0.4963	2,556.4744	2,556.4744	0.6010	0.6010	0.6010	2,571.4981

Mitigated Construction Off-Site

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.2163	7.5314	2.8585	0.0360	1.3383	0.0443	1.3826	0.3853	0.0424	0.4277	3,890.1541	3,890.1541	0.1384	0.5652	4,062.0458	
Worker	1.4107	0.8395	15.4431	0.0477	5.9912	0.0293	6.0205	1.5889	0.0270	1.6159	5,009.8238	5,009.8238	0.0955	0.0995	5,041.8584	
Total	1.6269	8.3709	18.3016	0.0837	7.3295	0.0736	7.4031	1.9742	0.0694	2.0436	8,899.9778	8,899.9778	0.2339	0.6647	9,103.9042	

3.6 Architectural Coating - 2026Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	19.9342						0.0000	0.0000		0.0000	0.0000		0.0000			0.0000
Off-Road	0.1709	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515	281.4481	281.4481	0.0154			281.8319
Total	20.1051	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515	281.4481	281.4481	0.0154			281.8319

Unmitigated Construction Off-Site

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.2816	0.1676	3.0829	9.5200e-003	1.1960	5.8500e-003	1.2019	0.3172	5.3800e-003	0.3226	1,000.0954	1,000.0954	0.0191	0.0199	1,006.4904	
Total	0.2816	0.1676	3.0829	9.5200e-003	1.1960	5.8500e-003	1.2019	0.3172	5.3800e-003	0.3226	1,000.0954	1,000.0954	0.0191	0.0199	1,006.4904	

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	19.9342						0.0000	0.0000		0.0000	0.0000		0.0000			0.0000
Off-Road	0.1709	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515	0.0000	281.4481	281.4481	0.0154		281.8319
Total	20.1051	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515	0.0000	281.4481	281.4481	0.0154		281.8319

Mitigated Construction Off-Site

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.2816	0.1676	3.0829	9.5200e-003	1.1960	5.8500e-003	1.2019	0.3172	5.3800e-003	0.3226	1,000.0954	1,000.0954	0.0191	0.0199	1,006.4904	
Total	0.2816	0.1676	3.0829	9.5200e-003	1.1960	5.8500e-003	1.2019	0.3172	5.3800e-003	0.3226	1,000.0954	1,000.0954	0.0191	0.0199	1,006.4904	

3.7 Paving - 2026Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.9152	8.5816	14.5780	0.0228	0.4185	0.4185	0.4185	0.3850	0.3850	0.3850	2,206.7452	2,206.7452	0.7137	0.7137	2,224.5878	
Paving	0.3691	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Total	1.2842	8.5816	14.5780	0.0228	0.4185	0.4185	0.4185	0.3850	0.3850	0.3850	2,206.7452	2,206.7452	0.7137	0.7137	2,224.5878	

Unmitigated Construction Off-Site

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	0.0395	0.0235	0.4322	1.3300e-003	0.1677	8.2000e-004	0.1685	0.0445	7.5000e-004	0.0452	140.2003	140.2003	2.6700e-003	2.7800e-003	141.0968		
Total	0.0395	0.0235	0.4322	1.3300e-003	0.1677	8.2000e-004	0.1685	0.0445	7.5000e-004	0.0452	140.2003	140.2003	2.6700e-003	2.7800e-003	141.0968		

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Off-Road	0.9152	8.5816	14.5780	0.0228		0.4185	0.4185		0.3850	0.3850	0.0000	2,206.7452	2,206.7452	0.7137		2,224.5878	
Paving	0.3691					0.0000	0.0000		0.0000	0.0000		0.0000	0.0000			0.0000	
Total	1.2842	8.5816	14.5780	0.0228		0.4185	0.4185		0.3850	0.3850	0.0000	2,206.7452	2,206.7452	0.7137		2,224.5878	

Mitigated Construction Off-Site

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0395	0.0235	0.4322	1.3300e-003	0.1677	8.2000e-004	0.1685	0.0445	7.5000e-004	0.0452	140.2003	140.2003	2.6700e-003	2.7800e-003	141.0968	
Total	0.0395	0.0235	0.4322	1.3300e-003	0.1677	8.2000e-004	0.1685	0.0445	7.5000e-004	0.0452	140.2003	140.2003	2.6700e-003	2.7800e-003	141.0968	

4.0 Operational Detail - Mobile**4.1 Mitigation Measures Mobile**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	9.7112	11.1748	110.9584	0.2694	30.3264	0.1843	30.5107	8.0817	0.1715	8.2532	28,356.711	28,356.711	1.5351	1.0496	28,707.867	
Unmitigated	9.7112	11.1748	110.9584	0.2694	30.3264	0.1843	30.5107	8.0817	0.1715	8.2532	28,356.711	28,356.711	1.5351	1.0496	28,707.867	

4.2 Trip Summary Information

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Land Use	Average Daily Trip Rate			Unmitigated		Mitigated	
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT	Annual VMT	Annual VMT
City Park	0.00	0.00	0.00				
High School	2,688.84	766.92	462.00	11,219,643		11,219,643	
Parking Lot	0.00	0.00	0.00				
Total	2,688.84	766.92	462.00	11,219,643		11,219,643	

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
City Park	16.60	8.40	6.90	33.00	48.00	19.00	0	0	0
High School	16.60	8.40	6.90	77.80	17.20	5.00	100	0	0
Parking Lot	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
City Park	0.540893	0.062748	0.186142	0.127785	0.023768	0.006610	0.012333	0.009205	0.000817	0.000491	0.024860	0.000754	0.003594
High School	0.540893	0.062748	0.186142	0.127785	0.023768	0.006610	0.012333	0.009205	0.000817	0.000491	0.024860	0.000754	0.003594
Parking Lot	0.540893	0.062748	0.186142	0.127785	0.023768	0.006610	0.012333	0.009205	0.000817	0.000491	0.024860	0.000754	0.003594

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Percent of Electricity Use Generated with Renewable Energy

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
NaturalGas Mitigated	0.0315	0.2861	0.2403	1.7200e-003		0.0217	0.0217		0.0217	0.0217		343.3390	343.3390	6.5800e-003	6.2900e-003	345.3793	
NaturalGas Unmitigated	0.0315	0.2861	0.2403	1.7200e-003		0.0217	0.0217		0.0217	0.0217		343.3390	343.3390	6.5800e-003	6.2900e-003	345.3793	

5.2 Energy by Land Use - NaturalGasUnmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Land Use	kBTU/yr	lb/day										lb/day						
City Park	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	
High School	2918.38	0.0315	0.2861	0.2403	1.7200e-003		0.0217	0.0217		0.0217	0.0217		343.3390	343.3390	6.5800e-003	6.2900e-003	345.3793	
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	
Total		0.0315	0.2861	0.2403	1.7200e-003		0.0217	0.0217		0.0217	0.0217		343.3390	343.3390	6.5800e-003	6.2900e-003	345.3793	

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	----------------	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Land Use	kBTU/yr	lb/day										lb/day					
City Park	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
High School	2.91838	0.0315	0.2861	0.2403	1.7200e-003		0.0217	0.0217		0.0217	0.0217		343.3390	343.3390	6.5800e-003	6.2900e-003	345.3793
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0315	0.2861	0.2403	1.7200e-003		0.0217	0.0217		0.0217	0.0217		343.3390	343.3390	6.5800e-003	6.2900e-003	345.3793

6.0 Area Detail**6.1 Mitigation Measures Area**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Mitigated	2.7263	1.0700e-003	0.1182	1.0000e-005		4.2000e-004	4.2000e-004		4.2000e-004	4.2000e-004	0.2540	0.2540	6.6000e-004			0.2705	
Unmitigated	2.7263	1.0700e-003	0.1182	1.0000e-005		4.2000e-004	4.2000e-004		4.2000e-004	4.2000e-004	0.2540	0.2540	6.6000e-004			0.2705	

6.2 Area by SubCategory**Unmitigated**

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
SubCategory	lb/day											lb/day					
Architectural Coating	0.1638						0.0000	0.0000		0.0000	0.0000			0.0000		0.0000	
Consumer Products	2.5515						0.0000	0.0000		0.0000	0.0000			0.0000		0.0000	
Landscaping	0.0109	1.0700e-003	0.1182	1.0000e-005		4.2000e-004	4.2000e-004		4.2000e-004	4.2000e-004		0.2540	0.2540	6.6000e-004		0.2705	
Total	2.7262	1.0700e-003	0.1182	1.0000e-005		4.2000e-004	4.2000e-004		4.2000e-004	4.2000e-004		0.2540	0.2540	6.6000e-004		0.2705	

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
SubCategory	lb/day											lb/day					
Architectural Coating	0.1638						0.0000	0.0000		0.0000	0.0000			0.0000		0.0000	
Consumer Products	2.5515						0.0000	0.0000		0.0000	0.0000			0.0000		0.0000	
Landscaping	0.0109	1.0700e-003	0.1182	1.0000e-005		4.2000e-004	4.2000e-004		4.2000e-004	4.2000e-004		0.2540	0.2540	6.6000e-004		0.2705	
Total	2.7262	1.0700e-003	0.1182	1.0000e-005		4.2000e-004	4.2000e-004		4.2000e-004	4.2000e-004		0.2540	0.2540	6.6000e-004		0.2705	

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**7.0 Water Detail**

7.1 Mitigation Measures Water**8.0 Waste Detail**

8.1 Mitigation Measures Waste**9.0 Operational Offroad**

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Woodcrest Christian School Improvements Proposed**

South Coast AQMD Air District, Winter

1.0 Project Characteristics**1.1 Land Usage**

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
High School	924.00	Student	2.81	122,578.74	0
Parking Lot	214.85	1000sqft	4.93	214,853.00	0
City Park	21.55	Acre	21.55	938,718.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	31
Climate Zone	10			Operational Year	2026
Utility Company					Riverside Public Utilities/City of Riverside
CO2 Intensity (lb/MWhr)	789.98	CH4 Intensity (lb/MWhr)	0.033	N2O Intensity (lb/MWhr)	0.004

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use - Existing site with additions and improvements.

Additional 280 Students, Parking lot
Construction Phase - Architectural Coatings will be happening during Building Construction

Grading - .

Architectural Coating - Assume All AC comply with Rule 1113

Vehicle Trips - Proposed Trip Generation is 2.91. Assume Divert and Pass-by are accounted for in the Trip Generation

Vehicle Emission Factors -

Vehicle Emission Factors -

Vehicle Emission Factors -

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Area Coating - Area Architectural Coatings would comply with Rule 1113

Energy Use -

Construction Off-road Equipment Mitigation - Dust Control Measures as required from SCAQMD Rule 403

Area Mitigation - .

Energy Mitigation - The project site generates 95 percent of their electricity with solar

Operational Off-Road Equipment - .

Fleet Mix - The proposed Trip Generation does not provide Fleet Mix/ Specific Vehicles used for this project.

Water And Wastewater - .

Solid Waste - .

Table Name	Column Name	Default Value	New Value
tblArchitecturalCoating	EF_Nonresidential_Exterior	100.00	50.00
tblArchitecturalCoating	EF_Nonresidential_Interior	100.00	50.00
tblArchitecturalCoating	EF_Parking	100.00	50.00
tblAreaCoating	Area_EF_Nonresidential_Exterior	100	50
tblAreaCoating	Area_EF_Nonresidential_Interior	100	50
tblAreaCoating	Area_EF_Parking	100	50
tblConstDustMitigation	WaterUnpavedRoadVehicleSpeed	0	15
tblConstructionPhase	NumDays	35.00	30.00
tblLandUse	LandUseSquareFeet	214,850.00	214,853.00
tblSolidWaste	SolidWasteGenerationRate	1.85	0.00
tblVehicleTrips	DV_TP	28.00	0.00
tblVehicleTrips	DV_TP	19.00	0.00
tblVehicleTrips	PB_TP	6.00	0.00
tblVehicleTrips	PB_TP	6.00	0.00
tblVehicleTrips	PR_TP	66.00	0.00
tblVehicleTrips	PR_TP	75.00	100.00
tblVehicleTrips	ST_TR	1.96	0.00

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

tblVehicleTrips	ST_TR	0.58	0.83
tblVehicleTrips	SU_TR	2.19	0.00
tblVehicleTrips	SU_TR	0.25	0.50
tblVehicleTrips	WD_TR	0.78	0.00
tblVehicleTrips	WD_TR	2.03	2.91
tblWater	OutdoorWaterUseRate	25,676,423.09	0.00

2.0 Emissions Summary**2.1 Overall Construction (Maximum Daily Emission)**Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2024	3.3799	32.4189	35.1228	0.1125	19.8582	1.3366	21.0886	10.1558	1.2297	11.2878	0.0000	11,551.618	11,551.618	1.9481	0.7066	11,783.673
2025	3.1684	21.4412	33.9467	0.1101	7.3295	0.6030	7.9325	1.9742	0.5673	2.5416	0.0000	11,357.938	11,357.938	0.8453	0.6888	11,584.318
2026	23.4813	22.6215	37.6375	0.1199	8.5255	0.6587	9.1842	2.2914	0.6227	2.9141	0.0000	12,397.516	12,397.516	0.8706	0.6932	12,625.841
Maximum	23.4813	32.4189	37.6375	0.1199	19.8582	1.3366	21.0886	10.1558	1.2297	11.2878	0.0000	12,397.516	12,397.516	1.9481	0.7066	12,625.841

Mitigated Construction

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Year	lb/day										lb/day						
2024	3.3799	32.4189	35.1228	0.1125	9.0469	1.3366	10.2773	4.5995	1.2297	5.7315	0.0000	11,551.618	11,551.618	1.9481	0.7066	11,783.673	
2025	3.1684	21.4412	33.9467	0.1101	7.3295	0.6030	7.9325	1.9742	0.5673	2.5416	0.0000	11,357.938	11,357.938	0.8453	0.6888	11,584.318	
2026	23.4813	22.6215	37.6375	0.1199	8.5255	0.6587	9.1842	2.2914	0.6227	2.9141	0.0000	12,397.516	12,397.516	0.8706	0.6932	12,625.841	
Maximum	23.4813	32.4189	37.6375	0.1199	9.0469	1.3366	10.2773	4.5995	1.2297	5.7315	0.0000	12,397.516	12,397.516	1.9481	0.7066	12,625.841	

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	30.27	0.00	28.30	38.53	0.00	33.19	0.00	0.00	0.00	0.00	0.00	0.00

2.2 Overall OperationalUnmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Area	2.7263	1.0700e-003	0.1182	1.0000e-005		4.2000e-004	4.2000e-004		4.2000e-004	4.2000e-004	0.2540	0.2540	6.6000e-004			0.2705	
Energy	0.0315	0.2861	0.2403	1.7200e-003		0.0217	0.0217		0.0217	0.0217	343.3390	343.3390	6.5800e-003	6.2900e-003		345.3793	
Mobile	9.4569	12.0019	106.0097	0.2569	30.3264	0.1844	30.5107	8.0817	0.1716	8.2532	27,035.194	27,035.194	1.5612	1.0878		27,396.386	
Total	12.2146	12.2891	106.3682	0.2586	30.3264	0.2065	30.5329	8.0817	0.1937	8.2754	27,378.787	27,378.787	1.5684	1.0941		27,744.035	

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Mitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	2.7263	1.0700e-003	0.1182	1.0000e-005		4.2000e-004	4.2000e-004		4.2000e-004	4.2000e-004		0.2540	0.2540	6.6000e-004		0.2705
Energy	0.0315	0.2861	0.2403	1.7200e-003		0.0217	0.0217		0.0217	0.0217		343.3390	343.3390	6.5800e-003	6.2900e-003	345.3793
Mobile	9.4569	12.0019	106.0097	0.2569	30.3264	0.1844	30.5107	8.0817	0.1716	8.2532		27,035.194	27,035.194	1.5612	1.0878	27,398.386
Total	12.2146	12.2891	106.3682	0.2586	30.3264	0.2065	30.5329	8.0817	0.1937	8.2754		27,378.787	27,378.787	1.5684	1.0941	27,744.035
											0	0				8

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail**Construction Phase**

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	4/1/2024	5/10/2024	5	30	
2	Site Preparation	Site Preparation	5/11/2024	6/7/2024	5	20	
3	Grading	Grading	6/8/2024	8/9/2024	5	45	
4	Building Construction	Building Construction	8/10/2024	4/17/2026	5	440	

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

5	Architectural Coating	Architectural Coating	3/9/2026	4/17/2026	5	30
6	Paving	Paving	4/18/2026	6/5/2026	5	35

Acres of Grading (Site Preparation Phase): 30**Acres of Grading (Grading Phase): 135****Acres of Paving: 4.93****Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 183,868; Non-Residential Outdoor: 61,289; Striped Parking Area: 12,891****OffRoad Equipment**

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Grading	Excavators	2	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Scrapers	2	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Architectural Coating	Air Compressors	1	6.00	78	0.48
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Paving	Rollers	2	8.00	80	0.38
--------	---------	---	------	----	------

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	7	18.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	8	20.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	536.00	209.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	107.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

3.2 Demolition - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	2.2437	20.8781	19.7073	0.0388		0.9602	0.9602		0.8922	0.8922	3,747.4228	3,747.4228	1.0485			3,773.6345
Total	2.2437	20.8781	19.7073	0.0388		0.9602	0.9602		0.8922	0.8922	3,747.4228	3,747.4228	1.0485			3,773.6345

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0474	0.0314	0.4456	1.3400e-003	0.1677	9.0000e-004	0.1686	0.0445	8.3000e-004	0.0453	138.5371	138.5371	3.3100e-003	3.3500e-003	139.6171	
Total	0.0474	0.0314	0.4456	1.3400e-003	0.1677	9.0000e-004	0.1686	0.0445	8.3000e-004	0.0453	138.5371	138.5371	3.3100e-003	3.3500e-003	139.6171	

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	2.2437	20.8781	19.7073	0.0388		0.9602	0.9602		0.8922	0.8922	0.0000	3,747.4228	3,747.4228	1.0485		3,773.6345
Total	2.2437	20.8781	19.7073	0.0388		0.9602	0.9602		0.8922	0.8922	0.0000	3,747.4228	3,747.4228	1.0485		3,773.6345

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0474	0.0314	0.4456	1.3400e-003	0.1677	9.0000e-004	0.1686	0.0445	8.3000e-004	0.0453	138.5371	138.5371	3.3100e-003	3.3500e-003	139.6171	
Total	0.0474	0.0314	0.4456	1.3400e-003	0.1677	9.0000e-004	0.1686	0.0445	8.3000e-004	0.0453	138.5371	138.5371	3.3100e-003	3.3500e-003	139.6171	

3.3 Site Preparation - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					19.6570	0.0000	19.6570	10.1025	0.0000	10.1025			0.0000			0.0000
Off-Road	2.6609	27.1760	18.3356	0.0381		1.2294	1.2294		1.1310	1.1310		3,688.0100	3,688.0100	1.1928		3,717.8294
Total	2.6609	27.1760	18.3356	0.0381	19.6570	1.2294	20.8864	10.1025	1.1310	11.2335		3,688.0100	3,688.0100	1.1928		3,717.8294

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0569	0.0377	0.5347	1.6100e-003	0.2012	1.0900e-003	0.2023	0.0534	1.0000e-003	0.0544	166.2445	166.2445	3.9700e-003	4.0200e-003	167.5405	
Total	0.0569	0.0377	0.5347	1.6100e-003	0.2012	1.0900e-003	0.2023	0.0534	1.0000e-003	0.0544	166.2445	166.2445	3.9700e-003	4.0200e-003	167.5405	

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.8457	0.0000	8.8457	4.5461	0.0000	4.5461	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	2.6609	27.1760	18.3356	0.0381		1.2294	1.2294		1.1310	1.1310	0.0000	3,688.0100	3,688.0100	1.1928		3,717.8294
Total	2.6609	27.1760	18.3356	0.0381	8.8457	1.2294	10.0750	4.5461	1.1310	5.6771	0.0000	3,688.0100	3,688.0100	1.1928		3,717.8294

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day											lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	0.0569	0.0377	0.5347	1.6100e-003	0.2012	1.0900e-003	0.2023	0.0534	1.0000e-003	0.0544	166.2445	166.2445	3.9700e-003	4.0200e-003	167.5405		
Total	0.0569	0.0377	0.5347	1.6100e-003	0.2012	1.0900e-003	0.2023	0.0534	1.0000e-003	0.0544	166.2445	166.2445	3.9700e-003	4.0200e-003	167.5405		

3.4 Grading - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					9.2036	0.0000	9.2036	3.6538	0.0000	3.6538	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	3.2181	32.3770	27.7228	0.0621		1.3354	1.3354		1.2286	1.2286	6,009.7487	6,009.7487	1.9437		6,058.3405	
Total	3.2181	32.3770	27.7228	0.0621	9.2036	1.3354	10.5390	3.6538	1.2286	4.8823	6,009.7487	6,009.7487	1.9437		6,058.3405	

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0632	0.0419	0.5942	1.7900e-003	0.2236	1.2100e-003	0.2248	0.0593	1.1100e-003	0.0604	184.7161	184.7161	4.4100e-003	4.4600e-003	186.1562	
Total	0.0632	0.0419	0.5942	1.7900e-003	0.2236	1.2100e-003	0.2248	0.0593	1.1100e-003	0.0604	184.7161	184.7161	4.4100e-003	4.4600e-003	186.1562	

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					4.1416	0.0000	4.1416	1.6442	0.0000	1.6442	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	3.2181	32.3770	27.7228	0.0621		1.3354	1.3354		1.2286	1.2286	0.0000	6,009.7487	6,009.7487	1.9437		6,058.3405
Total	3.2181	32.3770	27.7228	0.0621	4.1416	1.3354	5.4770	1.6442	1.2286	2.8728	0.0000	6,009.7487	6,009.7487	1.9437		6,058.3405

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day											lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	0.0632	0.0419	0.5942	1.7900e-003	0.2236	1.2100e-003	0.2248	0.0593	1.1100e-003	0.0604	184.7161	184.7161	4.4100e-003	4.4600e-003	186.1562		
Total	0.0632	0.0419	0.5942	1.7900e-003	0.2236	1.2100e-003	0.2248	0.0593	1.1100e-003	0.0604	184.7161	184.7161	4.4100e-003	4.4600e-003	186.1562		

3.5 Building Construction - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.4716	13.4438	16.1668	0.0270	0.6133	0.6133	0.6133	0.5769	0.5769	2,555.6989	2,555.6989	0.6044	0.6044	2,570.8077		
Total	1.4716	13.4438	16.1668	0.0270	0.6133	0.6133	0.6133	0.5769	0.5769	2,555.6989	2,555.6989	0.6044	0.6044	2,570.8077		

Unmitigated Construction Off-Site

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.2155	7.9993	3.0328	0.0375	1.3383	0.0445	1.3828	0.3853	0.0426	0.4279	4,045.5276	4,045.5276	0.1371	0.5870	4,223.8813	
Worker	1.6928	1.1228	15.9232	0.0480	5.9912	0.0323	6.0236	1.5889	0.0298	1.6187	4,950.3920	4,950.3920	0.1182	0.1196	4,988.9848	
Total	1.9083	9.1221	18.9560	0.0855	7.3295	0.0768	7.4063	1.9742	0.0723	2.0465	8,995.9196	8,995.9196	0.2553	0.7066	9,212.8661	

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.4716	13.4438	16.1668	0.0270	0.6133	0.6133	0.6133	0.5769	0.5769	0.0000	2,555.6989	2,555.6989	0.6044	0.6044	0.6044	2,570.8077
Total	1.4716	13.4438	16.1668	0.0270	0.6133	0.6133	0.6133	0.5769	0.5769	0.0000	2,555.6989	2,555.6989	0.6044	0.6044	0.6044	2,570.8077

Mitigated Construction Off-Site

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.2155	7.9993	3.0328	0.0375	1.3383	0.0445	1.3828	0.3853	0.0426	0.4279	4,045.5276	4,045.5276	0.1371	0.5870	4,223.8813	
Worker	1.6928	1.1228	15.9232	0.0480	5.9912	0.0323	6.0236	1.5889	0.0298	1.6187	4,950.3920	4,950.3920	0.1182	0.1196	4,988.9848	
Total	1.9083	9.1221	18.9560	0.0855	7.3295	0.0768	7.4063	1.9742	0.0723	2.0465	8,995.9196	8,995.9196	0.2553	0.7066	9,212.8661	

3.5 Building Construction - 2025Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963	2,556.4744	2,556.4744	0.6010			2,571.4981
Total	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963	2,556.4744	2,556.4744	0.6010			2,571.4981

Unmitigated Construction Off-Site

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.2104	7.9619	2.9874	0.0368	1.3383	0.0446	1.3829	0.3853	0.0427	0.4280	3,971.9010	3,971.9010	0.1375	0.5770	4,147.2708	
Worker	1.5907	1.0096	14.8747	0.0464	5.9912	0.0309	6.0221	1.5889	0.0284	1.6173	4,829.5631	4,829.5631	0.1069	0.1118	4,865.5493	
Total	1.8010	8.9715	17.8620	0.0832	7.3295	0.0755	7.4050	1.9742	0.0711	2.0453	8,801.4641	8,801.4641	0.2443	0.6888	9,012.8201	

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3674	12.4697	16.0847	0.0270	0.5276	0.5276	0.5276	0.4963	0.4963	0.4963	2,556.4744	2,556.4744	0.6010	0.6010	0.6010	2,571.4981
Total	1.3674	12.4697	16.0847	0.0270	0.5276	0.5276	0.5276	0.4963	0.4963	0.4963	2,556.4744	2,556.4744	0.6010	0.6010	0.6010	2,571.4981

Mitigated Construction Off-Site

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.2104	7.9619	2.9874	0.0368	1.3383	0.0446	1.3829	0.3853	0.0427	0.4280	3,971.9010	3,971.9010	0.1375	0.5770	4,147.2708	
Worker	1.5907	1.0096	14.8747	0.0464	5.9912	0.0309	6.0221	1.5889	0.0284	1.6173	4,829.5631	4,829.5631	0.1069	0.1118	4,865.5493	
Total	1.8010	8.9715	17.8620	0.0832	7.3295	0.0755	7.4050	1.9742	0.0711	2.0453	8,801.4641	8,801.4641	0.2443	0.6888	9,012.8201	

3.5 Building Construction - 2026Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963	2,556.4744	2,556.4744	0.6010			2,571.4981
Total	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963	2,556.4744	2,556.4744	0.6010			2,571.4981

Unmitigated Construction Off-Site

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.2058	7.9061	2.9511	0.0361	1.3383	0.0445	1.3828	0.3853	0.0426	0.4279	3,897.5063	3,897.5063	0.1377	0.5667	4,069.8219	
Worker	1.5030	0.9172	13.9982	0.0449	5.9912	0.0293	6.0205	1.5889	0.0270	1.6159	4,719.8741	4,719.8741	0.0972	0.1054	4,753.7193	
Total	1.7088	8.8233	16.9493	0.0810	7.3295	0.0738	7.4033	1.9742	0.0695	2.0437	8,617.3804	8,617.3804	0.2349	0.6721	8,823.5412	

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.3674	12.4697	16.0847	0.0270	0.5276	0.5276	0.5276	0.4963	0.4963	0.4963	2,556.4744	2,556.4744	0.6010	0.6010	0.6010	2,571.4981
Total	1.3674	12.4697	16.0847	0.0270	0.5276	0.5276	0.5276	0.4963	0.4963	0.4963	2,556.4744	2,556.4744	0.6010	0.6010	0.6010	2,571.4981

Mitigated Construction Off-Site

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.2058	7.9061	2.9511	0.0361	1.3383	0.0445	1.3828	0.3853	0.0426	0.4279	3,897.5063	3,897.5063	0.1377	0.5667	4,069.8219	
Worker	1.5030	0.9172	13.9982	0.0449	5.9912	0.0293	6.0205	1.5889	0.0270	1.6159	4,719.8741	4,719.8741	0.0972	0.1054	4,753.7193	
Total	1.7088	8.8233	16.9493	0.0810	7.3295	0.0738	7.4033	1.9742	0.0695	2.0437	8,617.3804	8,617.3804	0.2349	0.6721	8,823.5412	

3.6 Architectural Coating - 2026Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	19.9342						0.0000	0.0000		0.0000	0.0000		0.0000			0.0000
Off-Road	0.1709	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515	281.4481	281.4481	0.0154			281.8319
Total	20.1051	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515	281.4481	281.4481	0.0154			281.8319

Unmitigated Construction Off-Site

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.3000	0.1831	2.7944	8.9700e-003	1.1960	5.8500e-003	1.2019	0.3172	5.3800e-003	0.3226	942.2137	942.2137	0.0194	0.0210	948.9701	
Total	0.3000	0.1831	2.7944	8.9700e-003	1.1960	5.8500e-003	1.2019	0.3172	5.3800e-003	0.3226	942.2137	942.2137	0.0194	0.0210	948.9701	

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	19.9342						0.0000	0.0000		0.0000	0.0000		0.0000			0.0000
Off-Road	0.1709	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515	0.0000	281.4481	281.4481	0.0154		281.8319
Total	20.1051	1.1455	1.8091	2.9700e-003		0.0515	0.0515		0.0515	0.0515	0.0000	281.4481	281.4481	0.0154		281.8319

Mitigated Construction Off-Site

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	0.3000	0.1831	2.7944	8.9700e-003	1.1960	5.8500e-003	1.2019	0.3172	5.3800e-003	0.3226	942.2137	942.2137	0.0194	0.0210	948.9701		
Total	0.3000	0.1831	2.7944	8.9700e-003	1.1960	5.8500e-003	1.2019	0.3172	5.3800e-003	0.3226	942.2137	942.2137	0.0194	0.0210	948.9701		

3.7 Paving - 2026Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Off-Road	0.9152	8.5816	14.5780	0.0228		0.4185	0.4185		0.3850	0.3850	2,206.7452	2,206.7452	0.7137			2,224.5878	
Paving	0.3691					0.0000	0.0000		0.0000	0.0000		0.0000				0.0000	
Total	1.2842	8.5816	14.5780	0.0228		0.4185	0.4185		0.3850	0.3850		2,206.7452	2,206.7452	0.7137		2,224.5878	

Unmitigated Construction Off-Site

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0421	0.0257	0.3917	1.2600e-003	0.1677	8.2000e-004	0.1685	0.0445	7.5000e-004	0.0452	132.0860	132.0860	2.7200e-003	2.9500e-003	133.0332	
Total	0.0421	0.0257	0.3917	1.2600e-003	0.1677	8.2000e-004	0.1685	0.0445	7.5000e-004	0.0452	132.0860	132.0860	2.7200e-003	2.9500e-003	133.0332	

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.9152	8.5816	14.5780	0.0228		0.4185	0.4185		0.3850	0.3850	0.0000	2,206.7452	2,206.7452	0.7137		2,224.5878
Paving	0.3691					0.0000	0.0000		0.0000	0.0000		0.0000	0.0000			0.0000
Total	1.2842	8.5816	14.5780	0.0228		0.4185	0.4185		0.3850	0.3850	0.0000	2,206.7452	2,206.7452	0.7137		2,224.5878

Mitigated Construction Off-Site

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0421	0.0257	0.3917	1.2600e-003	0.1677	8.2000e-004	0.1685	0.0445	7.5000e-004	0.0452	132.0860	132.0860	2.7200e-003	2.9500e-003	133.0332	
Total	0.0421	0.0257	0.3917	1.2600e-003	0.1677	8.2000e-004	0.1685	0.0445	7.5000e-004	0.0452	132.0860	132.0860	2.7200e-003	2.9500e-003	133.0332	

4.0 Operational Detail - Mobile**4.1 Mitigation Measures Mobile**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	9.4569	12.0019	106.0097	0.2569	30.3264	0.1844	30.5107	8.0817	0.1716	8.2532	27,035.194	27,035.194	1.5612	1.0878	27,398.386	
Unmitigated	9.4569	12.0019	106.0097	0.2569	30.3264	0.1844	30.5107	8.0817	0.1716	8.2532	27,035.194	27,035.194	1.5612	1.0878	27,398.386	0

4.2 Trip Summary Information

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Land Use	Average Daily Trip Rate			Unmitigated		Mitigated	
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT	Annual VMT	Annual VMT
City Park	0.00	0.00	0.00				
High School	2,688.84	766.92	462.00	11,219,643		11,219,643	
Parking Lot	0.00	0.00	0.00				
Total	2,688.84	766.92	462.00	11,219,643		11,219,643	

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
City Park	16.60	8.40	6.90	33.00	48.00	19.00	0	0	0
High School	16.60	8.40	6.90	77.80	17.20	5.00	100	0	0
Parking Lot	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
City Park	0.540893	0.062748	0.186142	0.127785	0.023768	0.006610	0.012333	0.009205	0.000817	0.000491	0.024860	0.000754	0.003594
High School	0.540893	0.062748	0.186142	0.127785	0.023768	0.006610	0.012333	0.009205	0.000817	0.000491	0.024860	0.000754	0.003594
Parking Lot	0.540893	0.062748	0.186142	0.127785	0.023768	0.006610	0.012333	0.009205	0.000817	0.000491	0.024860	0.000754	0.003594

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Percent of Electricity Use Generated with Renewable Energy

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
NaturalGas Mitigated	0.0315	0.2861	0.2403	1.7200e-003		0.0217	0.0217		0.0217	0.0217		343.3390	343.3390	6.5800e-003	6.2900e-003	345.3793	
NaturalGas Unmitigated	0.0315	0.2861	0.2403	1.7200e-003		0.0217	0.0217		0.0217	0.0217		343.3390	343.3390	6.5800e-003	6.2900e-003	345.3793	

5.2 Energy by Land Use - NaturalGasUnmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Land Use	kBTU/yr	lb/day										lb/day						
City Park	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	
High School	2918.38	0.0315	0.2861	0.2403	1.7200e-003		0.0217	0.0217		0.0217	0.0217		343.3390	343.3390	6.5800e-003	6.2900e-003	345.3793	
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	
Total		0.0315	0.2861	0.2403	1.7200e-003		0.0217	0.0217		0.0217	0.0217		343.3390	343.3390	6.5800e-003	6.2900e-003	345.3793	

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	----------------	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

Land Use	kBTU/yr	lb/day										lb/day					
City Park	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
High School	2.91838	0.0315	0.2861	0.2403	1.7200e-003		0.0217	0.0217		0.0217	0.0217		343.3390	343.3390	6.5800e-003	6.2900e-003	345.3793
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0315	0.2861	0.2403	1.7200e-003		0.0217	0.0217		0.0217	0.0217		343.3390	343.3390	6.5800e-003	6.2900e-003	345.3793

6.0 Area Detail**6.1 Mitigation Measures Area**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Mitigated	2.7263	1.0700e-003	0.1182	1.0000e-005		4.2000e-004	4.2000e-004		4.2000e-004	4.2000e-004	0.2540	0.2540	6.6000e-004			0.2705	
Unmitigated	2.7263	1.0700e-003	0.1182	1.0000e-005		4.2000e-004	4.2000e-004		4.2000e-004	4.2000e-004	0.2540	0.2540	6.6000e-004			0.2705	

6.2 Area by SubCategory**Unmitigated**

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
SubCategory	lb/day											lb/day					
Architectural Coating	0.1638						0.0000	0.0000		0.0000	0.0000			0.0000		0.0000	
Consumer Products	2.5515						0.0000	0.0000		0.0000	0.0000			0.0000		0.0000	
Landscaping	0.0109	1.0700e-003	0.1182	1.0000e-005			4.2000e-004	4.2000e-004		4.2000e-004	4.2000e-004		0.2540	0.2540	6.6000e-004	0.2705	
Total	2.7262	1.0700e-003	0.1182	1.0000e-005			4.2000e-004	4.2000e-004		4.2000e-004	4.2000e-004		0.2540	0.2540	6.6000e-004	0.2705	

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
SubCategory	lb/day											lb/day					
Architectural Coating	0.1638						0.0000	0.0000		0.0000	0.0000			0.0000		0.0000	
Consumer Products	2.5515						0.0000	0.0000		0.0000	0.0000			0.0000		0.0000	
Landscaping	0.0109	1.0700e-003	0.1182	1.0000e-005			4.2000e-004	4.2000e-004		4.2000e-004	4.2000e-004		0.2540	0.2540	6.6000e-004	0.2705	
Total	2.7262	1.0700e-003	0.1182	1.0000e-005			4.2000e-004	4.2000e-004		4.2000e-004	4.2000e-004		0.2540	0.2540	6.6000e-004	0.2705	

Woodcrest Christian School Improvements Proposed - South Coast AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Applied**7.0 Water Detail**

7.1 Mitigation Measures Water**8.0 Waste Detail**

8.1 Mitigation Measures Waste**9.0 Operational Offroad**

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation
