## RESOLUTION NO.

A RESOLUTION OF THE CITY COUNCIL OF THE CITY OF RIVERSIDE, CALIFORNIA, AMENDING RESOLUTION 20295 TO REVISE TABLE 1 TO REMOVE CHLORIDE, SODIUM, SULFATE AND THEIR CORRESPONDING LIMITS; REDUCE THE MAXIMUM SILVER CONCENTRATION LIMIT; AND REMOVE FOOTNOTE 1.

WHEREAS, the National Pollutant Discharge Elimination System ("NPDES") Permit issued to the City of Riverside ("City") requires that the City adopt an ordinance regulating the discharge of industrial wastes; and

WHEREAS, the City adopted Ordinance No. 6232 on July 11, 1995, amending Chapter 14.12 of the Riverside Municipal Code to provide the necessary regulations for the discharge of industrial waste into the public sewage and storm water systems of the City; and

WHEREAS, the City subsequently adopted Resolution No. 20295 establishing the maximum concentration levels of industrial wastewater and conventional pollutants and applicable surcharge rates in accordance with Chapter 14.12 of the Riverside Municipal Code; and

WHEREAS, the City adopted Resolution No. 21185 to change the maximum concentration level of arsenic from 1.8 mg/L to 0.18 mg/L; and

WHEREAS, the City adopted Resolution No. 23286 to change the maximum concentration level of total dissolved solids to 1210 mg/L; and

WHEREAS, it is necessary to periodically reevaluate the maximum allowable concentration levels of conventional pollutants and industrial wastewater pollutants and to make adjustments in those levels; and

WHEREAS, the City hired Lee + Ro, Inc. ("Consultant") to conduct a Local Limit Study and Consultant recommended that the current local limits for chloride, sodium, and sulfate be removed; and

WHEREAS, the Consultant recommended that the City maintain its current limit of 0.8 mg/L for silver and eliminate the 5.0 mg/L limit.

NOW, THEREFORE, BE IT RESOLVED by the City Council of the City of Riverside, California, as follows:

Section 1:	Resolution 20295 is hereby amended to amend and restate Table I of Resolution
20295 as follows:	

TABLE I

INDICTRIAL	WASTEWATER	POLLUTANT LIMITATIONS	7
	. <b>**</b> / <b>*</b>   <b>*</b>		7

7	INDUSTRIAL WASTEWATER TOLLUTANT LIMITA		
5	Pollutant	Concentration (mg/L)	
6	Arsenic	0.18	
7	Boron	5.2	
8	COD	8,000	
9	Cadmium	.15	
10	Chromium	0.68	
11	Copper	3.0	
12	Cyanide	0.17	
13	Fluoride	12	
14	Lead	1.2	
15	Manganese	1.0	
16	Mercury	.001	
17	Nickel	2.3	
18	Oil & Grease	250	
19	Phenol	(-)	
20	Silver	.8	
21	Total Dissolved Solids	1210	
22	Total Hardness	2500	
23	Total Nitrogen	500	
24	TSS	2000	
25	Total Toxic Organics	(-)	
26	Zinc	6.7	
27		'D 1.' N 20207 1.'	

<u>Section 2</u>: All other provisions of Resolution No. 20295 and its amendments that are not inconsistent with this resolution shall remain in effect.

1	ADOPTED by the City Council this day of, 2025.				
2					
3	DATEDICIA I OCIV DANICON				
4	PATRICIA LOCK DAWSON Mayor of the City of Riverside				
5	Attest:				
6					
7	DONESIA GAUSE City Clork of the City of Biyorside				
8	City Clerk of the City of Riverside				
9	I, Donesia Gause, City Clerk of the City of Riverside, California, hereby certify that the				
10	foregoing resolution was duly and regularly adopted at a meeting of the City Council of said City at				
11	its meeting held on the day of, 2025, by the following vote, to wit:				
12	Ayes:				
13	Noes:				
14	Absent:				
15	Abstain:				
16	IN WITNESS WHIEDEOE I have because set my hard and officed the official seel of the				
17	IN WITNESS WHEREOF, I have hereunto set my hand and affixed the official seal of the				
18	City of Riverside, California, this day of, 2025.				
19					
20	DONESIA GAUSE				
21	City Clerk of the City of Riverside				
22					
23					
24					
25					
26					
27					
28	\\Rc-citylaw\cycom\\WPDOCS\\D030\\P041\\00905314.DOCX 24-2153 \text{ RMS } 01/06/25				