



**SOURCEWELL CONTRACT  
#080521-CFC**

**BBBQ54430-02**

6165 W. Detroit St.  
Chandler, AZ 85226  
(602) 276-0406 (800) 528-8242  
FAX: (480) 940-0313

**Date Quoted** 11/10/2022  
**Expiration Date** 1/10/2023

<b>Quote To:</b>	<b>Account Code:</b> 918331	<b>Ship To:</b>	<b>Account Code:</b> 918331
------------------	-----------------------------	-----------------	-----------------------------

**CITY OF RIVERSIDE CA ACCTS PAYABLE**  
**PJ GLORIA**  
3900 MAIN STREET  
RIVERSIDE, CA 92522  
US

CITY OF RIVERSIDE CA ACCTS PAYABLE  
3900 MAIN STREET  
RIVERSIDE, CA 92522  
US

**Phone:** 951-232-7176

**Fax:**

PJ GLORIA

**Email:** PGLORIA@RIVERSIDECA.GOV

951-232-7176

PGLORIA@RIVERSIDECA.GOV

**Project Title:**

**Start Date:**

**Ship Via:** Truck/Common Carrier

**Effective Dates:** 11/10/2022 TO 1/10/2023

**Sales Group:** SRC- SOURCEWELL

**Terms:** NET 30

**Quoted By:** Omar Rodriguez

**F.O.B.:** PPD-ADD FREIGHT

**Sales Office:** WR4- Omar Rodriguez

**Estimated Time to Ship After Receipt of Order:** Quoted at time of order

<b>Customer:</b>	<b>CITY OF RIVERSIDE CA ACCTS PAYABLE</b>	<b>Quote Number</b>	BBBQ54430-02
<b>Project Title:</b>		<b>Date</b>	11-10-22

**SALES TAX EXEMPT CERTIFICATE MUST BE PROVIDED AT THE TIME OF ORDER OR SALES TAX WILL BE ADDED TO YOUR ORDER**

Part #	Description	Unit	Qty.	Contract Price	Ext. Price
44100-SRC	SUPERSHOT 250 DIESEL	EA	1	\$67,050.0000	\$67,050.0000
20014-SRC	3" PINTLE HITCH	EA	1	\$114.2400	\$114.2400
24074-SRC	SIX PIN ROUND CONNECTOR	EA	1	\$60.0000	\$60.0000
20120-SRC	18" HITCH EXTENSION	EA	1	\$524.0000	\$524.0000
24095KCL1-SRC	STROBE LIGHT KIT, CLASS 1/T13	EA	1	\$348.0000	\$348.0000
24190K-SRC	OVERNIGHT HEATER 110V W/ US PLUG	EA	2	\$288.0000	\$576.0000
26060-SRC	20# FIRE EXT. W/COVER (MUST ORDER 26061 TO MOUNT)	EA	1	\$260.0000	\$260.0000
26061-SRC	MOUNTING BRACKET FOR 20# FIRE EXT.	EA	1	\$76.8000	\$76.8000
26119-SRC	3/8" SAFETY HOOK W/ LATCH (2 REQUIRED)	EA	2	\$58.0000	\$116.0000
43416-SRC	GRAVITY FEED KIT	EA	1	\$240.0000	\$240.0000
43549-SRC	SPARE TIRE KIT (SINGLE AXLE)	EA	1	\$476.0000	\$476.0000
45599-SRC	ENGINE COVER/TIER 2-INSULATED	EA	1	\$1,700.0000	\$1,700.0000

<b>Customer:</b>	<b>CITY OF RIVERSIDE CA ACCTS PAYABLE</b>	Quote Number	BBBQ54430-02
<b>Project Title:</b>		Date	11-10-22

**SALES TAX EXEMPT CERTIFICATE MUST BE PROVIDED AT THE TIME OF ORDER OR SALES TAX WILL BE ADDED TO YOUR ORDER**

Part #	Description	Unit	Qty.	Contract Price	Ext. Price
--------	-------------	------	------	----------------	------------

<b>Sales Tax</b>	\$6,259.85
<b>Shipping</b>	\$650.00
<b>Contract Total</b>	\$78,450.88

**COMMENTS:**

FOB Chandler, AZ  
 ARO 90 Days  
 Free training and 2 year warranty provided upon delivery  
 For questions contact Omar Rodriguez at 909-320-1531 or Omar.Rodriguez@crafco.om

**NOTE:**

**WARNING:**

Products on this quote may be labeled in accordance with California Proposition 65. California purchasers refer to <http://crafco.com/resources/Prop-65.xlsx>

For Terms and Conditions of purchases go to: <https://crafco.com/Terms-of-Sale.pdf>

Quantities may be limited at CrafcO's discretion.

Pricing and availability are subject to change without notice.

Pricing does not include applicable taxes. Tax exemption forms must be on file prior to invoicing. Unpaid sales tax will be reported to State and Local tax authorities. Extension is net after terms.

**FOB DEFINITIONS:**

PPA- Delivered; freight included.

PPD- Delivered; freight separate.

**Pavement Preservation Products Restocking Policy**

**RETURN POLICY**

Crafco will only accept the return of products that have been authorized in writing in advance, and proof of purchase is required. Not all purchases are returnable. This is a Return Policy for non-warranty claims. Refer to the product data sheet for information about warranty and claims for warranty reimbursement.

All returns are subject to restocking fees.

All products returned must be in the original packaging and be in good and salable condition.

Crafco reserves the right to charge repackaging fees in addition to restocking fees.

The customer is responsible for all shipping costs of returned products.

Request information on the acceptability for returns for any specific product when ordering.

**Nonreturnable Products**

Not all products are returnable. Products that have a shelf life or are considered made to order, or special order may not be returned. No used parts may be returned and any part or product that is non-standard or obsolete is not returnable.

Product	Return Status
Athletic Surfacing Products, Cure & Commercial Liquids, Equipment, Geocomposites, Paint, Sealcoat, and Silicone	Non-Returnable

**Restocking Fees**

All returnable products have a restocking fee if returned.

Product	Restocking Fee
Parts	15% of part purchase price
All Other Products	25% of product purchase price

**How to Return an Item**

1. To obtain authorization contact your customer service representative.
2. A written authorization will be faxed or emailed to you.
3. A copy of the Return Authorization must accompany the material being returned.



## Engineered Performance Features

**QUICK & EASY STARTUP**  
With the flip of a toggle switch the Super Shot will be ready to operate in less than an hour. Start up is at the end of the day, is just as easy.



**Automatic Agitator Shut-Off & Splash Proof Lid**  
Shut off agitator when the lid is closed into the lid, hose, wand, pump, burner, & electrical controls.

**Interlocked Operator Control System**  
Controls operate the entire unit and prevent operator error. Integrated control box houses all the burner, & electrical controls.

**Optional Compressor**  
Compressor runs air lance that is used to clean dirt & debris from cracks, increasing crack sealing efficiency.

**Optional Engine Cover**  
Protects engine from the elements, vandalism, & theft.

**Efficient Burner**  
Burner is positioned safely within the frame providing ground clearance. Time saving electric overnight available.

**Low Profile**  
Low center of gravity provides easy loading, jet less noise & clear ground clearance for safe towing over the most conditions.


**HEATED HOSE**  
The low voltage electric heated hose heats material to application temperature for 15 to 20 minutes. The hose is the last working radius in the industry, a 360° swivel, protective sleeve, & a repairable hose & wand.



## Engineered Performance Options

Crafcro offers many Engineered Performance Options to increase the production of the Super Shot units allows you to specify options in your time frame, from the initial placement of the order all the way through production. Most Super Shot units have been engineered to meet the needs of the contractor, these options will increase production while increasing safety and security.

Engine covers and battery boxes protect the engine from the elements, increase safety and decreases operator fatigue. The overnight heater is an on the job must if you want to reduce start up time. The light bar is for added safety to the machine. No other machine comes as complete or as diversified.



- Engine cover
- Arrow Board Kit
- Engine w/ Gauges
- 50 or 70 CFM Compressor
- Custom Paint
- Hitch, Selection
- Electric Plug Selection
- Call Brake Control
- Break-away Battery w/Charger
- Locking Battery Box
- Night Light Heater
- Fire Extinguisher - 10 or 20 lb.
- Tool Box
- Safety Hooks
- Spare Tire Kit
- Strobe Light

## Engineered Tools Sealing Tips and Material Handling Tools

**Super Shot Drip Stopper**  
Use with Crafcro Super Shot sealing tip. Stops sealant drip once right angle is achieved.  
PNF 27114  
PNF 27115  
PNF 27116  
PNF 27117  
PNF 27118  
PNF 27119  
PNF 27120  
PNF 27121  
PNF 27122  
PNF 27123  
PNF 27124  
PNF 27125  
PNF 27126  
PNF 27127  
PNF 27128  
PNF 27129  
PNF 27130  
PNF 27131  
PNF 27132  
PNF 27133  
PNF 27134  
PNF 27135  
PNF 27136  
PNF 27137  
PNF 27138  
PNF 27139  
PNF 27140  
PNF 27141  
PNF 27142  
PNF 27143  
PNF 27144  
PNF 27145  
PNF 27146  
PNF 27147  
PNF 27148  
PNF 27149  
PNF 27150  
PNF 27151  
PNF 27152  
PNF 27153  
PNF 27154  
PNF 27155  
PNF 27156  
PNF 27157  
PNF 27158  
PNF 27159  
PNF 27160  
PNF 27161  
PNF 27162  
PNF 27163  
PNF 27164  
PNF 27165  
PNF 27166  
PNF 27167  
PNF 27168  
PNF 27169  
PNF 27170  
PNF 27171  
PNF 27172  
PNF 27173  
PNF 27174  
PNF 27175  
PNF 27176  
PNF 27177  
PNF 27178  
PNF 27179  
PNF 27180  
PNF 27181  
PNF 27182  
PNF 27183  
PNF 27184  
PNF 27185  
PNF 27186  
PNF 27187  
PNF 27188  
PNF 27189  
PNF 27190  
PNF 27191  
PNF 27192  
PNF 27193  
PNF 27194  
PNF 27195  
PNF 27196  
PNF 27197  
PNF 27198  
PNF 27199  
PNF 27200  
PNF 27201  
PNF 27202  
PNF 27203  
PNF 27204  
PNF 27205  
PNF 27206  
PNF 27207  
PNF 27208  
PNF 27209  
PNF 27210  
PNF 27211  
PNF 27212  
PNF 27213  
PNF 27214  
PNF 27215  
PNF 27216  
PNF 27217  
PNF 27218  
PNF 27219  
PNF 27220  
PNF 27221  
PNF 27222  
PNF 27223  
PNF 27224  
PNF 27225  
PNF 27226  
PNF 27227  
PNF 27228  
PNF 27229  
PNF 27230  
PNF 27231  
PNF 27232  
PNF 27233  
PNF 27234  
PNF 27235  
PNF 27236  
PNF 27237  
PNF 27238  
PNF 27239  
PNF 27240  
PNF 27241  
PNF 27242  
PNF 27243  
PNF 27244  
PNF 27245  
PNF 27246  
PNF 27247  
PNF 27248  
PNF 27249  
PNF 27250  
PNF 27251  
PNF 27252  
PNF 27253  
PNF 27254  
PNF 27255  
PNF 27256  
PNF 27257  
PNF 27258  
PNF 27259  
PNF 27260  
PNF 27261  
PNF 27262  
PNF 27263  
PNF 27264  
PNF 27265  
PNF 27266  
PNF 27267  
PNF 27268  
PNF 27269  
PNF 27270  
PNF 27271  
PNF 27272  
PNF 27273  
PNF 27274  
PNF 27275  
PNF 27276  
PNF 27277  
PNF 27278  
PNF 27279  
PNF 27280  
PNF 27281  
PNF 27282  
PNF 27283  
PNF 27284  
PNF 27285  
PNF 27286  
PNF 27287  
PNF 27288  
PNF 27289  
PNF 27290  
PNF 27291  
PNF 27292  
PNF 27293  
PNF 27294  
PNF 27295  
PNF 27296  
PNF 27297  
PNF 27298  
PNF 27299  
PNF 27300

**Crafcro Heavy Duty Squeegee w/ Aluminum Handle**  
PNF 27199  
Use for leveling crack sealant. The sealant over band is recommended.  
Crafcro Replacement Blade  
PNF 27195 4" x 18" x 3/8"  
Crafcro Heavy Duty Compact Squeegee w/ Aluminum Handle  
PNF 27245  
Crafcro Heavy Duty Compact Squeegee w/ Wooden Handle  
PNF 27246W  
Use for leveling crack sealant and where a sealant over band is recommended.  
Crafcro Replacement Blade  
PNF 27241 2 1/2" x 17" x 3/8"  
Crafcro Pour Pot with Wheels  
PNF 40200  
Use for leveling crack sealant to a crack or joint. Wheelled for ease of use. Gravity feed with shut off lever.  
Crafcro Hand Held Pour Pot  
PNF 40201  
For application of thin crack sealant to a joint or crack. Gravity feed with shut off lever.  
Crafcro Datasack is an economical, multi-purpose sealant task when sprayed onto freshly applied hot pour sealant.

**CRAFCRO**  
PAVEMENT REPAIR PRODUCTS  
6165 W. Detroit St., Chandler, AZ 85226 • Phone: (602) 278-9008 • Fax: (480) 984-9516  
crafcro.com  
800.528.2422

# Super Shot Melter/Applifiers

## Crafcro Engineered System

**CRAFCRO** INC  
PAVEMENT  
Delivering Confidence Through Innovation. Quality and Value Since 1976

