

Hydrology Report

for

TR 38921

Located in the City of Riverside

County of Riverside

APN: 136-220-016

Prepared For:



Warmington

R E S I D E N T I A L

3090 Pullman Street

Costa Mesa, CA 92626

Prepared by:

adkan
ENGINEERS

6879 Airport Drive

Riverside, CA 92504

Tel (951) 688-0241

Fax (951) 688-0599

Job No. 10574

February 26, 2024

Table of Contents

1. Purpose.....	1
2. Project Description	1
A. Vicinity Map.....	1
3. Pre-Development Hydrology	1
4. Post-Development Hydrology	1
5. Method of Analysis.....	2
6. Conclusion	2
Pre-Development Unit Hydrograph	3
Post-Development Unit Hydrograph	4
Riverside County Plates	5


1. Purpose

The purpose of this study is to substantiate the hydrology design of Tract 38921 for the purposes of Entitlement Approval. Adkan Engineers has prepared this study to ensure that adequate size and proper operation of drainage facilities are incorporated into the Post-Development project site.

2. Project Description

Tract 38921 is located in the City of Riverside at the northeast corner of Victoria Avenue and La Sierra Avenue. The planned development will consist of 49 single family residential lots and 2 open space lots on 7.9+/- acres. The site will treat the 2 year 24 hour storm event through the use of an infiltration basin with an additional gravel layer beneath it. Since site flows are tributary to the Arizona Channel, all other storm events (5, 10 & 100 year) are not required to be analyzed.

A. Vicinity Map



3. Pre-Development Hydrology

The site is currently a functioning orange grove and there are no existing storm drain facilities on site. Onsite runoff sheet flows to the south west corner of Millsweet Place and Victoria Ave to an existing drop inlet structure that feeds site flows to City SD tributary to the Arizona Channel.

4. Post-Development Hydrology

Onsite flows are being directed towards the north east corner via a series of gutters throughout the project site. Surface flows in these proposed gutters will be captured via drop inlets and conveyed via an onsite storm drain

system to an infiltration basin located in the north east corner of the site. The infiltration basin will have an additional gravel layer beneath to mitigate the 2 year 24 hour storm flows.

Basin Storage Volume Calculations	
Infiltration Basin Bottom Area (sf)	3674
Basin Top Area (sf)	4899
Depth of Basin (ft)	2.5
Open Basin Volume Provided (cf)	10716
Rock Storage depth (ft)	4.6
Rock Storage Volume (40% void) (cf)	6755
Total Flood Volume Stored	17472
Ex. 2-yr 24-hr Storm Volume (cf)	8233
Prop. 2-yr 24-hr Storm Volume (cf)	26528
Allowable 2-yr 24-hr Storm Volume (mitigated to 110% of existing) (cf)	9056
Prop. 2-yr 24-hr Storm Volume (cf)	26528
Total Flood Volume Stored	17472
Remaining Storm Volume	9056

5. Method of Analysis

The site hydrology was based upon Riverside County Flood Control and Water Conservation District Hydrology Manual, from which pertinent soil and rainfall information was obtained.

Storm flows were determined by the "RATIONAL METHOD HYDROLOGY COMPUTER PROGRAM", Riverside County Flood Control & Water Conservation District 1978 Hydrology Manual, produced by Bondamin Engineering.

The site was also analyzed by the "SYNTHETIC UNIT HYDROLOGY METHOD COMPUTER PROGRAM", Riverside County Flood Control & Water Conservation District 1978 Hydrology Manual, produced by Bondamin Engineering.

6. Conclusion

The hydrologic calculations provided herein substantiate the design of the Post-Development project and indicate the following:

- The Post-Development facilities demonstrate the ability to limit flow discharge from the project site to no greater than 110% of the pre-development 2-year peak flow.



Since site flows are tributary to the Arizona Channel, no other storm events need to be mitigated/analyzed.

Therefore, it is our conclusion this project **does not** negatively impact the local community or watershed goals.

Section 1

Pre-Development Unit Hydrograph

THOMAS BROS. MAP PG 744 GRID G-3



Unit Hydrograph Analysis

Copyright (C) CIVILCADD/CIVILDESIGN, 1989 - 2008, Version 8.1
Study date 02/22/24 File: EX2YR242.out

Riverside County Synthetic Unit Hydrology Method
RCFC & WCD Manual date - April 1978

Program License Serial Number 5006

English (in-lb) Input Units Used
English Rainfall Data (Inches) Input Values Used
English Units used in output format

Drainage Area = 7.00(Ac.) = 0.011 Sq. Mi.
Drainage Area for Depth-Area Areal Adjustment = 7.00(Ac.) = 0.011 Sq. Mi.
Length along longest watercourse = 596.00(Ft.)
Length along longest watercourse measured to centroid = 300.00(Ft.)
Length along longest watercourse = 0.113 Mi.
Length along longest watercourse measured to centroid = 0.057 Mi.
Difference in elevation = 26.00(Ft.)
Slope along watercourse = 230.3356 Ft./Mi.
Average Manning's 'N' = 0.030
Lag time = 0.038 Hr.
Lag time = 2.26 Min.
25% of lag time = 0.56 Min.
40% of lag time = 0.90 Min.
Unit time = 5.00 Min.
Duration of storm = 24 Hour(s)
User Entered Base Flow = 0.00(CFS)

2 YEAR Area rainfall data:

Area(Ac.)[1]	Rainfall(In)[2]	Weighting[1*2]
7.00	1.80	12.60

100 YEAR Area rainfall data:

Area(Ac.)[1]	Rainfall(In)[2]	Weighting[1*2]
7.00	6.00	42.00

STORM EVENT (YEAR) = 2.00
Area Averaged 2-Year Rainfall = 1.800(In)
Area Averaged 100-Year Rainfall = 6.000(In)

Point rain (area averaged) = 1.800(In)
Areal adjustment factor = 100.00 %
Adjusted average point rain = 1.800(In)

Sub-Area Data:
Area(Ac.) Runoff Index Impervious %
7.000 72.00 0.100
Total Area Entered = 7.00(Ac.)

RI	RI	Infil. Rate	Impervious	Adj. Infil. Rate	Area%	F
AMC2	AMC-1	(In/Hr)	(Dec.%)	(In/Hr)	(Dec.)	(In/Hr)
72.0	53.4	0.537	0.100	0.489	1.000	0.489
					Sum (F) =	0.489

Area averaged mean soil loss (F) (In/Hr) = 0.489
Minimum soil loss rate ((In/Hr)) = 0.244
(for 24 hour storm duration)
Soil loss rate (decimal) = 0.820

Unit Hydrograph VALLEY S-Curve

Unit Hydrograph Data

Unit time period (hrs)	Time % of lag	Distribution Graph %	Unit Hydrograph (CFS)
---------------------------	---------------	-------------------------	--------------------------

1	0.083	221.634	46.905	3.309
2	0.167	443.269	41.886	2.955
3	0.250	664.903	7.981	0.563
4	0.333	886.537	3.228	0.228
Sum = 100.000			Sum=	7.055

The following loss rate calculations reflect use of the minimum calculated loss rate subtracted from the Storm Rain to produce the maximum Effective Rain value

Unit	Time (Hr.)	Pattern Percent	Storm Rain (In/Hr)	Loss rate(In./Hr)		Effective (In/Hr)
				Max	Low	
1	0.08	0.07	0.014	(0.867)	0.012	0.003
2	0.17	0.07	0.014	(0.863)	0.012	0.003
3	0.25	0.07	0.014	(0.860)	0.012	0.003
4	0.33	0.10	0.022	(0.857)	0.018	0.004
5	0.42	0.10	0.022	(0.853)	0.018	0.004
6	0.50	0.10	0.022	(0.850)	0.018	0.004
7	0.58	0.10	0.022	(0.847)	0.018	0.004
8	0.67	0.10	0.022	(0.843)	0.018	0.004
9	0.75	0.10	0.022	(0.840)	0.018	0.004
10	0.83	0.13	0.029	(0.837)	0.024	0.005
11	0.92	0.13	0.029	(0.834)	0.024	0.005
12	1.00	0.13	0.029	(0.830)	0.024	0.005
13	1.08	0.10	0.022	(0.827)	0.018	0.004
14	1.17	0.10	0.022	(0.824)	0.018	0.004
15	1.25	0.10	0.022	(0.820)	0.018	0.004
16	1.33	0.10	0.022	(0.817)	0.018	0.004
17	1.42	0.10	0.022	(0.814)	0.018	0.004
18	1.50	0.10	0.022	(0.811)	0.018	0.004
19	1.58	0.10	0.022	(0.807)	0.018	0.004
20	1.67	0.10	0.022	(0.804)	0.018	0.004
21	1.75	0.10	0.022	(0.801)	0.018	0.004
22	1.83	0.13	0.029	(0.798)	0.024	0.005
23	1.92	0.13	0.029	(0.795)	0.024	0.005
24	2.00	0.13	0.029	(0.791)	0.024	0.005
25	2.08	0.13	0.029	(0.788)	0.024	0.005
26	2.17	0.13	0.029	(0.785)	0.024	0.005
27	2.25	0.13	0.029	(0.782)	0.024	0.005
28	2.33	0.13	0.029	(0.779)	0.024	0.005
29	2.42	0.13	0.029	(0.775)	0.024	0.005
30	2.50	0.13	0.029	(0.772)	0.024	0.005
31	2.58	0.17	0.036	(0.769)	0.030	0.006
32	2.67	0.17	0.036	(0.766)	0.030	0.006
33	2.75	0.17	0.036	(0.763)	0.030	0.006
34	2.83	0.17	0.036	(0.760)	0.030	0.006
35	2.92	0.17	0.036	(0.756)	0.030	0.006
36	3.00	0.17	0.036	(0.753)	0.030	0.006
37	3.08	0.17	0.036	(0.750)	0.030	0.006
38	3.17	0.17	0.036	(0.747)	0.030	0.006
39	3.25	0.17	0.036	(0.744)	0.030	0.006
40	3.33	0.17	0.036	(0.741)	0.030	0.006
41	3.42	0.17	0.036	(0.738)	0.030	0.006
42	3.50	0.17	0.036	(0.735)	0.030	0.006
43	3.58	0.17	0.036	(0.732)	0.030	0.006
44	3.67	0.17	0.036	(0.729)	0.030	0.006
45	3.75	0.17	0.036	(0.726)	0.030	0.006
46	3.83	0.20	0.043	(0.722)	0.035	0.008
47	3.92	0.20	0.043	(0.719)	0.035	0.008
48	4.00	0.20	0.043	(0.716)	0.035	0.008
49	4.08	0.20	0.043	(0.713)	0.035	0.008
50	4.17	0.20	0.043	(0.710)	0.035	0.008
51	4.25	0.20	0.043	(0.707)	0.035	0.008
52	4.33	0.23	0.050	(0.704)	0.041	0.009
53	4.42	0.23	0.050	(0.701)	0.041	0.009
54	4.50	0.23	0.050	(0.698)	0.041	0.009
55	4.58	0.23	0.050	(0.695)	0.041	0.009
56	4.67	0.23	0.050	(0.692)	0.041	0.009
57	4.75	0.23	0.050	(0.689)	0.041	0.009
58	4.83	0.27	0.058	(0.686)	0.047	0.010
59	4.92	0.27	0.058	(0.683)	0.047	0.010
60	5.00	0.27	0.058	(0.680)	0.047	0.010
61	5.08	0.20	0.043	(0.677)	0.035	0.008
62	5.17	0.20	0.043	(0.674)	0.035	0.008
63	5.25	0.20	0.043	(0.672)	0.035	0.008
64	5.33	0.23	0.050	(0.669)	0.041	0.009
65	5.42	0.23	0.050	(0.666)	0.041	0.009
66	5.50	0.23	0.050	(0.663)	0.041	0.009
67	5.58	0.27	0.058	(0.660)	0.047	0.010
68	5.67	0.27	0.058	(0.657)	0.047	0.010
69	5.75	0.27	0.058	(0.654)	0.047	0.010
70	5.83	0.27	0.058	(0.651)	0.047	0.010
71	5.92	0.27	0.058	(0.648)	0.047	0.010
72	6.00	0.27	0.058	(0.645)	0.047	0.010

73	6.08	0.30	0.065	(0.643)	0.053	0.012
74	6.17	0.30	0.065	(0.640)	0.053	0.012
75	6.25	0.30	0.065	(0.637)	0.053	0.012
76	6.33	0.30	0.065	(0.634)	0.053	0.012
77	6.42	0.30	0.065	(0.631)	0.053	0.012
78	6.50	0.30	0.065	(0.628)	0.053	0.012
79	6.58	0.33	0.072	(0.626)	0.059	0.013
80	6.67	0.33	0.072	(0.623)	0.059	0.013
81	6.75	0.33	0.072	(0.620)	0.059	0.013
82	6.83	0.33	0.072	(0.617)	0.059	0.013
83	6.92	0.33	0.072	(0.614)	0.059	0.013
84	7.00	0.33	0.072	(0.612)	0.059	0.013
85	7.08	0.33	0.072	(0.609)	0.059	0.013
86	7.17	0.33	0.072	(0.606)	0.059	0.013
87	7.25	0.33	0.072	(0.603)	0.059	0.013
88	7.33	0.37	0.079	(0.600)	0.065	0.014
89	7.42	0.37	0.079	(0.598)	0.065	0.014
90	7.50	0.37	0.079	(0.595)	0.065	0.014
91	7.58	0.40	0.086	(0.592)	0.071	0.016
92	7.67	0.40	0.086	(0.589)	0.071	0.016
93	7.75	0.40	0.086	(0.587)	0.071	0.016
94	7.83	0.43	0.094	(0.584)	0.077	0.017
95	7.92	0.43	0.094	(0.581)	0.077	0.017
96	8.00	0.43	0.094	(0.579)	0.077	0.017
97	8.08	0.50	0.108	(0.576)	0.089	0.019
98	8.17	0.50	0.108	(0.573)	0.089	0.019
99	8.25	0.50	0.108	(0.571)	0.089	0.019
100	8.33	0.50	0.108	(0.568)	0.089	0.019
101	8.42	0.50	0.108	(0.565)	0.089	0.019
102	8.50	0.50	0.108	(0.563)	0.089	0.019
103	8.58	0.53	0.115	(0.560)	0.094	0.021
104	8.67	0.53	0.115	(0.557)	0.094	0.021
105	8.75	0.53	0.115	(0.555)	0.094	0.021
106	8.83	0.57	0.122	(0.552)	0.100	0.022
107	8.92	0.57	0.122	(0.550)	0.100	0.022
108	9.00	0.57	0.122	(0.547)	0.100	0.022
109	9.08	0.63	0.137	(0.544)	0.112	0.025
110	9.17	0.63	0.137	(0.542)	0.112	0.025
111	9.25	0.63	0.137	(0.539)	0.112	0.025
112	9.33	0.67	0.144	(0.537)	0.118	0.026
113	9.42	0.67	0.144	(0.534)	0.118	0.026
114	9.50	0.67	0.144	(0.531)	0.118	0.026
115	9.58	0.70	0.151	(0.529)	0.124	0.027
116	9.67	0.70	0.151	(0.526)	0.124	0.027
117	9.75	0.70	0.151	(0.524)	0.124	0.027
118	9.83	0.73	0.158	(0.521)	0.130	0.029
119	9.92	0.73	0.158	(0.519)	0.130	0.029
120	10.00	0.73	0.158	(0.516)	0.130	0.029
121	10.08	0.50	0.108	(0.514)	0.089	0.019
122	10.17	0.50	0.108	(0.511)	0.089	0.019
123	10.25	0.50	0.108	(0.509)	0.089	0.019
124	10.33	0.50	0.108	(0.506)	0.089	0.019
125	10.42	0.50	0.108	(0.504)	0.089	0.019
126	10.50	0.50	0.108	(0.501)	0.089	0.019
127	10.58	0.67	0.144	(0.499)	0.118	0.026
128	10.67	0.67	0.144	(0.497)	0.118	0.026
129	10.75	0.67	0.144	(0.494)	0.118	0.026
130	10.83	0.67	0.144	(0.492)	0.118	0.026
131	10.92	0.67	0.144	(0.489)	0.118	0.026
132	11.00	0.67	0.144	(0.487)	0.118	0.026
133	11.08	0.63	0.137	(0.485)	0.112	0.025
134	11.17	0.63	0.137	(0.482)	0.112	0.025
135	11.25	0.63	0.137	(0.480)	0.112	0.025
136	11.33	0.63	0.137	(0.477)	0.112	0.025
137	11.42	0.63	0.137	(0.475)	0.112	0.025
138	11.50	0.63	0.137	(0.473)	0.112	0.025
139	11.58	0.57	0.122	(0.470)	0.100	0.022
140	11.67	0.57	0.122	(0.468)	0.100	0.022
141	11.75	0.57	0.122	(0.466)	0.100	0.022
142	11.83	0.60	0.130	(0.463)	0.106	0.023
143	11.92	0.60	0.130	(0.461)	0.106	0.023
144	12.00	0.60	0.130	(0.459)	0.106	0.023
145	12.08	0.83	0.180	(0.456)	0.148	0.032
146	12.17	0.83	0.180	(0.454)	0.148	0.032
147	12.25	0.83	0.180	(0.452)	0.148	0.032
148	12.33	0.87	0.187	(0.450)	0.154	0.034
149	12.42	0.87	0.187	(0.447)	0.154	0.034
150	12.50	0.87	0.187	(0.445)	0.154	0.034
151	12.58	0.93	0.202	(0.443)	0.165	0.036
152	12.67	0.93	0.202	(0.441)	0.165	0.036
153	12.75	0.93	0.202	(0.438)	0.165	0.036
154	12.83	0.97	0.209	(0.436)	0.171	0.038
155	12.92	0.97	0.209	(0.434)	0.171	0.038
156	13.00	0.97	0.209	(0.432)	0.171	0.038
157	13.08	1.13	0.245	(0.430)	0.201	0.044
158	13.17	1.13	0.245	(0.427)	0.201	0.044

159	13.25	1.13	0.245	(0.425)	0.201	0.044
160	13.33	1.13	0.245	(0.423)	0.201	0.044
161	13.42	1.13	0.245	(0.421)	0.201	0.044
162	13.50	1.13	0.245	(0.419)	0.201	0.044
163	13.58	0.77	0.166	(0.417)	0.136	0.030
164	13.67	0.77	0.166	(0.415)	0.136	0.030
165	13.75	0.77	0.166	(0.412)	0.136	0.030
166	13.83	0.77	0.166	(0.410)	0.136	0.030
167	13.92	0.77	0.166	(0.408)	0.136	0.030
168	14.00	0.77	0.166	(0.406)	0.136	0.030
169	14.08	0.90	0.194	(0.404)	0.159	0.035
170	14.17	0.90	0.194	(0.402)	0.159	0.035
171	14.25	0.90	0.194	(0.400)	0.159	0.035
172	14.33	0.87	0.187	(0.398)	0.154	0.034
173	14.42	0.87	0.187	(0.396)	0.154	0.034
174	14.50	0.87	0.187	(0.394)	0.154	0.034
175	14.58	0.87	0.187	(0.392)	0.154	0.034
176	14.67	0.87	0.187	(0.390)	0.154	0.034
177	14.75	0.87	0.187	(0.388)	0.154	0.034
178	14.83	0.83	0.180	(0.386)	0.148	0.032
179	14.92	0.83	0.180	(0.384)	0.148	0.032
180	15.00	0.83	0.180	(0.382)	0.148	0.032
181	15.08	0.80	0.173	(0.380)	0.142	0.031
182	15.17	0.80	0.173	(0.378)	0.142	0.031
183	15.25	0.80	0.173	(0.376)	0.142	0.031
184	15.33	0.77	0.166	(0.374)	0.136	0.030
185	15.42	0.77	0.166	(0.372)	0.136	0.030
186	15.50	0.77	0.166	(0.370)	0.136	0.030
187	15.58	0.63	0.137	(0.368)	0.112	0.025
188	15.67	0.63	0.137	(0.367)	0.112	0.025
189	15.75	0.63	0.137	(0.365)	0.112	0.025
190	15.83	0.63	0.137	(0.363)	0.112	0.025
191	15.92	0.63	0.137	(0.361)	0.112	0.025
192	16.00	0.63	0.137	(0.359)	0.112	0.025
193	16.08	0.13	0.029	(0.357)	0.024	0.005
194	16.17	0.13	0.029	(0.355)	0.024	0.005
195	16.25	0.13	0.029	(0.354)	0.024	0.005
196	16.33	0.13	0.029	(0.352)	0.024	0.005
197	16.42	0.13	0.029	(0.350)	0.024	0.005
198	16.50	0.13	0.029	(0.348)	0.024	0.005
199	16.58	0.10	0.022	(0.346)	0.018	0.004
200	16.67	0.10	0.022	(0.345)	0.018	0.004
201	16.75	0.10	0.022	(0.343)	0.018	0.004
202	16.83	0.10	0.022	(0.341)	0.018	0.004
203	16.92	0.10	0.022	(0.339)	0.018	0.004
204	17.00	0.10	0.022	(0.338)	0.018	0.004
205	17.08	0.17	0.036	(0.336)	0.030	0.006
206	17.17	0.17	0.036	(0.334)	0.030	0.006
207	17.25	0.17	0.036	(0.333)	0.030	0.006
208	17.33	0.17	0.036	(0.331)	0.030	0.006
209	17.42	0.17	0.036	(0.329)	0.030	0.006
210	17.50	0.17	0.036	(0.328)	0.030	0.006
211	17.58	0.17	0.036	(0.326)	0.030	0.006
212	17.67	0.17	0.036	(0.324)	0.030	0.006
213	17.75	0.17	0.036	(0.323)	0.030	0.006
214	17.83	0.13	0.029	(0.321)	0.024	0.005
215	17.92	0.13	0.029	(0.320)	0.024	0.005
216	18.00	0.13	0.029	(0.318)	0.024	0.005
217	18.08	0.13	0.029	(0.316)	0.024	0.005
218	18.17	0.13	0.029	(0.315)	0.024	0.005
219	18.25	0.13	0.029	(0.313)	0.024	0.005
220	18.33	0.13	0.029	(0.312)	0.024	0.005
221	18.42	0.13	0.029	(0.310)	0.024	0.005
222	18.50	0.13	0.029	(0.309)	0.024	0.005
223	18.58	0.10	0.022	(0.307)	0.018	0.004
224	18.67	0.10	0.022	(0.306)	0.018	0.004
225	18.75	0.10	0.022	(0.304)	0.018	0.004
226	18.83	0.07	0.014	(0.303)	0.012	0.003
227	18.92	0.07	0.014	(0.301)	0.012	0.003
228	19.00	0.07	0.014	(0.300)	0.012	0.003
229	19.08	0.10	0.022	(0.299)	0.018	0.004
230	19.17	0.10	0.022	(0.297)	0.018	0.004
231	19.25	0.10	0.022	(0.296)	0.018	0.004
232	19.33	0.13	0.029	(0.294)	0.024	0.005
233	19.42	0.13	0.029	(0.293)	0.024	0.005
234	19.50	0.13	0.029	(0.292)	0.024	0.005
235	19.58	0.10	0.022	(0.290)	0.018	0.004
236	19.67	0.10	0.022	(0.289)	0.018	0.004
237	19.75	0.10	0.022	(0.288)	0.018	0.004
238	19.83	0.07	0.014	(0.286)	0.012	0.003
239	19.92	0.07	0.014	(0.285)	0.012	0.003
240	20.00	0.07	0.014	(0.284)	0.012	0.003
241	20.08	0.10	0.022	(0.283)	0.018	0.004
242	20.17	0.10	0.022	(0.281)	0.018	0.004
243	20.25	0.10	0.022	(0.280)	0.018	0.004
244	20.33	0.10	0.022	(0.279)	0.018	0.004

245	20.42	0.10	0.022	(0.278)	0.018	0.004
246	20.50	0.10	0.022	(0.277)	0.018	0.004
247	20.58	0.10	0.022	(0.275)	0.018	0.004
248	20.67	0.10	0.022	(0.274)	0.018	0.004
249	20.75	0.10	0.022	(0.273)	0.018	0.004
250	20.83	0.07	0.014	(0.272)	0.012	0.003
251	20.92	0.07	0.014	(0.271)	0.012	0.003
252	21.00	0.07	0.014	(0.270)	0.012	0.003
253	21.08	0.10	0.022	(0.269)	0.018	0.004
254	21.17	0.10	0.022	(0.268)	0.018	0.004
255	21.25	0.10	0.022	(0.267)	0.018	0.004
256	21.33	0.07	0.014	(0.266)	0.012	0.003
257	21.42	0.07	0.014	(0.265)	0.012	0.003
258	21.50	0.07	0.014	(0.264)	0.012	0.003
259	21.58	0.10	0.022	(0.263)	0.018	0.004
260	21.67	0.10	0.022	(0.262)	0.018	0.004
261	21.75	0.10	0.022	(0.261)	0.018	0.004
262	21.83	0.07	0.014	(0.260)	0.012	0.003
263	21.92	0.07	0.014	(0.259)	0.012	0.003
264	22.00	0.07	0.014	(0.258)	0.012	0.003
265	22.08	0.10	0.022	(0.257)	0.018	0.004
266	22.17	0.10	0.022	(0.256)	0.018	0.004
267	22.25	0.10	0.022	(0.256)	0.018	0.004
268	22.33	0.07	0.014	(0.255)	0.012	0.003
269	22.42	0.07	0.014	(0.254)	0.012	0.003
270	22.50	0.07	0.014	(0.253)	0.012	0.003
271	22.58	0.07	0.014	(0.253)	0.012	0.003
272	22.67	0.07	0.014	(0.252)	0.012	0.003
273	22.75	0.07	0.014	(0.251)	0.012	0.003
274	22.83	0.07	0.014	(0.251)	0.012	0.003
275	22.92	0.07	0.014	(0.250)	0.012	0.003
276	23.00	0.07	0.014	(0.249)	0.012	0.003
277	23.08	0.07	0.014	(0.249)	0.012	0.003
278	23.17	0.07	0.014	(0.248)	0.012	0.003
279	23.25	0.07	0.014	(0.248)	0.012	0.003
280	23.33	0.07	0.014	(0.247)	0.012	0.003
281	23.42	0.07	0.014	(0.247)	0.012	0.003
282	23.50	0.07	0.014	(0.246)	0.012	0.003
283	23.58	0.07	0.014	(0.246)	0.012	0.003
284	23.67	0.07	0.014	(0.245)	0.012	0.003
285	23.75	0.07	0.014	(0.245)	0.012	0.003
286	23.83	0.07	0.014	(0.245)	0.012	0.003
287	23.92	0.07	0.014	(0.245)	0.012	0.003
288	24.00	0.07	0.014	(0.245)	0.012	0.003

(Loss Rate Not Used)

Sum =	100.0		Sum =	3.9
Flood volume =	Effective rainfall	0.32(In)		
times area	7.0(Ac.)/[(In)/(Ft.)]	=	0.2(Ac.Ft)	
Total soil loss =	1.48(In)			
Total soil loss =	0.861(Ac.Ft)			
Total rainfall =	1.80(In)			
Flood volume =	8232.7 Cubic Feet			
Total soil loss =	37504.6 Cubic Feet			

Peak flow rate of this hydrograph = 0.311(CFS)

24 - H O U R S T O R M
R u n o f f H y d r o g r a p h

Hydrograph in 5 Minute intervals ((CFS))

Time(h+m)	Volume Ac.Ft	Q(CFS)	0	2.5	5.0	7.5	10.0
0+ 5	0.0001	0.01	Q				
0+10	0.0002	0.02	Q				
0+15	0.0003	0.02	Q				
0+20	0.0004	0.02	Q				
0+25	0.0006	0.03	Q				
0+30	0.0008	0.03	Q				
0+35	0.0010	0.03	Q				
0+40	0.0012	0.03	Q				
0+45	0.0014	0.03	Q				
0+50	0.0016	0.03	Q				
0+55	0.0018	0.04	Q				
1+ 0	0.0021	0.04	Q				
1+ 5	0.0023	0.03	Q				
1+10	0.0025	0.03	Q				
1+15	0.0027	0.03	Q				
1+20	0.0029	0.03	Q				
1+25	0.0031	0.03	Q				
1+30	0.0033	0.03	Q				
1+35	0.0035	0.03	Q				
1+40	0.0037	0.03	Q				
1+45	0.0038	0.03	Q				

1+50	0.0041	0.03	Q				
1+55	0.0043	0.04	Q				
2+ 0	0.0046	0.04	Q				
2+ 5	0.0048	0.04	QV				
2+10	0.0051	0.04	QV				
2+15	0.0053	0.04	QV				
2+20	0.0056	0.04	QV				
2+25	0.0058	0.04	QV				
2+30	0.0061	0.04	QV				
2+35	0.0063	0.04	QV				
2+40	0.0067	0.04	QV				
2+45	0.0070	0.05	QV				
2+50	0.0073	0.05	QV				
2+55	0.0076	0.05	QV				
3+ 0	0.0079	0.05	QV				
3+ 5	0.0082	0.05	QV				
3+10	0.0085	0.05	QV				
3+15	0.0089	0.05	QV				
3+20	0.0092	0.05	QV				
3+25	0.0095	0.05	Q V				
3+30	0.0098	0.05	Q V				
3+35	0.0101	0.05	Q V				
3+40	0.0104	0.05	Q V				
3+45	0.0107	0.05	Q V				
3+50	0.0111	0.05	Q V				
3+55	0.0115	0.05	Q V				
4+ 0	0.0118	0.05	Q V				
4+ 5	0.0122	0.05	Q V				
4+10	0.0126	0.05	Q V				
4+15	0.0130	0.05	Q V				
4+20	0.0134	0.06	Q V				
4+25	0.0138	0.06	Q V				
4+30	0.0143	0.06	Q V				
4+35	0.0147	0.06	Q V				
4+40	0.0151	0.06	Q V				
4+45	0.0156	0.06	Q V				
4+50	0.0160	0.07	Q V				
4+55	0.0165	0.07	Q V				
5+ 0	0.0170	0.07	Q V				
5+ 5	0.0175	0.06	Q V				
5+10	0.0179	0.06	Q V				
5+15	0.0183	0.06	Q V				
5+20	0.0187	0.06	Q V				
5+25	0.0191	0.06	Q V				
5+30	0.0195	0.06	Q V				
5+35	0.0200	0.07	Q V				
5+40	0.0205	0.07	Q V				
5+45	0.0210	0.07	Q V				
5+50	0.0215	0.07	Q V				
5+55	0.0220	0.07	Q V				
6+ 0	0.0225	0.07	Q V				
6+ 5	0.0231	0.08	Q V				
6+10	0.0236	0.08	Q V				
6+15	0.0242	0.08	Q V				
6+20	0.0248	0.08	Q V				
6+25	0.0253	0.08	Q V				
6+30	0.0259	0.08	Q V				
6+35	0.0265	0.09	Q V				
6+40	0.0271	0.09	Q V				
6+45	0.0277	0.09	Q V				
6+50	0.0284	0.09	Q V				
6+55	0.0290	0.09	Q V				
7+ 0	0.0296	0.09	Q V				
7+ 5	0.0303	0.09	Q V				
7+10	0.0309	0.09	Q V				
7+15	0.0315	0.09	Q V				
7+20	0.0322	0.10	Q V				
7+25	0.0329	0.10	Q V				
7+30	0.0336	0.10	Q V				
7+35	0.0343	0.10	Q V				
7+40	0.0350	0.11	Q V				
7+45	0.0358	0.11	Q V				
7+50	0.0366	0.11	Q V				
7+55	0.0374	0.12	Q V				
8+ 0	0.0382	0.12	Q V				
8+ 5	0.0391	0.13	Q V				
8+10	0.0400	0.14	Q V				
8+15	0.0409	0.14	Q V				
8+20	0.0419	0.14	Q V				
8+25	0.0428	0.14	Q V				
8+30	0.0438	0.14	Q V				
8+35	0.0448	0.14	Q V				
8+40	0.0458	0.15	Q V				
8+45	0.0468	0.15	Q V				
8+50	0.0478	0.15	Q V				
8+55	0.0489	0.15	Q V				

9+ 0	0.0499	0.16	Q	V			
9+ 5	0.0511	0.16	Q	V			
9+10	0.0522	0.17	Q	V			
9+15	0.0534	0.17	Q	V			
9+20	0.0547	0.18	Q	V			
9+25	0.0559	0.18	Q	V			
9+30	0.0572	0.18	Q	V			
9+35	0.0585	0.19	Q	V			
9+40	0.0598	0.19	Q	V			
9+45	0.0611	0.19	Q	V			
9+50	0.0625	0.20	Q	V			
9+55	0.0638	0.20	Q	V			
10+ 0	0.0652	0.20	Q	V			
10+ 5	0.0664	0.17	Q	V			
10+10	0.0674	0.14	Q	V			
10+15	0.0683	0.14	Q	V			
10+20	0.0693	0.14	Q	V			
10+25	0.0702	0.14	Q	V			
10+30	0.0712	0.14	Q	V			
10+35	0.0723	0.16	Q	V			
10+40	0.0735	0.18	Q	V			
10+45	0.0747	0.18	Q	V			
10+50	0.0760	0.18	Q	V			
10+55	0.0773	0.18	Q	V			
11+ 0	0.0785	0.18	Q	V			
11+ 5	0.0798	0.18	Q	V			
11+10	0.0810	0.17	Q	V			
11+15	0.0822	0.17	Q	V			
11+20	0.0834	0.17	Q	V			
11+25	0.0846	0.17	Q	V			
11+30	0.0858	0.17	Q	V			
11+35	0.0869	0.17	Q	V			
11+40	0.0880	0.16	Q	V			
11+45	0.0891	0.16	Q	V			
11+50	0.0902	0.16	Q	V			
11+55	0.0913	0.16	Q	V			
12+ 0	0.0924	0.16	Q	V			
12+ 5	0.0938	0.19	Q	V			
12+10	0.0953	0.22	Q	V			
12+15	0.0968	0.23	Q	V			
12+20	0.0984	0.23	Q	V			
12+25	0.1001	0.24	Q	V			
12+30	0.1017	0.24	Q	V			
12+35	0.1034	0.25	Q	V			
12+40	0.1052	0.25	Q	V			
12+45	0.1069	0.26	Q	V			
12+50	0.1087	0.26	Q	V			
12+55	0.1105	0.26	Q	V			
13+ 0	0.1124	0.26	Q	V			
13+ 5	0.1143	0.29	Q	V			
13+10	0.1164	0.31	Q	V			
13+15	0.1186	0.31	Q	V			
13+20	0.1207	0.31	Q	V			
13+25	0.1229	0.31	Q	V			
13+30	0.1250	0.31	Q	V			
13+35	0.1268	0.26	Q	V			
13+40	0.1283	0.22	Q	V			
13+45	0.1298	0.21	Q	V			
13+50	0.1313	0.21	Q	V			
13+55	0.1327	0.21	Q	V			
14+ 0	0.1342	0.21	Q	V			
14+ 5	0.1357	0.23	Q	V			
14+10	0.1374	0.24	Q	V			
14+15	0.1391	0.25	Q	V			
14+20	0.1408	0.24	Q	V			
14+25	0.1424	0.24	Q	V			
14+30	0.1440	0.24	Q	V			
14+35	0.1457	0.24	Q	V			
14+40	0.1473	0.24	Q	V			
14+45	0.1490	0.24	Q	V			
14+50	0.1506	0.23	Q	V			
14+55	0.1521	0.23	Q	V			
15+ 0	0.1537	0.23	Q	V			
15+ 5	0.1553	0.22	Q	V			
15+10	0.1568	0.22	Q	V			
15+15	0.1583	0.22	Q	V			
15+20	0.1598	0.22	Q	V			
15+25	0.1612	0.21	Q	V			
15+30	0.1627	0.21	Q	V			
15+35	0.1640	0.19	Q	V			
15+40	0.1652	0.18	Q	V			
15+45	0.1665	0.17	Q	V			
15+50	0.1677	0.17	Q	V			
15+55	0.1688	0.17	Q	V			
16+ 0	0.1700	0.17	Q	V			
16+ 5	0.1708	0.11	Q	V			

16+10	0.1712	0.05	Q				V
16+15	0.1714	0.04	Q				V
16+20	0.1717	0.04	Q				V
16+25	0.1719	0.04	Q				V
16+30	0.1722	0.04	Q				V
16+35	0.1724	0.03	Q				V
16+40	0.1726	0.03	Q				V
16+45	0.1728	0.03	Q				V
16+50	0.1730	0.03	Q				V
16+55	0.1732	0.03	Q				V
17+ 0	0.1734	0.03	Q				V
17+ 5	0.1736	0.04	Q				V
17+10	0.1739	0.04	Q				V
17+15	0.1742	0.05	Q				V
17+20	0.1745	0.05	Q				V
17+25	0.1749	0.05	Q				V
17+30	0.1752	0.05	Q				V
17+35	0.1755	0.05	Q				V
17+40	0.1758	0.05	Q				V
17+45	0.1761	0.05	Q				V
17+50	0.1764	0.04	Q				V
17+55	0.1767	0.04	Q				V
18+ 0	0.1769	0.04	Q				V
18+ 5	0.1772	0.04	Q				V
18+10	0.1774	0.04	Q				V
18+15	0.1777	0.04	Q				V
18+20	0.1779	0.04	Q				V
18+25	0.1782	0.04	Q				V
18+30	0.1784	0.04	Q				V
18+35	0.1787	0.03	Q				V
18+40	0.1789	0.03	Q				V
18+45	0.1790	0.03	Q				V
18+50	0.1792	0.02	Q				V
18+55	0.1793	0.02	Q				V
19+ 0	0.1795	0.02	Q				V
19+ 5	0.1796	0.02	Q				V
19+10	0.1798	0.03	Q				V
19+15	0.1800	0.03	Q				V
19+20	0.1802	0.03	Q				V
19+25	0.1805	0.04	Q				V
19+30	0.1807	0.04	Q				V
19+35	0.1809	0.03	Q				V
19+40	0.1811	0.03	Q				V
19+45	0.1813	0.03	Q				V
19+50	0.1815	0.02	Q				V
19+55	0.1816	0.02	Q				V
20+ 0	0.1817	0.02	Q				V
20+ 5	0.1819	0.02	Q				V
20+10	0.1821	0.03	Q				V
20+15	0.1823	0.03	Q				V
20+20	0.1824	0.03	Q				V
20+25	0.1826	0.03	Q				V
20+30	0.1828	0.03	Q				V
20+35	0.1830	0.03	Q				V
20+40	0.1832	0.03	Q				V
20+45	0.1834	0.03	Q				V
20+50	0.1835	0.02	Q				V
20+55	0.1837	0.02	Q				V
21+ 0	0.1838	0.02	Q				V
21+ 5	0.1840	0.02	Q				V
21+10	0.1841	0.03	Q				V
21+15	0.1843	0.03	Q				V
21+20	0.1845	0.02	Q				V
21+25	0.1846	0.02	Q				V
21+30	0.1848	0.02	Q				V
21+35	0.1849	0.02	Q				V
21+40	0.1851	0.03	Q				V
21+45	0.1853	0.03	Q				V
21+50	0.1854	0.02	Q				V
21+55	0.1856	0.02	Q				V
22+ 0	0.1857	0.02	Q				V
22+ 5	0.1859	0.02	Q				V
22+10	0.1860	0.03	Q				V
22+15	0.1862	0.03	Q				V
22+20	0.1864	0.02	Q				V
22+25	0.1865	0.02	Q				V
22+30	0.1866	0.02	Q				V
22+35	0.1868	0.02	Q				V
22+40	0.1869	0.02	Q				V
22+45	0.1870	0.02	Q				V
22+50	0.1871	0.02	Q				V
22+55	0.1873	0.02	Q				V
23+ 0	0.1874	0.02	Q				V
23+ 5	0.1875	0.02	Q				V
23+10	0.1877	0.02	Q				V
23+15	0.1878	0.02	Q				V



23+20	0.1879	0.02	Q				V
23+25	0.1880	0.02	Q				V
23+30	0.1882	0.02	Q				V
23+35	0.1883	0.02	Q				V
23+40	0.1884	0.02	Q				V
23+45	0.1885	0.02	Q				V
23+50	0.1887	0.02	Q				V
23+55	0.1888	0.02	Q				V
24+ 0	0.1889	0.02	Q				V
24+ 5	0.1890	0.01	Q				V
24+10	0.1890	0.00	Q				V
24+15	0.1890	0.00	Q				V

Section 2

Post-Development Unit Hydrograph



IN THE COMMUNITY OF WINCHESTER, COUNTY OF RIVERSIDE, STATE OF CALIFORNIA POST DEVELOPMENT UNIT HYDROGRAPH

THOMAS BROS. MAP PG. 744 GRID G-3



SCALE: 1" = 40'

IN THE COMMUNITY OF WINCHESTER, COUNTY OF RIVERSIDE, STATE OF CALIFORNIA



1	0.083	288.833	55.504	3.916
2	0.167	577.666	37.752	2.663
3	0.250	866.500	6.744	0.476
Sum = 100.000			Sum=	7.055

The following loss rate calculations reflect use of the minimum calculated loss rate subtracted from the Storm Rain to produce the maximum Effective Rain value

Unit	Time (Hr.)	Pattern Percent	Storm Rain (In/Hr)	Loss rate(In./Hr)		Effective (In/Hr)
				Max	Low	
1	0.08	0.07	0.014	(0.468)	0.006	0.008
2	0.17	0.07	0.014	(0.466)	0.006	0.008
3	0.25	0.07	0.014	(0.464)	0.006	0.008
4	0.33	0.10	0.022	(0.463)	0.009	0.013
5	0.42	0.10	0.022	(0.461)	0.009	0.013
6	0.50	0.10	0.022	(0.459)	0.009	0.013
7	0.58	0.10	0.022	(0.457)	0.009	0.013
8	0.67	0.10	0.022	(0.455)	0.009	0.013
9	0.75	0.10	0.022	(0.454)	0.009	0.013
10	0.83	0.13	0.029	(0.452)	0.012	0.017
11	0.92	0.13	0.029	(0.450)	0.012	0.017
12	1.00	0.13	0.029	(0.448)	0.012	0.017
13	1.08	0.10	0.022	(0.447)	0.009	0.013
14	1.17	0.10	0.022	(0.445)	0.009	0.013
15	1.25	0.10	0.022	(0.443)	0.009	0.013
16	1.33	0.10	0.022	(0.441)	0.009	0.013
17	1.42	0.10	0.022	(0.439)	0.009	0.013
18	1.50	0.10	0.022	(0.438)	0.009	0.013
19	1.58	0.10	0.022	(0.436)	0.009	0.013
20	1.67	0.10	0.022	(0.434)	0.009	0.013
21	1.75	0.10	0.022	(0.433)	0.009	0.013
22	1.83	0.13	0.029	(0.431)	0.012	0.017
23	1.92	0.13	0.029	(0.429)	0.012	0.017
24	2.00	0.13	0.029	(0.427)	0.012	0.017
25	2.08	0.13	0.029	(0.426)	0.012	0.017
26	2.17	0.13	0.029	(0.424)	0.012	0.017
27	2.25	0.13	0.029	(0.422)	0.012	0.017
28	2.33	0.13	0.029	(0.420)	0.012	0.017
29	2.42	0.13	0.029	(0.419)	0.012	0.017
30	2.50	0.13	0.029	(0.417)	0.012	0.017
31	2.58	0.17	0.036	(0.415)	0.015	0.021
32	2.67	0.17	0.036	(0.414)	0.015	0.021
33	2.75	0.17	0.036	(0.412)	0.015	0.021
34	2.83	0.17	0.036	(0.410)	0.015	0.021
35	2.92	0.17	0.036	(0.408)	0.015	0.021
36	3.00	0.17	0.036	(0.407)	0.015	0.021
37	3.08	0.17	0.036	(0.405)	0.015	0.021
38	3.17	0.17	0.036	(0.403)	0.015	0.021
39	3.25	0.17	0.036	(0.402)	0.015	0.021
40	3.33	0.17	0.036	(0.400)	0.015	0.021
41	3.42	0.17	0.036	(0.398)	0.015	0.021
42	3.50	0.17	0.036	(0.397)	0.015	0.021
43	3.58	0.17	0.036	(0.395)	0.015	0.021
44	3.67	0.17	0.036	(0.393)	0.015	0.021
45	3.75	0.17	0.036	(0.392)	0.015	0.021
46	3.83	0.20	0.043	(0.390)	0.018	0.025
47	3.92	0.20	0.043	(0.388)	0.018	0.025
48	4.00	0.20	0.043	(0.387)	0.018	0.025
49	4.08	0.20	0.043	(0.385)	0.018	0.025
50	4.17	0.20	0.043	(0.384)	0.018	0.025
51	4.25	0.20	0.043	(0.382)	0.018	0.025
52	4.33	0.23	0.050	(0.380)	0.021	0.029
53	4.42	0.23	0.050	(0.379)	0.021	0.029
54	4.50	0.23	0.050	(0.377)	0.021	0.029
55	4.58	0.23	0.050	(0.375)	0.021	0.029
56	4.67	0.23	0.050	(0.374)	0.021	0.029
57	4.75	0.23	0.050	(0.372)	0.021	0.029
58	4.83	0.27	0.058	(0.371)	0.024	0.033
59	4.92	0.27	0.058	(0.369)	0.024	0.033
60	5.00	0.27	0.058	(0.367)	0.024	0.033
61	5.08	0.20	0.043	(0.366)	0.018	0.025
62	5.17	0.20	0.043	(0.364)	0.018	0.025
63	5.25	0.20	0.043	(0.363)	0.018	0.025
64	5.33	0.23	0.050	(0.361)	0.021	0.029
65	5.42	0.23	0.050	(0.359)	0.021	0.029
66	5.50	0.23	0.050	(0.358)	0.021	0.029
67	5.58	0.27	0.058	(0.356)	0.024	0.033
68	5.67	0.27	0.058	(0.355)	0.024	0.033
69	5.75	0.27	0.058	(0.353)	0.024	0.033
70	5.83	0.27	0.058	(0.352)	0.024	0.033
71	5.92	0.27	0.058	(0.350)	0.024	0.033
72	6.00	0.27	0.058	(0.349)	0.024	0.033
73	6.08	0.30	0.065	(0.347)	0.027	0.038

74	6.17	0.30	0.065	(0.345)	0.027	0.038
75	6.25	0.30	0.065	(0.344)	0.027	0.038
76	6.33	0.30	0.065	(0.342)	0.027	0.038
77	6.42	0.30	0.065	(0.341)	0.027	0.038
78	6.50	0.30	0.065	(0.339)	0.027	0.038
79	6.58	0.33	0.072	(0.338)	0.030	0.042
80	6.67	0.33	0.072	(0.336)	0.030	0.042
81	6.75	0.33	0.072	(0.335)	0.030	0.042
82	6.83	0.33	0.072	(0.333)	0.030	0.042
83	6.92	0.33	0.072	(0.332)	0.030	0.042
84	7.00	0.33	0.072	(0.330)	0.030	0.042
85	7.08	0.33	0.072	(0.329)	0.030	0.042
86	7.17	0.33	0.072	(0.327)	0.030	0.042
87	7.25	0.33	0.072	(0.326)	0.030	0.042
88	7.33	0.37	0.079	(0.324)	0.033	0.046
89	7.42	0.37	0.079	(0.323)	0.033	0.046
90	7.50	0.37	0.079	(0.321)	0.033	0.046
91	7.58	0.40	0.086	(0.320)	0.036	0.050
92	7.67	0.40	0.086	(0.318)	0.036	0.050
93	7.75	0.40	0.086	(0.317)	0.036	0.050
94	7.83	0.43	0.094	(0.315)	0.039	0.054
95	7.92	0.43	0.094	(0.314)	0.039	0.054
96	8.00	0.43	0.094	(0.312)	0.039	0.054
97	8.08	0.50	0.108	(0.311)	0.045	0.063
98	8.17	0.50	0.108	(0.310)	0.045	0.063
99	8.25	0.50	0.108	(0.308)	0.045	0.063
100	8.33	0.50	0.108	(0.307)	0.045	0.063
101	8.42	0.50	0.108	(0.305)	0.045	0.063
102	8.50	0.50	0.108	(0.304)	0.045	0.063
103	8.58	0.53	0.115	(0.302)	0.048	0.067
104	8.67	0.53	0.115	(0.301)	0.048	0.067
105	8.75	0.53	0.115	(0.300)	0.048	0.067
106	8.83	0.57	0.122	(0.298)	0.051	0.071
107	8.92	0.57	0.122	(0.297)	0.051	0.071
108	9.00	0.57	0.122	(0.295)	0.051	0.071
109	9.08	0.63	0.137	(0.294)	0.057	0.079
110	9.17	0.63	0.137	(0.293)	0.057	0.079
111	9.25	0.63	0.137	(0.291)	0.057	0.079
112	9.33	0.67	0.144	(0.290)	0.060	0.084
113	9.42	0.67	0.144	(0.288)	0.060	0.084
114	9.50	0.67	0.144	(0.287)	0.060	0.084
115	9.58	0.70	0.151	(0.286)	0.064	0.088
116	9.67	0.70	0.151	(0.284)	0.064	0.088
117	9.75	0.70	0.151	(0.283)	0.064	0.088
118	9.83	0.73	0.158	(0.282)	0.067	0.092
119	9.92	0.73	0.158	(0.280)	0.067	0.092
120	10.00	0.73	0.158	(0.279)	0.067	0.092
121	10.08	0.50	0.108	(0.277)	0.045	0.063
122	10.17	0.50	0.108	(0.276)	0.045	0.063
123	10.25	0.50	0.108	(0.275)	0.045	0.063
124	10.33	0.50	0.108	(0.273)	0.045	0.063
125	10.42	0.50	0.108	(0.272)	0.045	0.063
126	10.50	0.50	0.108	(0.271)	0.045	0.063
127	10.58	0.67	0.144	(0.269)	0.060	0.084
128	10.67	0.67	0.144	(0.268)	0.060	0.084
129	10.75	0.67	0.144	(0.267)	0.060	0.084
130	10.83	0.67	0.144	(0.266)	0.060	0.084
131	10.92	0.67	0.144	(0.264)	0.060	0.084
132	11.00	0.67	0.144	(0.263)	0.060	0.084
133	11.08	0.63	0.137	(0.262)	0.057	0.079
134	11.17	0.63	0.137	(0.260)	0.057	0.079
135	11.25	0.63	0.137	(0.259)	0.057	0.079
136	11.33	0.63	0.137	(0.258)	0.057	0.079
137	11.42	0.63	0.137	(0.256)	0.057	0.079
138	11.50	0.63	0.137	(0.255)	0.057	0.079
139	11.58	0.57	0.122	(0.254)	0.051	0.071
140	11.67	0.57	0.122	(0.253)	0.051	0.071
141	11.75	0.57	0.122	(0.251)	0.051	0.071
142	11.83	0.60	0.130	(0.250)	0.054	0.075
143	11.92	0.60	0.130	(0.249)	0.054	0.075
144	12.00	0.60	0.130	(0.248)	0.054	0.075
145	12.08	0.83	0.180	(0.246)	0.076	0.104
146	12.17	0.83	0.180	(0.245)	0.076	0.104
147	12.25	0.83	0.180	(0.244)	0.076	0.104
148	12.33	0.87	0.187	(0.243)	0.079	0.109
149	12.42	0.87	0.187	(0.242)	0.079	0.109
150	12.50	0.87	0.187	(0.240)	0.079	0.109
151	12.58	0.93	0.202	(0.239)	0.085	0.117
152	12.67	0.93	0.202	(0.238)	0.085	0.117
153	12.75	0.93	0.202	(0.237)	0.085	0.117
154	12.83	0.97	0.209	(0.236)	0.088	0.121
155	12.92	0.97	0.209	(0.234)	0.088	0.121
156	13.00	0.97	0.209	(0.233)	0.088	0.121
157	13.08	1.13	0.245	(0.232)	0.103	0.142
158	13.17	1.13	0.245	(0.231)	0.103	0.142
159	13.25	1.13	0.245	(0.230)	0.103	0.142

160	13.33	1.13	0.245	(0.228)	0.103	0.142
161	13.42	1.13	0.245	(0.227)	0.103	0.142
162	13.50	1.13	0.245	(0.226)	0.103	0.142
163	13.58	0.77	0.166	(0.225)	0.070	0.096
164	13.67	0.77	0.166	(0.224)	0.070	0.096
165	13.75	0.77	0.166	(0.223)	0.070	0.096
166	13.83	0.77	0.166	(0.222)	0.070	0.096
167	13.92	0.77	0.166	(0.220)	0.070	0.096
168	14.00	0.77	0.166	(0.219)	0.070	0.096
169	14.08	0.90	0.194	(0.218)	0.082	0.113
170	14.17	0.90	0.194	(0.217)	0.082	0.113
171	14.25	0.90	0.194	(0.216)	0.082	0.113
172	14.33	0.87	0.187	(0.215)	0.079	0.109
173	14.42	0.87	0.187	(0.214)	0.079	0.109
174	14.50	0.87	0.187	(0.213)	0.079	0.109
175	14.58	0.87	0.187	(0.212)	0.079	0.109
176	14.67	0.87	0.187	(0.210)	0.079	0.109
177	14.75	0.87	0.187	(0.209)	0.079	0.109
178	14.83	0.83	0.180	(0.208)	0.076	0.104
179	14.92	0.83	0.180	(0.207)	0.076	0.104
180	15.00	0.83	0.180	(0.206)	0.076	0.104
181	15.08	0.80	0.173	(0.205)	0.073	0.100
182	15.17	0.80	0.173	(0.204)	0.073	0.100
183	15.25	0.80	0.173	(0.203)	0.073	0.100
184	15.33	0.77	0.166	(0.202)	0.070	0.096
185	15.42	0.77	0.166	(0.201)	0.070	0.096
186	15.50	0.77	0.166	(0.200)	0.070	0.096
187	15.58	0.63	0.137	(0.199)	0.057	0.079
188	15.67	0.63	0.137	(0.198)	0.057	0.079
189	15.75	0.63	0.137	(0.197)	0.057	0.079
190	15.83	0.63	0.137	(0.196)	0.057	0.079
191	15.92	0.63	0.137	(0.195)	0.057	0.079
192	16.00	0.63	0.137	(0.194)	0.057	0.079
193	16.08	0.13	0.029	(0.193)	0.012	0.017
194	16.17	0.13	0.029	(0.192)	0.012	0.017
195	16.25	0.13	0.029	(0.191)	0.012	0.017
196	16.33	0.13	0.029	(0.190)	0.012	0.017
197	16.42	0.13	0.029	(0.189)	0.012	0.017
198	16.50	0.13	0.029	(0.188)	0.012	0.017
199	16.58	0.10	0.022	(0.187)	0.009	0.013
200	16.67	0.10	0.022	(0.186)	0.009	0.013
201	16.75	0.10	0.022	(0.185)	0.009	0.013
202	16.83	0.10	0.022	(0.184)	0.009	0.013
203	16.92	0.10	0.022	(0.183)	0.009	0.013
204	17.00	0.10	0.022	(0.182)	0.009	0.013
205	17.08	0.17	0.036	(0.181)	0.015	0.021
206	17.17	0.17	0.036	(0.181)	0.015	0.021
207	17.25	0.17	0.036	(0.180)	0.015	0.021
208	17.33	0.17	0.036	(0.179)	0.015	0.021
209	17.42	0.17	0.036	(0.178)	0.015	0.021
210	17.50	0.17	0.036	(0.177)	0.015	0.021
211	17.58	0.17	0.036	(0.176)	0.015	0.021
212	17.67	0.17	0.036	(0.175)	0.015	0.021
213	17.75	0.17	0.036	(0.174)	0.015	0.021
214	17.83	0.13	0.029	(0.173)	0.012	0.017
215	17.92	0.13	0.029	(0.173)	0.012	0.017
216	18.00	0.13	0.029	(0.172)	0.012	0.017
217	18.08	0.13	0.029	(0.171)	0.012	0.017
218	18.17	0.13	0.029	(0.170)	0.012	0.017
219	18.25	0.13	0.029	(0.169)	0.012	0.017
220	18.33	0.13	0.029	(0.168)	0.012	0.017
221	18.42	0.13	0.029	(0.168)	0.012	0.017
222	18.50	0.13	0.029	(0.167)	0.012	0.017
223	18.58	0.10	0.022	(0.166)	0.009	0.013
224	18.67	0.10	0.022	(0.165)	0.009	0.013
225	18.75	0.10	0.022	(0.164)	0.009	0.013
226	18.83	0.07	0.014	(0.164)	0.006	0.008
227	18.92	0.07	0.014	(0.163)	0.006	0.008
228	19.00	0.07	0.014	(0.162)	0.006	0.008
229	19.08	0.10	0.022	(0.161)	0.009	0.013
230	19.17	0.10	0.022	(0.160)	0.009	0.013
231	19.25	0.10	0.022	(0.160)	0.009	0.013
232	19.33	0.13	0.029	(0.159)	0.012	0.017
233	19.42	0.13	0.029	(0.158)	0.012	0.017
234	19.50	0.13	0.029	(0.158)	0.012	0.017
235	19.58	0.10	0.022	(0.157)	0.009	0.013
236	19.67	0.10	0.022	(0.156)	0.009	0.013
237	19.75	0.10	0.022	(0.155)	0.009	0.013
238	19.83	0.07	0.014	(0.155)	0.006	0.008
239	19.92	0.07	0.014	(0.154)	0.006	0.008
240	20.00	0.07	0.014	(0.153)	0.006	0.008
241	20.08	0.10	0.022	(0.153)	0.009	0.013
242	20.17	0.10	0.022	(0.152)	0.009	0.013
243	20.25	0.10	0.022	(0.151)	0.009	0.013
244	20.33	0.10	0.022	(0.151)	0.009	0.013
245	20.42	0.10	0.022	(0.150)	0.009	0.013

1+55	0.0140	0.12	Q				
2+ 0	0.0148	0.12	Q				
2+ 5	0.0156	0.12	QV				
2+10	0.0164	0.12	QV				
2+15	0.0172	0.12	QV				
2+20	0.0181	0.12	QV				
2+25	0.0189	0.12	QV				
2+30	0.0197	0.12	QV				
2+35	0.0206	0.13	QV				
2+40	0.0216	0.15	QV				
2+45	0.0226	0.15	QV				
2+50	0.0236	0.15	QV				
2+55	0.0247	0.15	QV				
3+ 0	0.0257	0.15	QV				
3+ 5	0.0267	0.15	QV				
3+10	0.0277	0.15	QV				
3+15	0.0287	0.15	QV				
3+20	0.0297	0.15	QV				
3+25	0.0307	0.15	Q V				
3+30	0.0318	0.15	Q V				
3+35	0.0328	0.15	Q V				
3+40	0.0338	0.15	Q V				
3+45	0.0348	0.15	Q V				
3+50	0.0359	0.16	Q V				
3+55	0.0371	0.17	Q V				
4+ 0	0.0384	0.18	Q V				
4+ 5	0.0396	0.18	Q V				
4+10	0.0408	0.18	Q V				
4+15	0.0420	0.18	Q V				
4+20	0.0433	0.19	Q V				
4+25	0.0447	0.20	Q V				
4+30	0.0462	0.21	Q V				
4+35	0.0476	0.21	Q V				
4+40	0.0490	0.21	Q V				
4+45	0.0504	0.21	Q V				
4+50	0.0520	0.22	Q V				
4+55	0.0536	0.23	Q V				
5+ 0	0.0552	0.24	Q V				
5+ 5	0.0566	0.20	Q V				
5+10	0.0578	0.18	Q V				
5+15	0.0591	0.18	Q V				
5+20	0.0604	0.19	Q V				
5+25	0.0618	0.20	Q V				
5+30	0.0632	0.21	Q V				
5+35	0.0647	0.22	Q V				
5+40	0.0664	0.23	Q V				
5+45	0.0680	0.24	Q V				
5+50	0.0696	0.24	Q V				
5+55	0.0712	0.24	Q V				
6+ 0	0.0729	0.24	Q V				
6+ 5	0.0746	0.25	Q V				
6+10	0.0764	0.26	Q V				
6+15	0.0782	0.27	Q V				
6+20	0.0801	0.27	Q V				
6+25	0.0819	0.27	Q V				
6+30	0.0837	0.27	Q V				
6+35	0.0857	0.28	Q V				
6+40	0.0877	0.29	Q V				
6+45	0.0897	0.29	Q V				
6+50	0.0917	0.29	Q V				
6+55	0.0938	0.29	Q V				
7+ 0	0.0958	0.29	Q V				
7+ 5	0.0978	0.29	Q V				
7+10	0.0998	0.29	Q V				
7+15	0.1019	0.29	Q V				
7+20	0.1040	0.31	Q V				
7+25	0.1062	0.32	Q V				
7+30	0.1085	0.32	Q V				
7+35	0.1108	0.34	Q V				
7+40	0.1132	0.35	Q V				
7+45	0.1157	0.35	Q V				
7+50	0.1182	0.37	Q V				
7+55	0.1209	0.38	Q V				
8+ 0	0.1235	0.38	Q V				
8+ 5	0.1264	0.42	Q V				
8+10	0.1294	0.44	Q V				
8+15	0.1324	0.44	Q V				
8+20	0.1355	0.44	Q V				
8+25	0.1385	0.44	Q V				
8+30	0.1416	0.44	Q V				
8+35	0.1447	0.46	Q V				
8+40	0.1479	0.47	Q V				
8+45	0.1512	0.47	Q V				
8+50	0.1546	0.49	Q V				
8+55	0.1580	0.50	Q V				
9+ 0	0.1614	0.50	Q V				


9+ 5	0.1651	0.53	Q	V			
9+10	0.1689	0.56		V			
9+15	0.1728	0.56	Q	V			
9+20	0.1768	0.58	Q	V			
9+25	0.1808	0.59	Q	V			
9+30	0.1849	0.59	Q	V			
9+35	0.1891	0.61	Q	V			
9+40	0.1933	0.62	Q	V			
9+45	0.1976	0.62	Q	V			
9+50	0.2019	0.64	Q	V			
9+55	0.2064	0.65	Q	V			
10+ 0	0.2109	0.65	Q	V			
10+ 5	0.2145	0.53	Q	V			
10+10	0.2177	0.46	Q	V			
10+15	0.2207	0.44	Q	V			
10+20	0.2238	0.44	Q	V			
10+25	0.2268	0.44	Q	V			
10+30	0.2299	0.44	Q	V			
10+35	0.2335	0.52	Q	V			
10+40	0.2375	0.58	Q	V			
10+45	0.2415	0.59	Q	V			
10+50	0.2456	0.59	Q	V			
10+55	0.2496	0.59	Q	V			
11+ 0	0.2537	0.59	Q	V			
11+ 5	0.2576	0.57	Q	V			
11+10	0.2615	0.56	Q	V			
11+15	0.2654	0.56	Q	V			
11+20	0.2692	0.56	Q	V			
11+25	0.2731	0.56	Q	V			
11+30	0.2769	0.56	Q	V			
11+35	0.2806	0.53	Q	V			
11+40	0.2841	0.51	Q	V			
11+45	0.2875	0.50	Q	V			
11+50	0.2911	0.52	Q	V			
11+55	0.2947	0.53	Q	V			
12+ 0	0.2984	0.53	Q	V			
12+ 5	0.3028	0.65	Q	V			
12+10	0.3078	0.72	Q	V			
12+15	0.3129	0.74	Q	V			
12+20	0.3180	0.75	Q	V			
12+25	0.3233	0.76	Q	V			
12+30	0.3286	0.77	Q	V			
12+35	0.3341	0.80	Q	V			
12+40	0.3397	0.82	Q	V			
12+45	0.3454	0.83	Q	V			
12+50	0.3512	0.84	Q	V			
12+55	0.3571	0.85	Q	V			
13+ 0	0.3630	0.85	Q	V			
13+ 5	0.3694	0.94	Q	V			
13+10	0.3763	0.99	Q	V			
13+15	0.3832	1.00	Q	V			
13+20	0.3901	1.00	Q	V			
13+25	0.3970	1.00	Q	V			
13+30	0.4039	1.00	Q	V			
13+35	0.4095	0.82	Q	V			
13+40	0.4144	0.70	Q	V			
13+45	0.4190	0.68	Q	V			
13+50	0.4237	0.68	Q	V			
13+55	0.4284	0.68	Q	V			
14+ 0	0.4330	0.68	Q	V			
14+ 5	0.4382	0.74	Q	V			
14+10	0.4436	0.79	Q	V			
14+15	0.4491	0.80	Q	V			
14+20	0.4544	0.78	Q	V			
14+25	0.4597	0.77	Q	V			
14+30	0.4650	0.77	Q	V			
14+35	0.4703	0.77	Q	V			
14+40	0.4756	0.77	Q	V			
14+45	0.4808	0.77	Q	V			
14+50	0.4860	0.75	Q	V			
14+55	0.4911	0.74	Q	V			
15+ 0	0.4962	0.74	Q	V			
15+ 5	0.5011	0.72	Q	V			
15+10	0.5060	0.71	Q	V			
15+15	0.5109	0.71	Q	V			
15+20	0.5156	0.69	Q	V			
15+25	0.5203	0.68	Q	V			
15+30	0.5250	0.68	Q	V			
15+35	0.5292	0.61	Q	V			
15+40	0.5331	0.57	Q	V			
15+45	0.5370	0.56	Q	V			
15+50	0.5408	0.56	Q	V			
15+55	0.5447	0.56	Q	V			
16+ 0	0.5486	0.56	Q	V			
16+ 5	0.5507	0.31	Q	V			
16+10	0.5517	0.15	Q	V			

16+15	0.5525	0.12	Q				V
16+20	0.5534	0.12	Q				V
16+25	0.5542	0.12	Q				V
16+30	0.5550	0.12	Q				V
16+35	0.5557	0.10	Q				V
16+40	0.5563	0.09	Q				V
16+45	0.5569	0.09	Q				V
16+50	0.5575	0.09	Q				V
16+55	0.5581	0.09	Q				V
17+ 0	0.5587	0.09	Q				V
17+ 5	0.5596	0.12	Q				V
17+10	0.5606	0.14	Q				V
17+15	0.5616	0.15	Q				V
17+20	0.5626	0.15	Q				V
17+25	0.5636	0.15	Q				V
17+30	0.5646	0.15	Q				V
17+35	0.5656	0.15	Q				V
17+40	0.5667	0.15	Q				V
17+45	0.5677	0.15	Q				V
17+50	0.5686	0.13	Q				V
17+55	0.5694	0.12	Q				V
18+ 0	0.5702	0.12	Q				V
18+ 5	0.5710	0.12	Q				V
18+10	0.5718	0.12	Q				V
18+15	0.5726	0.12	Q				V
18+20	0.5735	0.12	Q				V
18+25	0.5743	0.12	Q				V
18+30	0.5751	0.12	Q				V
18+35	0.5758	0.10	Q				V
18+40	0.5764	0.09	Q				V
18+45	0.5770	0.09	Q				V
18+50	0.5775	0.07	Q				V
18+55	0.5779	0.06	Q				V
19+ 0	0.5783	0.06	Q				V
19+ 5	0.5789	0.08	Q				V
19+10	0.5794	0.09	Q				V
19+15	0.5801	0.09	Q				V
19+20	0.5808	0.10	Q				V
19+25	0.5816	0.12	Q				V
19+30	0.5824	0.12	Q				V
19+35	0.5831	0.10	Q				V
19+40	0.5837	0.09	Q				V
19+45	0.5843	0.09	Q				V
19+50	0.5848	0.07	Q				V
19+55	0.5852	0.06	Q				V
20+ 0	0.5856	0.06	Q				V
20+ 5	0.5862	0.08	Q				V
20+10	0.5868	0.09	Q				V
20+15	0.5874	0.09	Q				V
20+20	0.5880	0.09	Q				V
20+25	0.5886	0.09	Q				V
20+30	0.5892	0.09	Q				V
20+35	0.5898	0.09	Q				V
20+40	0.5904	0.09	Q				V
20+45	0.5910	0.09	Q				V
20+50	0.5915	0.07	Q				V
20+55	0.5919	0.06	Q				V
21+ 0	0.5923	0.06	Q				V
21+ 5	0.5929	0.08	Q				V
21+10	0.5935	0.09	Q				V
21+15	0.5941	0.09	Q				V
21+20	0.5946	0.07	Q				V
21+25	0.5950	0.06	Q				V
21+30	0.5954	0.06	Q				V
21+35	0.5959	0.08	Q				V
21+40	0.5965	0.09	Q				V
21+45	0.5971	0.09	Q				V
21+50	0.5976	0.07	Q				V
21+55	0.5980	0.06	Q				V
22+ 0	0.5984	0.06	Q				V
22+ 5	0.5989	0.08	Q				V
22+10	0.5995	0.09	Q				V
22+15	0.6002	0.09	Q				V
22+20	0.6007	0.07	Q				V
22+25	0.6011	0.06	Q				V
22+30	0.6015	0.06	Q				V
22+35	0.6019	0.06	Q				V
22+40	0.6023	0.06	Q				V
22+45	0.6027	0.06	Q				V
22+50	0.6031	0.06	Q				V
22+55	0.6035	0.06	Q				V
23+ 0	0.6039	0.06	Q				V
23+ 5	0.6043	0.06	Q				V
23+10	0.6047	0.06	Q				V
23+15	0.6051	0.06	Q				V
23+20	0.6055	0.06	Q				V

23+25	0.6059	0.06	Q				V
23+30	0.6063	0.06	Q				V
23+35	0.6068	0.06	Q				V
23+40	0.6072	0.06	Q				V
23+45	0.6076	0.06	Q				V
23+50	0.6080	0.06	Q				V
23+55	0.6084	0.06	Q				V
24+ 0	0.6088	0.06	Q				V
24+ 5	0.6090	0.03	Q				V
24+10	0.6090	0.00	Q				V

Section 3

Riverside County Plates



LEGEND

- SOILS GROUP BOUNDARY
- A SOILS GROUP DESIGNATION

RCFC&WCD

HYDROLOGY MANUAL



HYDROLOGIC SOILS GROUP MAP FOR

B

RIVERSIDE—WEST

RUNOFF INDEX NUMBERS OF HYDROLOGIC SOIL-COVER COMPLEXES FOR PERVIOUS AREAS-AMC II

Cover Type (3)	Quality of Cover (2)	Soil Group			
		A	B	C	D
<u>NATURAL COVERS -</u>					
Barren (Rockland, eroded and graded land)		78	86	91	93
Chaparrel, Broadleaf (Manzonita, ceanothus and scrub oak)	Poor	53	70	80	85
	Fair	40	63	75	81
	Good	31	57	71	78
Chaparrel, Narrowleaf (Chamise and redshank)	Poor	71	82	88	91
	Fair	55	72	81	86
Grass, Annual or Perennial	Poor	67	78	86	89
	Fair	50	69	79	84
	Good	38	61	74	80
Meadows or Cienegas (Areas with seasonally high water table, principal vegetation is sod forming grass)	Poor	63	77	85	88
	Fair	51	70	80	84
	Good	30	58	72	78
Open Brush (Soft wood shrubs - buckwheat, sage, etc.)	Poor	62	76	84	88
	Fair	46	66	77	83
	Good	41	63	75	81
Woodland (Coniferous or broadleaf trees predominate. Canopy density is at least 50 percent)	Poor	45	66	77	83
	Fair	36	60	73	79
	Good	28	55	70	77
Woodland, Grass (Coniferous or broadleaf trees with canopy density from 20 to 50 percent)	Poor	57	73	82	86
	Fair	44	65	77	82
	Good	33	58	72	79
<u>URBAN COVERS -</u>					
Residential or Commercial Landscaping (Lawn, shrubs, etc.)	Good	32	56	69	75
Turf (Irrigated and mowed grass)	Poor	58	74	83	87
	Fair	44	65	77	82
	Good	33	58	72	79
<u>AGRICULTURAL COVERS -</u>					
Fallow (Land plowed but not tilled or seeded)		76	85	90	92

RCFC & WCD
HYDROLOGY MANUAL

RUNOFF INDEX NUMBERS
FOR
PERVIOUS AREA

RUNOFF INDEX NUMBERS OF HYDROLOGIC SOIL-COVER COMPLEXES FOR PERVIOUS AREAS-AMC II

Cover Type (3)	Quality of Cover (2)	Soil Group			
		A	B	C	D
<u>AGRICULTURAL COVERS</u> (cont.) -					
Legumes, Close Seeded (Alfalfa, sweetclover, timothy, etc.)	Poor	66	77	85	89
	Good	58	72	81	85
Orchards, Deciduous (Apples, apricots, pears, walnuts, etc.)		See Note 4			
Orchards, Evergreen (Citrus, avocados, etc.)	Poor	57	73	82	86
	Fair	44	65	77	82
	Good	33	58	72	79
Pasture, Dryland (Annual grasses)	Poor	67	78	86	89
	Fair	50	69	79	84
	Good	38	61	74	80
Pasture, Irrigated (Legumes and perennial grass)	Poor	58	74	83	87
	Fair	44	65	77	82
	Good	33	58	72	79
Row Crops (Field crops - tomatoes, sugar beets, etc.)	Poor	72	81	88	91
	Good	67	78	85	89
Small Grain (Wheat, oats, barley, etc.)	Poor	65	76	84	88
	Good	63	75	83	87
Vineyard		See Note 4			

Notes:

1. All runoff index (RI) numbers are for Antecedent Moisture Condition (AMC) II.
2. Quality of cover definitions:
 Poor-Heavily grazed or regularly burned areas. Less than 50 percent of the ground surface is protected by plant cover or brush and tree canopy.
 Fair-Moderate cover with 50 percent to 75 percent of the ground surface protected.
 Good-Heavy or dense cover with more than 75 percent of the ground surface protected.
3. See Plate C-2 for a detailed description of cover types.
4. Use runoff index numbers based on ground cover type. See discussion under "Cover Type Descriptions" on Plate C-2.
5. Reference Bibliography item 17.

RCFC & WCD
HYDROLOGY MANUAL

**RUNOFF INDEX NUMBERS
FOR
PERVIOUS AREA**

ACTUAL IMPERVIOUS COVER


Land Use (1)	Range-Percent	Recommended Value For Average Conditions-Percent(2)
Natural or Agriculture	0 - 10	0
Single Family Residential: (3)		
40,000 S. F. (1 Acre) Lots	10 - 25	20
20,000 S. F. (½ Acre) Lots	30 - 45	40
7,200 - 10,000 S. F. Lots	45 - 55	50
Multiple Family Residential:		
Condominiums	45 - 70	65
Apartments	65 - 90	80
Mobile Home Park	60 - 85	75
Commercial, Downtown Business or Industrial	80 -100	90


Notes:


1. Land use should be based on ultimate development of the watershed. Long range master plans for the County and incorporated cities should be reviewed to insure reasonable land use assumptions.
2. Recommended values are based on average conditions which may not apply to a particular study area. The percentage impervious may vary greatly even on comparable sized lots due to differences in dwelling size, improvements, etc. Landscape practices should also be considered as it is common in some areas to use ornamental gravels underlain by impervious plastic materials in place of lawns and shrubs. A field investigation of a study area should always be made, and a review of aerial photos, where available may assist in estimating the percentage of impervious cover in developed areas.
3. For typical horse ranch subdivisions increase impervious area 5 percent over the values recommended in the table above.

RCFC & WCD
HYDROLOGY MANUAL


**IMPERVIOUS COVER
FOR
DEVELOPED AREAS**










RIVERSIDE COUNTY FLOOD CONTROL
AND
WATER CONSERVATION DISTRICT
SLOPE OF
INTENSITY DURATION
CURVE
Map No. 1000
Scale: 1" = 1 mile
Date: 10/1/60
Plate: 10-1-60








RIVERSIDE COUNTY FLOOD CONTROL
AND
WATER CONSERVATION DISTRICT
2-YEAR — 6-HOUR
PRECIPITATION
PLATE 8-A-10





INGERSIDE COUNTY FLOOD CONTROL
WATER CONSERVATION DISTRICT
2-YEAR - 24-HOUR
PRECIPITATION
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220
2221
2222
2223
2224
2225
2226
2227
2228
2229
2230
2231
2232
2233
2234
2235
2236
2237
2238
2239
2240
2241
2242
2243
2244
2245
2246
2247
2248
2249
2250
2251
2252
2253
2254
2255
2256
2257
2258
2259
2260
2261
2262
2263
2264
2265
2266
2267
2268
2269
2270
2271
2272
2273
2274
2275
2276
2277
2278
2279
2280
2281
2282
2283
2284
2285
2286
2287
2288
2289
2290
2291
2292
2293
2294
2295
2296
2297
2298
2299
2300
2301
2302
2303
2304
2305
2306
2307
2308
2309
2310
2311
2312
2313
2314
2315
2316
2317
2318
2319
2320
2321
2322
2323
2324
2325
2326
2327
2328
2329
2330
2331
2332
2333
2334
2335
2336
2337
2338
2339
2340
2341
2342
2343
2344
2345
2346
2347
2348
2349
2350
2351
2352
2353
2354
2355
2356
2357
2358
2359
2360
2361
2362
2363
2364
2365
2366
2367
2368
2369
2370
2371
2372
2373
2374
2375
2376
2377
2378
2379
2380
2381
2382
2383
2384
2385
2386
2387
2388
2389
2390
2391
2392
2393
2394
2395
2396
2397
2398
2399
2400
2401
2402
2403
2404
2405
2406
2407
2408
2409
2410
2411
2412
2413
2414
2415
2416
2417
2418
2419
2420
2421
2422
2423
2424
2425
2426
2427
2428
2429
2430
2431
2432
2433
2434
2435
2436
2437
2438
2439
2440
2441
2442
2443
2444
2445
2446
2447
2448
2449
2450
2451
2452
2453
2454
2455
2456
2457
2458
2459
2460
2461
2462
2463
2464
2465
2466
2467
2468
2469
2470
2471
2472
2473
2474
2475
2476
2477
2478
2479
2480
2481
2482
2483
2484
2485
2486
2487
2488
2489
2490
2491
2492
2493
2494
2495
2496
2497
2498
2499
2500
2501
2502
2503
2504
2505
2506
2507
2508
2509
2510
2511
2512
2513
2514
2515
2516
2517
2518
2519
2520
2521
2522
2523
2524
2525
2526
2527
2528
2529
2530
2531
2532
2533
2534
2535
2536
2537
2538
2539
2540
2541
2542
2543
2544
2545
2546
2547
2548
2549
2550
2551
2552
2553
2554
2555
2556
2557
2558
2559
2560
2561
2562
2563
2564
2565
2566
2567
2568
2569
2570
2571
2572
2573
2574
2575
2576
2577
2578
2579
2580
2581
2582
2583
2584
2585
2586
2587
2588
2589
2590
2591
2592
2593
2594
2595
2596
2597
2598
2599
2600
2601
2602
2603
2604
2605
2606
2607
2608
2609
2610
2611
2612
2613
2614
2615
2616
2617
2618
2619
2620
2621
2622
2623
2624
2625
2626
2627
2628
2629
2630
2631
2632
2633
2634
2635
2636
2637
2638
2639
2640
2641
2642
2643
2644
2645
2646
2647
2648
2649
2650
2651
2652
2653
2654
2655
2656
2657
2658
2659
2660
2661
2662
2663
2664
2665
2666
2667
2668
2669
2670
2671
2672
2673
2674
2675
2676
2677
2678
2679
2680
2681
2682
2683
2684
2685
2686
2687
2688
2689
2690
2691
2692
2693
2694
2695
2696
2697
2698
2699
2700
2701
2702
2703
2704
2705
2706
2707
2708
2709
2710
2711
2712
2713
2714
2715
2716
2717
2718
2719
2720
2721
2722
2723
2724
2725
2726
2727
2728
2729
2730
2731
2732
2733
2734
2735
2736
2737
2738
2739
2740
2741
2742
2743
2744
2745
2746
2747
2748
2749
2750
2751
2752
2753
2754
2755
2756
2757
2758
2759
2760
2761
2762
2763
2764
2765
2766
2767
2768
2769
2770
2771
2772
2773
2774
2775
2776
2777
2778
2779
2780
2781
2782
2783
2784
2785
2786
2787
2788
2789
2790
2791
2792
2793
2794
2795
2796
2797
2798
2799
2800
2801
2802
2803
2804
2805
2806
2807
2808
2809
2810
2811
2812
2813
2814
2815
2816
2817
2818
2819
2820
2821
2822
2823
2824
2825
2826
2827
2828
2829
2830
2831
2832
2833
2834
2835
2836
2837
2838
2839
2840
2841
2842
2843
2844
2845
2846
2847
2848
2849
2850
2851
2852
2853
2854
2855
2856
2857
2858
2859
2860
2861
2862
2863
2864
2865
2866
2867
2868
2869
2870
2871
2872
2873
2874
2875
2876
2877
2878
2879
2880
2881
2882
2883
2884
2885
2886
2887
2888
2889
2890
2891
2892
2893
2894
2895
2896
2897
2898
2899
2900
2901
2902
2903
2904
2905
2906
2907
2908
2909
2910
2911
2912
2913
2914
2915
2916
2917
2918
2919
2920
2921
2922
2923
2924
2925
2926
2927
2928
2929
2930
2931
2932
2933
2934
2935
2936
2937
2938
2939
2940
2941
2942
2943
2944
2945
2946
2947
2948
2949
2950
2951
2952
2953
2954
2955
2956
2957
2958
2959
2960
2961
2962
2963
2964
2965
2966
2967
2968
2969
2970
2971
2972
2973
2974
2975
2976
2977
2978
2979
2980
2981
2982
2983
2984
2985
2986
2987
2988
2989
2990
2991
2992
2993
2994
2995
2996
2997
2998
2999
3000
3001
3002
3003
3004
3005
3006
3007
3008
3009
3010
3011
3012
3013
3014
3015
3016
3017
3018
3019
3020
3021
3022
3023
3024
3025
3026
3027
3028
3029
3030
3031
3032
3033
3034
3035
3036
3037
3038
3039
3040
3041
3042
3043
3044
3045
3046
3047
3048
3049
3050
3051
3052
3053
3054
3055
3056
3057
3058
3059
3060
3061
3062
3063
3064
3065
3066
3067
3068
3069
3070
3071
3072
3073
3074
3075
3076
3077
3078
3079
3080
3081
3082
3083
3084
3085
3086
3087
3088
3089
3090
3091
3092
3093
3094
3095
3096
3097
3098
3099
3100
3101
3102
3103
3104
3105
3106
3107
3108
3109
3110
3111
3112
3113
3114
3115
3116
3117
3118
3119
3120
3121
3122
3123
3124
3125
3126
3127
3128
3129
3130
3131
3132
3133
3134
3135
3136
3137
3138
3139
3140
3141
3142
3143
3144
3145
3146
3147
3148
3149
3150
3151
3152
3153
3154
3155
3156
3157
3158
3159
3160
3161
3162
3163
3164
3165
3166
3167
3168
3169
3170
3171
3172
3173
3174
3175
3176
3177
3178
3179
3180
3181
3182
3183
3184
3185
3186
3187
3188
3189
3190
3191
3192
3193
3194
3195
3196
3197
3198
3199
3200
3201
3202
3203
3204
3205
3206
3207
3208
3209
3210
3211
3212
3213
3214
3215
3216
3217
3218
3219
3220
3221
3222
3223
3224
3225
3226
3227
3228
3229
3230
3231
3232
3233
3234
3235
3236
3237
3238
3239
3240
3241
3242
3243
3244
3245
3246
3247
3248
3249
3250
3251
3252
3253
3254
3255
3256
3257
3258
3259
3260
3261
3262
3263
3264
3265
3266
3267
3268
3269
3270
3271
3272
3273
3274
3275
3276
3277
3278
3279
3280
3281
3282
3283
3284
3285
3286
3287
3288
3289
3290
3291
3292
3293
3294
3295
3296
3297
3298
3299
3300
3301
3302
3303
3304
3305
3306
3307
3308
3309
3310
3311
3312
3313
3314
3315
3316
3317
3318
3319
3320
3321
3322
3323
3324
3325
3326
3327
3328
3329
3330
3331
3332
3333
3334
3335
3336
3337
3338
3339
3340
3341
3342
3343
3344
3345
3346
3347
3348
3349
3350
3351
3352
3353
3354
3355
3356
3357
3358
3359
3360
3361
3362
3363
3364
3365
3366
3367
3368
3369
3370
3371
3372
3373
3374
3375
3376
3377
3378
3379
3380
3381
3382
3383
3384
3385
3386
3387
3388
3389
3390
3391
3392
3393
3394
3395
3396
3397
3398
3399
3400
3401
3402
3403
3404
3405
3406
3407
3408
3409
3410
3411
3412
3413
3414
3415
3416
3417
3418
3419
3420
3421
3422
3423
3424
3425
3426
3427
3428
3429
3430
3431
3432
3433
3434
3435
3436
3437
3438
3439
3440
3441
3442
3443
3444
3445
3446
3447
3448
3449
3450
3451
3452
3453
3454
3455
3456
3457
3458
3459
3460
3461
3462
3463
3464
3465
3466
3467
3468
3469
3470
3471
3472
3473
3474
3475
3476
3477
3478
3479
3480
3481
3482
3483
3484
3485
3486
3487
3488
3489
3490
3491
3492
3493
3494
3495
3496
3497
3498
3499
3500
3501
3502
3503
3504
3505
3506
3507
3508
3509
3510
3511
3512
3513
3514
3515
3516
3517
3518
3519
3520
3521
3522
3523
3524
3525
3526
3527
3528
3529
3530
3531
3532
3533
3534
3535
3536
3537
3538
3539
3540
3541
3542
3543
3544
3545
3546
3547
3548
3549
3550
3551
3552
3553
3554
3555
3556
3557
3558
3559
3560
3561
3562
3563
3564
3565
3566
3567
3568
3569
3570
3571
3572
3573
3574
3575
3576
3577
3578
3579
3580
3581
3582
3583
3584
3585
3586
3587
3588
3589
3590
3591
3592
3593
3594
3595
3596
3597
3598
3599
3600
3601
3602
3603
3604
3605
3606
3607
3608
3609
3610
3611
3612
3613
3614
3615
3616
3617
3618
3619
3620
3621
3622
3623
3624
3625
3626
3627
3628
3629
3630
3631
3632
3633
3634
3635
3636
3637
3638
3639
3640
3641
3642
3643
3644
3645
3646
3647
3648
3649
3650
3651
3652
3653
3654
3655
3656
3657
3658
3659
3660
3661
3662
3663
3664
3665
3666
3667
3668
3669
3670
3671
3672
3673
3674
3675
3676
3677
3678
3679
3680
3681
3682
3683
3684
3685
3686
3687
3688
3689
3690
3691
3692
3693
3694
3695
3696
3697
3698
3699
3700
3701
3702
3703
3704
3705
3706
3707
3708
3709
3710
3711
3712
3713
3714
3715
3716
3717
3718
3719
3720
3721
3722
3723
3724
3725
3726
3727
3728
3729
3730
3731
3732
3733
3734
3735
3736
3737
3738
3739
3740
3741
3742
3743
3744
3745
3746
3747
3748
3749
3750
3751
3752
3753
3754
3755
3756
3757
3758
3759
3760
3761
3762
3763
3764
3765
3766
3767
3768
3769
3770
3771
3772
3773
3774
3775
3776
3777
3778
3779
3780
3781
3782
3783
3784
3785
3786
3787
3788
3789
3790
3791
3792
3793
3794
3795
3796
3797
3798
3799
3800
3801
3802
3803
3804
3805
3806
3807
3808
3809
3810
3811
3812
3813
3814
3815
3816
3817
3818
3819
3820
3821
3822
3823
3824

