



## CITY OF RIVERSIDE NOTICE OF PUBLIC HEARING

**NOTICE IS HEREBY GIVEN** that on Monday, June 27, 2022, at 6:30 p.m., or as soon thereafter as may be heard, the City of Riverside Board of Public Utilities will hold a virtual and in-person public hearing to receive comments on Riverside Public Utilities 2022 Public Health Goal Report. Public water systems serving more than 10,000 service connections must prepare, in addition to the Annual Consumer Confidence Report, a brief, written report in plain language that gives information on the detection of any contaminants that exceed Public Health Goals (PHGs) published by the State Office of Environmental Health Hazard Assessment (OEHHA). The PHG Report is available for review by contacting Robin Glenney at [rglenney@riversideca.gov](mailto:rglenney@riversideca.gov) or at (951) 351-6344 Riverside Public Utilities Water Operations Division.

DATE: June 27, 2022  
TIME: 6:30 p.m.  
LOCATION: In-person and/or Virtual Public Hearing  
Art Pick Council Chamber, 3900 Main Street, Riverside, CA 92522  
View live Webcast at [www.RiversideCa.gov/Meeting](http://www.RiversideCa.gov/Meeting)

To listen to the meeting live and provide public comment by phone, call (669) 900-6833 and enter the Meeting ID: 926 9699 1256

Mail written statements to City Clerk, City Hall, 3900 Main Street, Riverside, CA 92522, or email [City\\_Clerk@riversideca.gov](mailto:City_Clerk@riversideca.gov). Comments via the eComment feature may be submitted through 4:30 p.m., June 27, 2022, at [www.RiversideCa.gov/Meeting](http://www.RiversideCa.gov/Meeting).

Further details are available on the RPU website at [RiversidePublicUtilities.com/about-rpu/board-public-hearings.asp](http://RiversidePublicUtilities.com/about-rpu/board-public-hearings.asp). If you have any questions, please contact Customer Service at 951-782-0330.

**EN ESPAÑOL:** Para recibir una copia de este anuncio en español, por favor llámenos al 951-782-0330.

DONESIA GAUSE, MMC  
City Clerk

Dated and Published: June 14, 2022