

GAGE CANAL COMPANY CAPITAL EXPENDITURE BUDGET FOR FY 22/23

Riverside Public Utilities

Board of Public Utilities September 26, 2022

RiversideCA.gov

BACKGROUND

- 1. The 1965 Agreement For Operation of Gage Canal Facilities establishes budget submittal requirement.
- 2. Approval was historically done by RPU GM.
- 3. CAO opined Board and Council should be involved.
- 4. City's "approval" not necessary for execution of Company expenditures.



2

BACKGROUND (CONT.)

- 5. RPU GM and two Board of Public Utilities members sit on Company Board.
- 6. Company Board develops and approves capital budget.
- 7. Budget normally submitted in September.



3

RiversideCA.gov

DISCUSSION

- 1. Section 15 of the Agreement states: ... "The Company shall submit an annual capital expenditure budget for approval by the City"...
- 2. If Company fails to submit budget, then potential breach of contract.
- 3. Total FY 22/23 budget = \$191,704.



4

DISCUSSION (CONT.)

- 4. Capital improvements necessary for ongoing performance obligations.
- 5. Not a "direct" financial expenditure of City.
- 6. City pays proportionate share via Company shareholdings.



5

RiversideCA.gov

STRATEGIC PLAN ALIGNMENT

Strategic Priority 6 - Infrastructure, Mobility and Connectivity

Goal No. 6.2 – Maintain, protect, and improve assets and infrastructure within the City's built environment to ensure and enhance reliability, resiliency, sustainability, and facilitate connectivity.

Cross-Cutting Threads









Equity





RECOMMENDATIONS

That the Board of Public Utilities:

- 1. Recommend that the City Council approve the Gage Canal Company's capital expenditure budget for Fiscal Year 2022/23; and
- 2. Consider forming an Ad Hoc Committee to discuss the sharing of costs for capital expenditures by all Gage Canal Company shareholders, including the City, to address the significant long-term costs associated with major improvements to facilities, with a deadline to complete and report back to the Board of Public Utilities by March 27, 2023.



7