RIVERSIDE COUNTY AIRPORT LAND USE COMMISSION



July 15, 2022

Candice Assadzadeh, Project Planner City of Riverside Planning Department CHAIR 3900 Main Street, 3rd Floor Steve Manos Lake Elsinore Riverside, CA 92522 VICE CHAIR Russell Betts **Desert Hot Springs** RE: AIRPORT LAND USE COMMISSION (ALUC) DEVELOPMENT REVIEW COMMISSIONERS File No.: ZAP1104RI22 Vacant Related File Nos.: PR2021-001208 (Change of Zone, Design Review) Compatibility Zones: Zone E John Lyon Riverside APNs: 231-180-019, 231-180-007 Steven Stewart Palm Springs Dear Ms. Assadzadeh: **Richard Stewart** Moreno Vallev On July 14, 2022, the Riverside County Airport Land Use Commission (ALUC) found City of Michael Geller Riverside Case Nos. PR2021-001208 (Change of Zone, Design Review), a proposal to convert Riverside an existing 1,180 square foot single family residence into an office building on 1.44 acres, located at 8568 Indiana Avenue, northerly of Patricia Way, westerly of Vance Street, and easterly of Bernard Street, and also proposes to change the site's zoning from R-1-7000 (Single Family Residential Zone) to O (Office Zone) CONSISTENT with the 2005 Riverside Municipal STAFF Airport Land Use Compatibility Plan, subject to the conditions listed below. Director Paul Rull **CONDITIONS:** Simon A. Housman Jackie Vega 1. Any outdoor lighting installed shall be hooded or shielded to prevent either the spillage Barbara Santos of lumens or reflection into the sky. Outdoor lighting shall be downward facing. County Administrative Center 4080 Lemon St., 14th Floor. 2. The following uses are prohibited: Riverside, CA 92501 (951) 955-5132 Any use which would direct a steady light or flashing light of red, white, green, or (a) amber colors associated with airport operations toward an aircraft engaged in an www.rcaluc.org initial straight climb following takeoff or toward an aircraft engaged in a straight final approach toward a landing at an airport, other than an FAA-approved navigational signal light or visual approach slope indicator. (b) Any use which would cause sunlight to be reflected towards an aircraft engaged in an initial straight climb following takeoff or towards an aircraft engaged in a straight final approach towards a landing at an airport. (c) Any use which would generate smoke or water vapor or which would attract large concentrations of birds, or which may otherwise affect safe air navigation within the area. (Such uses include landscaping utilizing water features, aquaculture, outdoor production of cereal grains, sunflower, and row crops, composting operations, wastewater management facilities, artificial marshes, trash transfer stations that are open on one or more sides, recycling centers containing putrescible wastes, construction and demolition debris facilities, fly

ash disposal, and incinerators.)

- (d) Any use which would generate electrical interference that may be detrimental to the operation of aircraft and/or aircraft instrumentation.
- (e) Any use which results in a hazard to flight, including physical (e.g., tall objects), visual, and electronic forms of interference with the safety of aircraft operations.
- 3. The attached "Notice of Airport in Vicinity" shall be provided to all prospective purchasers and occupants of the property.
- 4. Any proposed stormwater basins or facilities shall be designed and maintained to provide for a maximum 48-hour detention period following the design storm, and remain totally dry between rainfalls. Vegetation in and around the basins that would provide food or cover for birds would be incompatible with airport operations and shall not be utilized in project landscaping. Trees shall be spaced so as to prevent large expanses of contiguous canopy, when mature. Landscaping in and around the basin(s) shall not include trees or shrubs that produce seeds, fruits, or berries.

Landscaping in the stormwater basin, if not rip-rap, should be in accordance with the guidance provided in ALUC "LANDSCAPING NEAR AIRPORTS" brochure, and the "AIRPORTS, WILDLIFE AND STORMWATER MANAGEMENT" brochure available at <u>RCALUC.ORG</u> which list acceptable plants from Riverside County Landscaping Guide or other alternative landscaping as may be recommended by a qualified wildlife hazard biologist.

A notice sign, in a form similar to that attached hereto, shall be permanently affixed to the stormwater basin with the following language: "There is an airport nearby. This stormwater basin is designed to hold stormwater for only 48 hours and not attract birds. Proper maintenance is necessary to avoid bird strikes". The sign will also include the name, telephone number or other contact information of the person or entity responsible to monitor the stormwater basin.

Supporting documentation was provided to the Airport Land Use Commission and is available online at <u>www.rcaluc.org</u>, click Agendas 7-14-22 Agenda, Bookmark Agenda Item No. 3.1.

If you have any questions, please contact me at (951) 955-6893.

Sincerely, RIVERSIDE COUNTY AIRPORT LAND USE COMMISSION

Tal Kull

Paul Rull, ALUC Director

Attachments: Notice of Airport in Vicinity

cc: Kienle & Kienle Investments (applicant/property owner) Adkan Engineers (representative) Kim Ellis, Airport Manager, Riverside Municipal Airport ALUC Case File

NOTICE OF AIRPORT IN VICINITY

This property is presently located in the vicinity of an airport, within what is known as an airport influence area. For that reason, the property may be subject to some of the annoyances or inconveniences associated with proximity to airport operations (for example: noise, vibration, or odors). Individual sensitivities to those annoyances [can vary from person to person. You may wish to consider what airport annoyances], if any, are associated with the property before you complete your purchase and determine whether they are acceptable to you. Business & Professions Code Section 11010 (b)

NOTICE

THERE IS AN AIRPORT NEARBY.

THIS STORM WATER BASIN IS DESIGNED TO HOLD

STORM WATER FOR ONLY 48 HOURS AND

NOT TO ATTRACT BIRDS

PROPER MAINTENANCE IS NECESSARY TO AVOID BIRD STRIKES



IF THIS BASIN IS OVERGROWN, PLEASE CONTACT:

Name:

Phone:

PR-2021-001208 (RZ, DR) - Exhibit 8 - ALUC Determination