



From the fourth floor of parking structure looking south.



From the northern property line looking south.



From the second floor of the parking structure looking west.



From the University Village parking lot looking north.



From the southwest corner of the project site looking northeast.



AIRPORT LAND USE COMMISSION RIVERSIDE COUNTY

March 22, 2018

CHAIR
VACANCY

VICE CHAIRMAN
Steve Manos
Lake Elsinore

COMMISSIONERS

Arthur Butler
Riverside

John Lyon
Riverside

Glen Holmes
Hemet

Russell Betts
Desert Hot Springs

Steven Stewart
Palm Springs

STAFF

Director
Simon A. Housman

John Guerin
Paul Rull
Barbara Santos

County Administrative Center
4080 Lemon St., 14th Floor
Riverside, CA 92501
(951) 955-5132

www.rcaluc.org

Mr. Sean Kelleher, Associate Planner
City of Riverside Planning Division
3900 Main Street, 3rd Floor
Riverside CA 92522

RE: AIRPORT LAND USE COMMISSION (ALUC) DEVELOPMENT REVIEW – DIRECTOR'S DETERMINATION – REVISED LETTER

File No.:	ZAP1303MA18 (letter 1 of 2)
Related File No.:	P15-0877 (Specific Plan Amendment)
APNs:	Sub District 4a of Specific Plan: 250-240-037; 250-240-033; 250-240-036; 250-250-020; 250-250-027; 250-250-030; 250-250-032; 250-250-033 through 250-250-036

Dear Mr. Kelleher:

This revised Director's Determination letter supersedes the letter dated March 15, 2018 for ZAP1303MA18 (letter 1 of 2) for P15-0877 (Specific Plan Amendment). Specifically, the use regulations relating to hotels that could be established in Sub District 4a will include some of the same regulations as would apply to hotels that could be established in Sub District 3, but not all of the regulations in Sub District 3 would apply in Sub District 4. The attachments to this revised letter include Chapters 6 and 7 of the University Avenue Specific Plan in their entirety. The amendment would allow hotels in Sub District 4a with a maximum building height of 100 feet. Such hotels must provide at least 100 rooms and a 24-hour staffed front office. (Hotels in Sub District 3 are limited to a height of 75 feet, are required to provide a full-service coffee shop, and rooms must be accessible by interior corridors.)

Under the delegation of the Riverside County Airport Land Use Commission (ALUC) pursuant to ALUC Resolution No.15-01 (as adopted on August 13, 2015), staff reviewed City of Riverside Case No. P15-0877 (Specific Plan Amendment), a proposal to amend the University Avenue Specific Plan to allow hotels with buildings up to 100 feet in height within **Sub District 4a**.

~~Sub District 4a, subject to the same provisions (other than height limits) applicable to hotels that could be proposed within Sub District 3. Specifically, such hotels shall include not less than 100 rooms, a full-service coffee shop, and a 24-hour staffed front office, and rooms shall be accessed from interior corridors (rather than directly onto parking areas, as with motels).~~


Sub District 4a is located within Airport Compatibility Zone E of the March Air Reserve Base/Inland Port Airport Influence Area (AIA). Within Compatibility Zone E of the March Air Reserve Base/Inland Port Airport Land Use Compatibility Plan, non-residential intensity is not restricted.

As ALUC Director, I hereby find the above-referenced project **CONSISTENT** with the 2014 March Air Reserve Base/Inland Port Airport Land Use Compatibility Plan ("March ALUCP").

If you have any questions, please contact Paul Rull, ALUC Urban Regional Planner IV, at (951) 955-6893 or John Guerin, ALUC Principal Planner, at (951) 955-0982.

Sincerely,

RIVERSIDE COUNTY AIRPORT LAND USE COMMISSION




Simon A. Housman, ALUC Director

Attachments: Notice of Airport in Vicinity

cc: Paul Lin, University Campus Hotel/Prime Investment Intl. (applicant/landowner)
Kristin Werksman, Rick Engineering Company (representative)
UR Village (additional Sub District 4a landowner)
University Village Towers (additional Sub District 4a landowner)
1147 University (additional Sub District 4a landowner)
Hyrosen Prop. Inc. (additional Sub District 4a landowner)
Schools First Federal Credit Union (additional Sub District 4a landowner)
Gary Gosliga, Airport Manager, March Inland Port Airport Authority
Daniel "Rock" Rockholt, March Air Reserve Base
ALUC Case File

Y:\AIRPORT CASE FILES\March\ZAP1303MA18\ZAP1303MA18.LTR SPA.doc



Project Site
University Avenue Specific Plan
Subdistrict 4a

KEY

Project Site

Project Site

University Avenue Specific Plan Subdistricts

Subdistrict 3

Subdistrict 4a

Subdistrict 4b

Subdistrict 4c



Exhibit 5 - University Avenue Specific Plan Subdistrict Map

P15-0877 - Specific Plan Amendment University Avenue Specific Plan

6.0 LAND USE REGULATIONS

The policies, standards and design guidelines in this Specific Plan are formulated to implement portions of the overall vision and development strategies presented in the University Avenue Strategic Development Plan and to address additional concerns of the Citizen Advisory Task Force. This chapter outlines objectives and policies for the first of the major plan components - subdistricts and land use.

6.1 Definitions

For the purposes of this Specific Plan, the meanings of words and phrases ascribed to them in Chapter 19.04 of the Riverside Municipal Code shall apply. Additionally, for the purposes of this Specific Plan, the following words and phrases, whenever used in this Plan, shall be construed as defined in this Chapter, unless from the context, a different meaning is specifically defined and more particularly directed to the use of such words or phrases:

- **Check Cashing Facility** shall mean a person or business that for compensation engages, in whole or in part, in the business of cashing checks, payday advances, warrants, drafts, money orders or other commercial paper serving the same purpose. "Check cashing facilities" do not include a State or Federally chartered bank, savings associations, credit union or industrial loan company. "Check cashing facilities" also does not include a retail seller engaged primarily in the business of selling consumer goods, including consumables, to retail buyers that cash checks or issue money orders for minimum flat fee as a service that is incidental to its mail purpose or business.
- **Consolidated Block Development** shall mean a project submitted for approval under a single application, 1) containing an entire block of lots fronting on University Avenue between intersecting streets and which eliminates all curb cuts directly from University Avenue, or 2) consisting of contiguous lots totaling 2 acres or more, which substantially reduces curb cuts on University Avenue and improves pedestrian/vehicular circulation and landscaped image.
- **Indoor Swap Meet** shall mean any store event where merchandise is offered or displayed for sale or exchange and in which the sales area has been subdivided to allow for individual sales booths that are available for lease to individual tenants. For purposes of this definition, areas bounded by permanent floor-to-ceiling walls or windows, in which all entryways are capable of being closed and locked, shall be considered separate stores and not subdivisions of one store. No store in which one vendor occupies at least eighty percent (80%) of the floor area used for sale of goods shall be considered an indoor swap meet. For purposes of this section, a vendor is each person offering goods for sale in a store who is subject to a permit from the State Board of Equalization to engage in or conduct business as a seller at that store. Each such vendor shall be deemed a tenant in that store. The term swap meet is interchangeable with and applicable to flea markets, auctions, farmer's markets (except certified farmer's market as defined in Chapter 19.04 of the Riverside

Municipal Code) or other similarly named or labeled activities; but the term does not include the usual supermarket or department store retail operations.

- **Mini Mall** (see zoning code).
- **Planned Mixed-Use Commercial/Residential Development** (also "Mixed-Use" Development) shall mean a project submitted for approval under a single application, which project contains a combination of commercial and residential on a lot or a group of contiguous lots which constitute a single building site, and which is characterized by an integrated architecture, site design, function and purpose.
- **Shared Parking Analysis** shall mean an evaluation of the total parking requirement of all individual land uses within a "Planned Mixed Use Commercial/Residential Development" in order to determine the number of such required parking spaces which may be shared by two or more individual land uses without conflict, thus reducing the total parking requirement for the development.
- **Streetscape** is a term for improving the visual and pedestrian environment of a street by providing landscaping, street trees, pedestrian scale lighting, sidewalks, street furniture and other pedestrian amenities.
- **Tobacco Store/Smoke Shop** shall mean a business with the sale of tobacco, either loose or prepared as cigarettes, and products for the smoking of tobacco constituting more than thirty percent of gross sales and/or thirty percent of net lease area.

6.2 Intent of the Land Use Regulations

Land uses within the Specific Plan area are discussed below in terms of: 1) overall objectives 2) the relationship of Specific Plan land uses to those in the Land Use Element of the General Plan and Specific Plan Land Use Designations 3) land uses permitted within the Specific Plan area.

The Specific Plan incorporates the following in order to achieve the expressed intent of the plan:

- Encourage and appropriate mix of land uses and investment on the Avenue to revitalize and bring about a demonstrable change in the Avenue's character.
- Limit or prohibit certain objectionable uses or over concentration of uses along certain segments of University Avenue including gas stations, some auto uses, fast food drive-in facilities, liquor stores, and motels.
- Provide land use and development standards incentives to encourage mixed-use developments and the conversion of nonconforming land uses to new uses that reflect the long-term vision for the corridor.
- Implement the land use concept of the University Community Plan, which includes distinctions between land uses east and west of Chicago Avenue.

6.2.1 Relationship to the General Plan Land Use Element

It is important that the General Plan and the Specific Plan remain consistent.

The Specific Plan interprets and refines the General Plan designations for this Specific Plan as follows:

- In general, retail, commercial, and office uses are permitted along the entire corridor.
- In addition, Planned Mixed-Use Commercial/Residential Development are encouraged with a Site Plan Review Permit.

6.2.2 Land Uses Permitted Within the Specific Plan or by Subdistrict and Limitations

Table 2 and Table 3 list limitations on these permitted uses.

Key To Land Use Classifications

The symbols in Table 2 designate the following land use classifications within each of the University Avenue Subdistricts:

- The letter "P" designates use classifications PERMITTED in the University Avenue Specific Plan Area.
- The letter "L" designates use classifications in the University Avenue Specific Plan Area, which are subject to certain LIMITATIONS prescribed by the number or numbers following the "L" designator shown in Table 2. Prescribed limitations can be found in Table 3, "Additional Use Regulations," that follow.
- The letter "C" designates use classifications only permitted in the University Avenue Specific Plan Area subject to the granting of a CONDITIONAL USE PERMIT. The granting of such permits may be for a specified, limited period of time as determined through the approval process.
- The letter "M" designates use classifications only permitted in the University Avenue Specific Plan Area subject to the granting of a MINOR CONDITIONAL USE PERMIT. The granting of such permits may be for a specified, limited period of time as determined through the approval process.
- The letter "SP" designates use classifications permitted in the University Avenue Specific Plan Area subject to the granting of a Site Plan Review permit.
- The symbol "-" (a dash) designates use classifications NOT PERMITTED in the University Avenue Specific Plan Area.

Using Tables 2 and 3

Land Uses Permitted In Each Subdistrict. The land uses permitted in each Subdistrict shall be only those uses expressly permitted in Table 2.

This table of land uses is based upon uses that are listed in the underlying zones within the University Avenue Specific Plan Area. These zones are the Commercial Retail (CR) Zone, Commercial General (CG) Zone, Mixed-Use Urban (MU-U) Zone, and Multiple Family Residential ("R-3") Zone. In order to implement the vision for University Avenue, the applicability of these uses has been modified or expanded as appropriate. Land uses are arranged alphabetically in Table 2.

The criteria established in this Specific Plan shall apply to all land uses permitted in the University Avenue Specific Plan Area and shall govern where conflicts arise with any regulations of an underlying zone. Unless specifically otherwise indicated in Table 2, all uses within the University Avenue Specific Plan Area, shall be conducted wholly within a building, except for off-street parking. Exceptions to this would be outdoor dining, food carts and kiosks. Outdoor dining is acceptable in association with any restaurant, subject to the approval of design and location factors by the Design Review Board. Food carts and kiosks are anticipated to be part of potential mixed-use projects. Provisions for these would be made as part of the conditional use permit process.

Limitations On Permitted Land Uses. Land uses permitted in each Subdistrict of the Specific Plan Area shall be subject to certain limitations indicated in Table 3, Additional Use Regulations, and prescribed by the number or numbers following the "L" designator in Table 2.

Uses Not Listed in Table 2

Any use not specifically permitted is prohibited, except uses that are determined by the Planning Director to be similar to the listed uses.

Table 2
LAND USES PERMITTED IN EACH SUBDISTRICT

Land Use Classification	Subdistrict 1	Subdistrict 2	Subdistrict 3	Subdistrict 4a	Subdistrict 4b
Addressing service office	P	P	P	P	--
Advertising agency office	P	P	P	P	--
Administrative offices	P	P	P	P	--
Ambulance service	--	--	--	--	--
Antique shop	P	P	P	P	--
Appliance store	P	P	P	P	--
Appraiser office	P	P	P	P	--
Architect office	P	P	P	P	--
Art shop or gallery	P	P	P	P	--
Art supply store	P	P	P	P	--
Attorney at law office	P	P	P	P	--
Adult entertainment uses as defined in Chapter 19.61 of the Zoning Code	--	--	--	--	--
Automobile dismantling facility	--	--	--	--	--
Automobile storage garage, commercial	--	--	--	--	--
Automobile, van and truck sales	--	--	--	--	--
Automobile painting facility, including incidental body and fender work	--	--	--	--	--
Automobile rental	--	--	--	--	--
Automobile service station	--	--	--	--	--
Automobile service center	--	--	--	--	--
Automobile parts and accessories, retail (no service)	C	C	C	--	--
Automobile tire recapping	--	--	--	--	--
Automobile wash facility (car wash), hand or mechanical, including detailing	--	--	--	--	--
Bail bond agency	--	--	--	--	--
Bakery, retail	P, L26	P, L26	P, L26	P, L26	--
Bar, cocktail lounge, tavern	C	C	C	C	--
Barbershop	P	P	P	P	--
Beauty shop	P	P	P	P	--
Beverage container recycling facility (except auth., state-mandated collection points)	--	--	--	--	--
Billiard or pool hall	C, L27	C, L27	C, L27	C, L27	--
Bicycle shop	P	P	P	P	--
Boat sales or rentals	--	--	--	--	--



Table 2
LAND USES PERMITTED IN EACH SUBDISTRICT

Land Use Classification	Subdistrict 1	Subdistrict 2	Subdistrict 3	Subdistrict 4a	Subdistrict 4b
Book store	P	P	P	P	--
Bowling alleys	--	C	C	C	--
Bus terminal	--	--	--	--	--
Business and management consultant office	P	P	P	P	--
Camera store	P	P	P	P	--
Catering establishment	P	P	P	--	--
Cemeteries, columbariums, crematories, mausoleums - offices connected with and incidental to such uses	--	--	--	--	--
Check cashing facility (payday advance)	M	M	M	M	--
Chiropodist office	P	P	P	P	--
Chiropractor office	P	P	P	P	--
Churches, church schools, parsonages, monasteries, convents and recreational or entertainment uses incidental to church purposes	C	C	C	C	--
City planner office	P	P	P	P	--
Cleaning and dyeing establishment (dry cleaners)	P	P	P	P	--
Clothing and wearing apparel shop	P	P	P	P	--
Clubs and lodges (private, nonprofit)	C, L8	C, L8	C, L8	C, L8	--
Coffeehouse	P	P	P	P	--
Collection agency office	P	P	P	P	--
Commercial coaches	P, L1	P, L1	P, L1	P, L1	--
Computer hardware & software store	P	P	P	P	--
Computer sales & service	P	P	P	P	--
Confectionery store	P	P	P	P	--
Consumer electronics store	P	P	P	P	--
Contractor storage yard	--	--	--	--	--
Copy shop	P	P	P	P	--
Commercial radio and television transmitting and receiving station and antennas	--	--	--	--	--
Creamery or other dairy processing facility	--	--	--	--	--
Credit reporting agency office	P	P	P	--	--
Day nursery, nursery school, house for children, and day care facility	C	C	C	C	--
Decorating or drapery shop	P	P	P	--	--
Delicatessen	P	P	P	--	--

Table 2
LAND USES PERMITTED IN EACH SUBDISTRICT

Land Use Classification	Subdistrict 1	Subdistrict 2	Subdistrict 3	Subdistrict 4a	Subdistrict 4b
Department store	P	P	P	P	--
Dental laboratory	P, L2	P, L2	P, L2	P, L2	--
Detective agency office	P	P	P	P	--
Dry goods or notions store	P	P	P	P	--
Drug store	P	P	P	P	--
Economist office	P	P	P	P	--
Educational institutions and private elementary and high schools	C	C	C	C	--
Employment agency office	P	P	P	P	--
Engineer and surveyor office	P	P	P	P	--
Establishments involving large assemblages of people or automobiles, such as open-air theaters, stadiums, auditoriums, exhibition halls and sports arenas	--	C, L9	C, L9	C, L9	--
Farm and garden implement sales or rentals	--	--	--	--	--
Film processing - retail	P, L7	P, L7	P, L7	P, L7	--
Financial institutions, including banks, thrifts and credit unions		P	P	P	--
Florist shop	P	P	P	P	--
Frozen foods locker	P	--	--	--	--
Furniture store	P	P	P	P	--
Furniture reupholstery shop	P	--	--	--	--
Grocery, fruit or vegetable store or meat market	P	P	P	P	--
Gun shop / gun smithing	--	--	--	--	--
Hardware store	P	P	P	P	--
Health studio, reducing salon or gymnasium	--	C	C	C	--
Heliport and helistop	--	--	--	--	--
Homes for the aged, convalescent homes, rest homes, nursing homes and homes for mental patients	C	C	C	--	--
Hospital and sanitarium	--	--	--	--	--
Hotel - commercial	--	--	C, L30	<u>C, L31</u> —	--
Ice cream store	P	P	P	P	--
Ice sales facility	--	--	--	--	--
Ice skating rink	--	C	C	C	--
Insurance broker office	P	P	P	P	--
Jewelry store	P	P	P	P	--

Table 2
LAND USES PERMITTED IN EACH SUBDISTRICT

Land Use Classification	Subdistrict 1	Subdistrict 2	Subdistrict 3	Subdistrict 4a	Subdistrict 4b
Keeping animals or fowl, including poultry, pigeons, rabbits, horses, mules, ponies, goats, sheep, cows, reptiles, exotic or similar animals	--	--	--	--	--
Laboratory	P, L28	P, L28	--	--	--
Land title company office	P	P	P	P	--
Landscape architect office	P	P	P	P	--
Laundry agency	--	--	--	--	--
Laundry - commercial	--	--	--	--	--
Laundry - self-service (laundromat)	P	P	P	--	--
Leather goods or luggage store	P	P	P	P	--
Libraries and museums (nonprofit)	C	C	C	C	--
Liquor store	--	--	--	--	--
Liquor sales - ancillary use	C, L29	C, L29	C, L29	C, L29	--
Manufacturer's representative office	P	P	P	P	--
Mental health counseling - outpatient facility	P	P	P	P	--
Millinery shop	P	P	P	C	--
Mini mall	C, L35	--	C, L35	--	--
Mineral extraction / surface mining	--	--	--	--	--
Mixed-use development, planned commercial/residential	SP, L11	SP, L11	SP, L11	SP, L11	SP, L11
Mixed Use (5 th Cycle Housing Element Rezone Program Sites with Mixed Use Zoning)	SP, L11	SP, L11	SP, L11	SP, L11	SP, L11
Mobile home sales	--	--	--	--	--
Motel	--	--	C, L30	--	--
Mortuary and associated chapel	--	--	--	--	--
Movie theater	C	C	C	C	--
Multiple-family residences	--	C, L10	--	C, L10	P
Multiple-family residences (5 th Cycle Housing Element Rezone Program Sites with Mixed Use Zoning)	P, L36	P, L36	P, L36	P, L36	P, L36
Museum (commercial)	C	C	C	--	--
Music store, record store	P	P	P	P	--
Newspaper publishing or printing	P	P	P	--	--
Newsstand	P	P	P	P	--
Night club	--	C	C	C	--



Table 2
LAND USES PERMITTED IN EACH SUBDISTRICT

Land Use Classification	Subdistrict 1	Subdistrict 2	Subdistrict 3	Subdistrict 4a	Subdistrict 4b
Oculist office	P	P	P	P	--
Optician office	P	P	P	P	--
Optometrist office	P	P	P	P	--
Outdoor dining as defined in Section 19.04.394 of the Zoning Code	P	P	P	P	--
Osteopath office	P	P	P	P	--
Parking, off-street (independent lot)	P	P	P	P	--
Patio furniture sales	P	P	P	--	--
Pawnshop / pawnbroker	--	--	--	--	--
Pet shop	P	P	P	P	--
Photocopying and blueprinting	P	P	P	P	--
Photographer studio	P, L6	P, L6	P, L6	P, L6	--
Physical therapist	P	P	P	P	--
Physician office	P	P	P	P	--
Plant nursery, retail	P, L18	P, L18	P, L18	--	--
Post office	P	P	P	P	--
Prescription pharmacy	P	P	P	P	--
Psychiatrist office	P	P	P	P	--
Psychologist office	P	P	P	P	--
Public accountant office	P	P	P	P	--
Public notary office	P	P	P	P	--
Public relations consultant offices	P	P	P	P	--
Public uses	C	C	C	C	C
Publishing company office	P, L3	P, L3	P, L3	P, L3	--
Public utility service office	P	P	P	P	--
Public stenographer office	P	P	P	P	--
Real estate broker office	P	P	P	P	--
Research offices	P, L4	P, L4	P, L4	P, L4	--
Restaurant or cafe - with no on-site liquor sales	P	P	P	P	--
Restaurant or cafe - with on-site liquor sales	MC	MC	MC	MC	--
Restaurant - with drive-thru pursuant to specified development standards in Table 4	C, L33	C, L33	C, L33	C, L33	--
Roller skating rink	--	C	C	C	--
Shoe repair shop	P	P	P	P	--

Table 2
LAND USES PERMITTED IN EACH SUBDISTRICT

Land Use Classification	Subdistrict 1	Subdistrict 2	Subdistrict 3	Subdistrict 4a	Subdistrict 4b
Shoe store	P	P	P	P	--
Smoke shop	--	--	--	--	--
Soda fountain	P	P	P	P	--
Sporting goods store	P	P	P	P	--
Stationery store	P	P	P	P	--
Stockbroker office	P	P	P	P	--
Studio or school - art, music, voice, dance or modeling	P	P	P	P	--
Substance abuse facility	--	--	--	--	--
Supermarket	P	P	P	--	--
Surgeon office	P	P	P	P	--
Swap meet - indoor	C	--	--	--	--
Swap meet - outdoor	--	--	--	--	--
Tabulation and computing service office	P	P	P	P	--
Tailor shop - custom making	P	P	P	P	--
Taxidermist	--	--	--	--	--
Telegraph consumer service office	P	P	P	P	--
Telephone answering service office	P	P	P	P	--
Theater, excluding outdoor theater	C	C	C	C	--
Ticket office / ticket agency	P	P	P	P	--
Tobacco shop	--	--	--	--	--
Tobacco sales – Ancillary to a permitted use	P	P	P	P	--
Toy shop	P	P	P	P	--
Trade associations, labor organizations, fraternal and social organizations	P, L5	P, L5	P, L5	P, L5	--
Trailer sales or rentals	--	--	--	--	--
Transportation ticket agency office	P	P	P	P	--
Travel bureau or agency	P	P	P	P	--
Vocational and self improvement school	C, L19	C, L19	C, L19	C, L19	--
Variety store	P	P	P	P	--
Veterinary clinic and small animal hospital	C, L23	C, L23	--	--	--
Video / game arcade	--	C	--	C	--
Video / game arcade, ancillary use	P	P	P	P	--
Video sales / rental store	P	P	P	P	--
Watch and clock repair shop	P, L15	P, L15	--	--	--

Table 2
LAND USES PERMITTED IN EACH SUBDISTRICT

Land Use Classification	Subdistrict 1	Subdistrict 2	Subdistrict 3	Subdistrict 4a	Subdistrict 4b
Wedding chapel or parlor	C	--	C	--	--
Yogurt shop	P	P	P	P	--

Table 3
ADDITIONAL USE REGULATIONS

- L1 Only as temporary offices during the construction of a permanent building.
- L2 Subject to the limitation that manufacture, fabricating or selling of any article or commodity other than that incidental to dental offices shall not be permitted.
- L3 Provided that printing operations are not included.
- L4 Provided that such research offices are for the conduct of scientific research, theoretical studies and investigations by or under the supervision of professional scientists and/or highly trained specialists in the fields of physical, economic or social research; and provided that such research shall not involve the manufacture, fabrication, processing or sale of products on the premises; and provided that such research shall not be obnoxious or offensive by reason of emission of dust, gas, smoke, noise, fumes, odors, vibrations and potential release of hazardous materials or other similar causes.
- L5 Provided that the use is limited to administrative or executive offices only.
- L6 Provided that wholesale commercial sales of equipment or supplies shall not be permitted; but incidental film processing may be included.
- L7 Provided that wholesale commercial sales of equipment or supplies shall not be permitted.
- L8 Private catering business in conjunction with such uses may be included as an ancillary function provided that the conditional use permit specifically includes the catering business.
- L9 Only within an auditorium as a part of a hotel or educational facility.
- L10 Only as an integral part of a mixed-use development containing at least 15-acres in accordance with the provisions of this Specific Plan.
- L11 Refer to Zoning Code Table 19.120.050 (Mixed-Use Zones Development Standards) for development standards for Planned Residential and Commercial Mixed-Use Developments. See Section 7.2 of the Specific Plan for applicability.
- L12 (Reserved)
- L13 In accordance with the provisions of Chapter 19.40 of the Zoning Code; except that the sale of beer, wine and other closed container alcoholic beverages shall not be permitted.
- L14 (Reserved)
- L15 Excluding the sale of any merchandise or product except necessary parts sold in connection with the repair of watches and clocks.
- L16 (Reserved)
- L17 (Reserved)
- L18 Need not be conducted wholly within a completely enclosed building, provided that plants shall be the only items stored or displayed outside an enclosed building; and further provided that storage of fertilizers, plant food, mulches, potting soils, planters, flower pots, garden tools and similar items shall be screened from views from public rights-of-way and common private access ways.
- L19 Provided that schools involving the use or storage of goods, articles or substances which are combustibles, inflammable or explosive or likely to create a fire, radiation or explosive hazards and schools using equipment or processes permitted only in the C-3, M-1, M-2 and AIR Zones shall be prohibited; and further and provided that such use shall not be obnoxious or offensive by reason of emission of dust, gas, smoke, noise, fumes, odors, vibrations and potential release of hazardous materials or other similar causes.
- L20 (Reserved)
- L21 (Reserved)
- L22 In accordance with the provisions of Section 19.30.020(63) of the Zoning Code.

Table 3
ADDITIONAL USE REGULATIONS

- L23 Provided that the use is restricted to the medical treatment and incidental care such as bathing, the trimming of common household pets on an outpatient basis only, except that temporary boarding in connection with medical treatment shall be permitted and except that short-term boarding shall be permitted.
- L24 (Reserved)
- L25 (Reserved)
- L26 Provided the use involves retail sales only, and the products are sold only on the premises.
- L27 Provided that such use does not include the sale of alcoholic beverages, including beer and wine.
- L28 Provided that such laboratory shall not involve the use or storage of goods, articles or substances which are combustible, inflammable or explosive or likely to create a fire, radiation or explosive hazard; and further provided that such laboratory use shall not be obnoxious or offensive by reason of emission of dust, gas, smoke, noise, fumes, odors, vibrations, potential releases of hazardous materials or other similar causes.
- L29 Closed container sale of alcoholic beverages, including beer and wine, shall be permitted only as an ancillary use incidental to the sale of consumer soft goods; and further provided that space allocated to the sale of such alcoholic beverages is limited to no more than 15% of the total floor area devoted to the sale of such goods within the establishment.
- L30 Provided that the facility includes no less than 100 rooms and that on-site amenities include a full-service coffee shop, a 24-hour staffed front-office and rooms accessible by interior corridors. Rate sign advertising shall not be permitted. Commercial Hotel shall not mean a motel or a facility designed for single-room occupancy purposes, care facilities, half-way houses, or similar special purpose residential lodging facilities.
- L31 Provided that the facility includes no less than 100 rooms and a 24-hour staffed front-office. Rate sign advertising shall not be permitted. Commercial Hotel shall not mean a motel or a facility designed for single-room occupancy purposes, care facilities, half-way houses, or similar special purpose residential lodging facilities.~~(Reserved)~~
- L32 (Reserved)
- L33 Restaurant Drive-thru lanes, operations and service shall be permitted, to the approval of a Conditional Use Permit and the criteria found in Table 4, Development Standards.
- L35 Subject to the provisions of the Zoning Code.
- L36 For properties zoned as Mixed-Use Village (MU-V) or as Mixed Use-Urban (MU-U) as part of the 5th Cycle Housing Element Rezone Program to meet the City's Regional Housing Needs Allocation (RHNA), mixed use, and multiple-family residential uses shall be subject to the provisions of the Zoning Code. As provided in the Zoning Code, the mixed-use zoning for these sites shall allow stand-alone multi-family residential use by right per State Law (Government Code Section 65583.2).

7.0 DEVELOPMENT STANDARDS

7.1 Intent of the Development Standards

As stated in the preceding chapter, the policies, standards and design guidelines in this Specific Plan are formulated to implement an overall vision and development strategy for University Avenue as articulated through a number of means, not the least of which are the Strategic Development Plan for University Avenue and concerns raised through the public review process. This chapter outlines a further tier of objectives and policies pertaining to the plan's second major component - development standards.

The development standards contained in this section are regulatory in nature and govern all development within the Specific Plan Area. The standards should be used in combination with the Design Standards and Guidelines set forth in Section 8.0.

The densities proposed are consistent with the General Plan and, therefore, the roadway widths and types provided for in the Circulation Element will accommodate anticipated traffic demands. Major projects will, of course, be supplemented with specific traffic studies designed to address traffic impacts on a project specific basis. Where traffic would impact State Route 91 and Interstate 215, Cal-Trans will be invited to comment on any proposed projects. In addition, the Planning Department's environmental review function will address traffic impacts through such "Traffic Management Association" (TMA), considerations as flex-time work scheduling, on-site rideshare coordination and the like. In addition, the City's current fee schedule assesses fees for traffic impacts from project development.

7.2 Organization of the Development Standards into Three Tables

Table 4 lists development standards by Subdistrict. For Mixed-Use Developments as defined in Section 6.1.1 (Definitions), the standards contained in Table 19.120.050 (Mixed-Use Zones Development Standards) of the Zoning Code shall apply based upon the mixed-use zone corresponding to the General Plan Land Use Designation of the subject site, with the exception of Subdistrict 4a where the development standard for building height shall prevail.

Table 4 DEVELOPMENT STANDARDS BY SUBDISTRICT				
Section	Subdistrict 1	Subdistrict 2	Subdistrict 3	Subdistrict 4
7.1 Building				
7.1.1 Intensity (Floor Area Ratio)	Maximum of 0.35 except for Consoli-dated Block De-velopment (see 7.2.7 of this Table).	Maximum of 0.50 except for Planned Mixed Use Commer-cial/ Residential Development, a maximum of 2.0 (see Table 5). For drive-thru restaurants in Subdistrict 2 (see section 7.6).	Maximum of 0.35 except for Consoli-dated Block Devel-opment (see 7.2.7 of this Table).	Maximum of 0.50 except for Planned Mixed Use Commer-cial/ Residential Development, a maxi-mum of 2.0 (see Table 6).
7.1.2 Height ¹	Maximum of 35 feet.	Maximum of 35 ft. within 50 ft. of a residential zone; other-wise a maximum of 55 ft. except for Planned Mixed Use Commercial/ Residential Development (see Table 5).	Maximum of 75 ft.	Maximum of 35 ft. except for Planned Mixed Use Commer-cial/ Residential Development. <u>Maximum of 100 ft. in Subdistrict 4a (see Table 6).</u>
7.1.3 Blank Walls	No building wall facing a public street or adjacent residential uses shall extend more than 25 feet vertically or horizontally without a visual break created by a minimum 2-ft. recess articulation in the exterior wall or architectural detailing.			
7.1.4 Ground Floor Front Facade Treatment	At least 75% of the area of the ground floor building wall fronting University Avenue shall be devoted to pedestrian entrances, display windows and other techniques in order to provide visual interest and establish a pedestrian environment along University Avenue.			
7.1.5 Compatibility with Surrounding Development	The rear and side walls of buildings which are visible from adjacent lots or streets shall be treated the same as the front wall. The walls of any parking structure or that portion of any structure used for parking shall be designed to substantially screen vehicles in the structure from a view of a person on a public street. The walls of the parking structure shall be similar in color, material and architectural detail with the building it serves.			
7.2 Site Design				
7.2.1 Building Location	Buildings shall be located as close as possible to the front setback line of University Avenue and parking shall be located to the rear or side of the parcels. For drive-thru restaurants in Subdistrict 2 see section 7.6.			

¹ Roof structures specified in Section 19.68.030 of the Zoning Code shall be permitted in addition to heights specified for each Subdistrict.

Table 4
DEVELOPMENT STANDARDS BY SUBDISTRICT

Section	Subdistrict 1	Subdistrict 2	Subdistrict 3	Subdistrict 4
7.2.2 Required Front Yard Setback	<p>For the purposes of these standards, the front yard is the yard adjacent to University Avenue.</p> <p>The minimum setback along University Avenue shall be 20 ft. from the property line.</p> <p>Within this setback area, the following is permitted:</p> <ul style="list-style-type: none"> • Pedestrian access walkways and plazas • Vehicular access driveways, but not parking • Lights to illuminate pedestrian access ways and vehicular access driveways and landscaped areas or buildings • Signs in accordance with the provisions of this Section • Open trellis structures or arcades over sidewalk areas are permitted, subject to Design Review approval • Landscaped areas • Pedestrian amenities such as decorative trash receptacles, benches, water elements, bicycle parking areas, public art and sculpture, bus/shuttle stops subject to Design Review approval. • Outdoor dining areas and fences defining these dining areas subject to a Conditional Use Permit and Design Review approval. <p>Within this setback area the following landscaping shall be required:</p> <ul style="list-style-type: none"> • From Park to Iowa Avenue plant a minimum of 24-inch box canopy trees spaced approximately 60 ft. on center in a 10 to 12-ft. wide planting strip adjacent to the public sidewalk, coordinating with the Streetscape Concept Plans for University Avenue or subsequently refined plans. (See Figure 29 of the Design Guidelines.) Concrete paving with a broom finish shall connect University Avenue and buildings on the property and a minimum of 50% of the area shall be in ground cover. • From Iowa to I-215, plant a minimum of 24-inch box canopy trees spaced in a staggered pattern with proposed shade trees planned for the public rights-of-way as a part of the Streetscape Concept Plans for University Avenue or subsequently refined plans. Decorative brick-like and concrete paving as per Design Review Guidelines for University Avenue. <p>Within this setback area, the following appurtenances shall not be permitted:</p> <ul style="list-style-type: none"> • News racks. • Vending machines. • Public telephones. 			
7.2.3 Required Street Side Yard	Minimum of 10 ft.	Minimum of 10 ft.	Minimum of 10 ft.	Minimum of 10 ft.
7.2.4 Required Side Yard Adjacent to Residentially Zoned Property and All Rear Yards	Minimum 20 feet side and rear yards, of which no more than 15 feet may include parking.	Minimum 20 feet side and rear yards, of which no more than 15 feet may include parking.	Minimum 20 feet side and rear yards, of which no more than 15 feet may include parking.	Minimum 20 feet side and rear yards, of which no more than 15 feet may include parking.
7.2.5 Lot Area ²	Minimum of 20,000 s.f.	Minimum of 80,000 s.f. For drive-thru restaurants in Subdistrict 2 see section 7.6.	Minimum of 20,000 s.f.	Minimum of 80,000 s.f.

² Applicable to all lots created after the date of adoption of this Specific Plan.

Table 4 DEVELOPMENT STANDARDS BY SUBDISTRICT				
Section	Subdistrict 1	Subdistrict 2	Subdistrict 3	Subdistrict 4
7.2.6 Lot Width ³	Minimum 100 ft.	Minimum 100 ft.	Minimum 100 ft.	Minimum 100 ft.
7.2.7 Lot Consolidation ⁵	See Footnote Below	N/A	See Footnote Below	N/A
7.2.8 Off-Street Parking Required Spaces	In accordance with Chapter 19.74 of the Zoning Code, unless otherwise specified for a particular use or mixed use in a subdistrict.			
7.2.9 Curb Cuts	The number of curb cuts on property fronting on University Avenue shall not be increased; curb cuts shall be eliminated where possible. Access to parking and service areas shall be provided from an alley or adjacent side street where such exists adjacent to the property, if feasible. Initiation and/or continuation of reciprocal access and parking easements may be required so that existing or future properties or developments may be interconnected, thereby reducing the need for additional curb cuts. Arrangements for future driveway removal may also be required.			
7.2.10 Walls and Fences Adjacent to a Residential Zone	Six-ft. high masonry walls shall be erected and maintained along property lines adjoining any lot in any residential zone.			
7.2.11 Screening				
Required Walls for On-Site Parking	Walls located along a lot which abuts a public street other than University Avenue shall be set back a minimum of 5 ft. from the property line adjacent to that street. The area between the sidewalk and wall shall be landscaped in accordance with the Design Guidelines. When a greater wall setback is required elsewhere in the Design Guidelines, the greater setback shall be required.			
Trash	A trash enclosure, six feet in height, constructed of similar material of the building, shall be provided on site. The trash enclosure shall be enclosed on all sides, and shall be six feet in height with a solid gate providing access to the trash area. Trash enclosed within the enclosure shall not exceed the height of the enclosure. No trash shall be stored in any section of the site except within an enclosed structure.			
Roof Appurtenances	All heating, ventilation, air conditioning equipment and ducts and other equipment or appurtenances located on roofs shall be screened from the view of people at ground level or adjacent buildings. Screens must be at least as high as the equipment.			
Loading Areas	All loading areas shall be screened from view from adjacent lots and public streets by a solid fence or wall not less than 6 feet in height.			
7.2.12 Pedestrian Linkages	A clearly defined pedestrian walkway shall be provided to connect building entrances to parking spaces and to adjacent sidewalks.			
7.2.13 Light and Glare	All exterior lighting shall be of an indirect nature, shielded to minimize illumination of adjacent properties and to reduce glare. Freestanding light poles shall not exceed a maximum height of fourteen feet.			
7.2.14 Utilities	All utility connections from the main line in the public right-of-way to buildings shall be located underground.			

³ To eliminate curb cuts and provide opportunities for image, pedestrian, and vehicular improvements, lot consolidation is encouraged. If the project is a Consolidated Block Development as defined in Section 6.0 of this Specific Plan, subject to the granting of a Conditional Use Permit.

- The total parking requirement for a combination of restaurants, retail and offices on a Consolidated Block Development site may be reduced up to 25% from the requirements otherwise specified in this Chapter, subject to the findings of a shared use parking analysis provided by the applicant.
- The Floor Area Ratio (FAR) may be increased to 1.0, provided other development standards of the Specific Plan are satisfied.

Table 4 DEVELOPMENT STANDARDS BY SUBDISTRICT				
Section	Subdistrict 1	Subdistrict 2	Subdistrict 3	Subdistrict 4
7.3 Landscaping of Public Rights-of-Way	If an assessment district for implementation of the Streetscape Concept Plan has not been approved at the time of improvement of a property, trees shall be planted in the public right-of-way or a street tree planting easement in accordance with the specifications established by the University Avenue Design Standards and Guidelines.			
7.4 Signs	Chapter 19.76 of the Zoning Code shall apply. New billboards are prohibited.			
7.5 Subdivision	No property shall be subdivided into smaller parcels within the University Avenue Specific Plan Area, except that subdivision may be permitted within an integrated project, such as a shopping center, condominium or planned mixed use commercial/residential development in accordance with the provisions of this Specific Plan.			
7.6 Drive-thru Restaurant Design & Development Criteria	<p>General Standards</p> <ol style="list-style-type: none"> 1) Drive-thru restaurants are only permitted with the approval of a Conditional Use Permit. 2) The proposed site, either currently or proposed, shall be part of a commercial complex of eight acres or greater in size with shared access via a driveway serving the restaurant as well as the greater commercial complex. If the proposed site is on a separate parcel, the parcel should be no less than 30,000 square feet. 4) Associated indoor or outdoor playgrounds shall be prohibited. 5) Additional driveway openings to a parcel shall be discouraged and existing driveways are to be closed where feasible. 6) Buildings shall be designed with substantial mass (height and bulk) to create a strong building profile on the property as seen from the street frontage. <p>Drive-thru Lane and Window Standards</p> <ol style="list-style-type: none"> 7) Drive-thru windows are prohibited on the front building elevation directly facing a street frontage. 8) Drive thru lanes shall be designed in such a way as to be screened from view from the street through elevation differences, landscaping, arbors, trellises, canopies, walls and other architectural features used to reduce the visual presence of drive-thru operations. <p>Outdoor Dining Standards</p> <ol style="list-style-type: none"> 9) If an outdoor dining area is proposed, it shall be located fronting on the street frontage to promote pedestrian traffic. 10) All outdoor dining areas shall be designed in compliance with the City's "Outdoor Dining and Outdoor Food Preparation Requirements and Design Guidelines." 11) Outdoor dining areas may encroach to within five feet of the street frontage property line to encourage pedestrian usage. <p>Additional Design Standards for Drive-thrus with frontage on University Avenue</p> <ol style="list-style-type: none"> 12) The building shall be located in close proximity to the street frontage with parking and drive-thru lanes located to the rear of the building. 13) The restaurant should incorporate significant outdoor dining facilities, which shall be prominently visible from and integral to University Avenue. 14) No parking shall be located between University Avenue and the applicable primary building on the parcel. 15) Clear and dominant pedestrian access should be provided from University Avenue to the restaurant use. 			



AIRPORT LAND USE COMMISSION RIVERSIDE COUNTY

March 15, 2018

CHAIR
VACANCY

VICE CHAIRMAN
Steve Manos
Lake Elsinore

COMMISSIONERS

Arthur Butler
Riverside

John Lyon
Riverside

Glen Holmes
Hemet

Russell Betts
Desert Hot Springs

Steven Stewart
Palm Springs

STAFF

Director
Simon A. Housman

John Guerin
Paul Rull
Barbara Santos

County Administrative Center
4080 Lemon St., 14th Floor
Riverside, CA 92501
(951) 955-5132

www.rcaluc.org

Mr. Sean Kelleher, Associate Planner
City of Riverside Planning Division
3900 Main Street, 3rd Floor
Riverside CA 92522

RE: AIRPORT LAND USE COMMISSION (ALUC) DEVELOPMENT REVIEW – DIRECTOR'S DETERMINATION

File No.: ZAP1303MA18 (letter 2 of 2)
Related File No.: P16-0066 (Conditional Use Permit), P16-0067 (Design Review)
APN: 250-240-037

Dear Mr. Kelleher:

Under the delegation of the Riverside County Airport Land Use Commission (ALUC) pursuant to Policy 1.5.2(d) of the Countywide Policies of the 2004 Riverside County Airport Land Use Compatibility Plan, staff reviewed City of Riverside Case Nos. P16-0066 (Conditional Use Permit) and P16-0067 (Design Review), a proposal to establish a 122,459 square foot seven story (93 foot tall) mixed use hotel, including 126 guest rooms for long-term stays and three restaurants, on a 0.83-acre parcel ("Lot K") with an address of 1277 University Avenue and located easterly of Iowa Avenue, northerly of University Avenue, and southerly of Linden Street.

The site is located within Airport Compatibility Zone E of the March Air Reserve Base/Inland Port Airport Influence Area (AIA). Within Compatibility Zone E of the March Air Reserve Base/Inland Port Airport Land Use Compatibility Plan, non-residential intensity is not restricted.

The elevation of the site is more than 500 feet lower than the elevation of March's Runway 14-32 at its northerly terminus (approximately 1,535 feet above mean sea level). The site is located more than 20,000 feet from the runways at Riverside Municipal Airport and Flabob Airport. (The notice radius for Flabob Airport is 10,000 feet and the notification slope is 50:1, since the runway length does not exceed 3,200 feet) Therefore, Federal Aviation Administration Obstruction Evaluation Service review for height/elevation reasons was not required.

As ALUC Director, I hereby find the above-referenced project **CONSISTENT** with the 2014 March Air Reserve Base/Inland Port Airport Land Use Compatibility Plan, provided that the City of Riverside applies the following recommended conditions:

AIRPORT LAND USE COMMISSION

CONDITIONS:

1. Any new outdoor lighting that is installed shall be hooded or shielded so as to prevent either the spillage of lumens or reflection into the sky. Outdoor lighting shall be downward facing.
2. The following uses shall be prohibited:
 - (a) Any use which would direct a steady light or flashing light of red, white, green, or amber colors associated with airport operations toward an aircraft engaged in an initial straight climb following takeoff or toward an aircraft engaged in a straight final approach toward a landing at an airport, other than an FAA-approved navigational signal light or visual approach slope indicator.
 - (b) Any use which would cause sunlight to be reflected towards an aircraft engaged in an initial straight climb following takeoff or towards an aircraft engaged in a straight final approach towards a landing at an airport.
 - (c) Any use which would generate smoke or water vapor or which would attract large concentrations of birds, or which may otherwise affect safe air navigation within the area. (Such uses include landscaping utilizing water features, aquaculture, production of cereal grains, sunflower, and row crops, composting operations, trash transfer stations that are open on one or more sides, recycling centers containing putrescible wastes, construction and demolition debris centers, fly ash disposal, and incinerators.)
 - (d) Any use which would generate electrical interference that may be detrimental to the operation of aircraft and/or aircraft instrumentation.
3. The attached notice shall be provided to all potential purchasers of the property and to lessees of the structure(s) thereon.
4. No detention basins are depicted on the site plan. Any new aboveground detention or water quality basins on the site shall be designed so as to provide for a maximum 48-hour detention period following the conclusion of the storm event for the design storm (may be less, but not more), and to remain totally dry between rainfalls. Vegetation in and around the detention/water quality basin(s) that would provide food or cover for bird species that would be incompatible with airport operations shall not be utilized in project landscaping.

If you have any questions, please contact Paul Rull, ALUC Urban Regional Planner IV, at (951) 955-6893 or John Guerin, ALUC Principal Planner, at (951) 955-0982.

Sincerely,

RIVERSIDE COUNTY AIRPORT LAND USE COMMISSION



Simon A. Housman, ALUC Director

AIRPORT LAND USE COMMISSION

Attachments: Notice of Airport in Vicinity

cc: Rick Engineering Company, Kristin Werksman (applicant/representative)
Prime Investment International Inc, Paul Lin (property owner)
Gary Gosliga, Airport Manager, March Inland Port Airport Authority
Daniel "Rock" Rockholt, March Air Reserve Base
ALUC Case File

Y:\AIRPORT CASE FILES\March\ZAP1303MA18\ZAP1303MA18.LTR CUP.doc

NOTICE OF AIRPORT IN VICINITY

This property is presently located in the vicinity of an airport, within what is known as an airport influence area. For that reason, the property may be subject to some of the annoyances or inconveniences associated with proximity to airport operations (for example: noise, vibration, or odors). Individual sensitivities to those annoyances [can vary from person to person. You may wish to consider what airport annoyances], if any, are associated with the property before you complete your purchase and determine whether they are acceptable to you. Business & Professions Code Section 11010 (b) (13)(A)







Exhibit 10 - Airport Land Use Commission (ALUC) Development Review - File No. ZAP1303MA18

My Map



Notes

"IMPORTANT" Maps and data are to be used for reference purposes only. Map features are approximate, and are not necessarily accurate to surveying or engineering standards. The County of Riverside makes no warranty or guarantee as to the content (the source is often third party), accuracy, timeliness, or completeness of any of the data provided, and assumes no legal responsibility for the information contained on this map. Any use of this product with respect to accuracy and precision shall be the sole responsibility of the user.




0 11,482 22,964 Feet



REPORT PRINTED ON... 3/5/2018 11:39:43 AM

© Riverside County RCIT GIS

My Map




- Legend**
- Airports**
- AIA**
- Airport Compatibility**
- OTHER ZONE**
- A
- A-EXC1
- B1
- B1-APZ I
- B1-APZ I-EXC1
- B1-APZ II
- B1-APZ II-EXC1
- B1-EXC1
- B2
- B2-EXC1
- C
- C1
- C1-EXC1
- C1-EXC3
- C1-EXC4
- C1-HIGHT
- C2
- C2-EXC1
- C2-EXC2
- C2-EXC3
- C2-EXC5
- C2-EXC6
- C2-HIGHT

Notes

IMPORTANT Maps and data are to be used for reference purposes only. Map features are approximate, and are not necessarily accurate to surveying or engineering standards. The County of Riverside makes no warranty or guarantee as to the content (the source is often third party), accuracy, timeliness, or completeness of any of the data provided, and assumes no legal responsibility for the information contained on this map. Any use of this product with respect to accuracy and precision shall be the sole responsibility of the user.

© Riverside County RCIT GIS




0 1,435 2,871 Feet



REPORT PRINTED ON... 3/5/2018 11:38:17 AM

My Map



- Legend**
- City Boundaries
 - Cities
 - adjacent_highways
 - Interstate
 - Interstate 3
 - State Highways 60
 - State Highways 3
 - US HWY
 - OUT
 - highways_large
 - HWY
 - INTERCHANGE
 - INTERSTATE
 - USHWY
 - counties
 - cities



"IMPORTANT" Maps and data are to be used for reference purposes only. Map features are approximate, and are not necessarily accurate to surveying or engineering standards. The County of Riverside makes no warranty or guarantee as to the content (the source is often third party), accuracy, timeliness, or completeness of any of the data provided, and assumes no legal responsibility for the information contained on this map. Any use of this product with respect to accuracy and precision shall be the sole responsibility of the user.

Notes




0 11,482 22,964 Feet



REPORT PRINTED ON... 3/5/2018 11:40:22 AM

© Riverside County RCIT GIS

My Map



- Legend**
- City Boundaries
 - Cities
 - roads
 - highways
 - HWY
 - INTERCHANGE
 - INTERSTATE
 - OFFRAMP
 - ONRAMP
 - USHWY
 - roads
 - Major Roads
 - Arterial
 - Collector
 - Residential
 - counties
 - cities
 - hydrography
 - lines
 - waterbodies
 - Lakes
 - Rivers



Notes

"IMPORTANT" Maps and data are to be used for reference purposes only. Map features are approximate, and are not necessarily accurate to surveying or engineering standards. The County of Riverside makes no warranty or guarantee as to the content (the source is often third party), accuracy, timeliness, or completeness of any of the data provided, and assumes no legal responsibility for the information contained on this map. Any use of this product with respect to accuracy and precision shall be the sole responsibility of the user.




0 2,871 5,741 Feet



REPORT PRINTED ON... 3/5/2018 11:40:54 AM

© Riverside County RCIT GIS

My Map



- Legend**
- City Boundaries
 - Cities
 - roads
 - highways
 - HWY
 - INTERCHANGE
 - INTERSTATE
 - OFFRAMP
 - ONRAMP
 - USHWY
 - counties
 - cities
 - hydrography
 - waterbodies
 - Lakes
 - Rivers



0 1,435 2,871 Feet




REPORT PRINTED ON... 3/5/2018 11:38:57 AM

© Riverside County RCIT GIS

Notes

IMPORTANT Maps and data are to be used for reference purposes only. Map features are approximate, and are not necessarily accurate to surveying or engineering standards. The County of Riverside makes no warranty or guarantee as to the content (the source is often third party), accuracy, timeliness, or completeness of any of the data provided, and assumes no legal responsibility for the information contained on this map. Any use of this product with respect to accuracy and precision shall be the sole responsibility of the user.

My Map



- Legend**
- City Boundaries
 - Cities
 - roads
 - highways
 - HWY
 - INTERCHANGE
 - INTERSTATE
 - OFFRAMP
 - ONRAMP
 - USHWY
 - counties
 - cities
 - hydrography
 - waterbodies
 - Lakes
 - Rivers

Notes

"IMPORTANT" Maps and data are to be used for reference purposes only. Map features are approximate, and are not necessarily accurate to surveying or engineering standards. The County of Riverside makes no warranty or guarantee as to the content (the source is often third party), accuracy, timeliness, or completeness of any of the data provided, and assumes no legal responsibility for the information contained on this map. Any use of this product with respect to accuracy and precision shall be the sole responsibility of the user.




0 718 1,435 Feet



REPORT PRINTED ON... 3/5/2018 11:41:35 AM

© Riverside County RCIT GIS

My Map



- Legend**
- City Boundaries
 - Cities
 - roadsanno
 - highways
 - HWY
 - INTERCHANGE
 - INTERSTATE
 - OFFRAMP
 - ONRAMP
 - USHWY
 - counties
 - cities
 - hydrographylines
 - waterbodies
 - Lakes
 - Rivers

Notes

"IMPORTANT" Maps and data are to be used for reference purposes only. Map features are approximate, and are not necessarily accurate to surveying or engineering standards. The County of Riverside makes no warranty or guarantee as to the content (the source is often third party), accuracy, timeliness, or completeness of any of the data provided, and assumes no legal responsibility for the information contained on this map. Any use of this product with respect to accuracy and precision shall be the sole responsibility of the user.

© Riverside County RCIT GIS

REPORT PRINTED ON... 3/5/2018 11:42:11 AM




718 Feet

359

0

IN THE CITY OF RIVERSIDE, CALIFORNIA **PLOT PLAN EXHIBIT** UNIVERSITY VILLAGE - PAD K




APPLICANT/OWNER/DEVELOPER
 UNIVERSITY VILLAGE
 1700 UNIVERSITY AVENUE
 RIVERSIDE, CA 92507
 (951) 962-3311

ENGINEER/CONTACT PERSON
 JTS ENGINEERING COMPANY
 1700 UNIVERSITY AVENUE, SUITE 100
 RIVERSIDE, CA 92507
 (951) 962-3311
 ATT: JAMES W. JONES

ASSESSOR PARCEL NUMBER
 250-740-0317

LEGEND


- PROPERTY BOUNDARY
- ADA PA H OF TRA
- EXISTING
- PLANTER AREA
- EXISTING SEWER LINE
- EXISTING WATER LINE
- EXISTING ELEC TRAC
- PROPOSED AC PAVEMENT
- PROPOSED CONCRETE
- PROPOSED MASONRY
- PROPOSED SIGNAGE
- PROPOSED SUPERSTITION PLANTER
- PROPOSED DECORATIVE FLOWERS
- PROPOSED "TRUCKED ZONES"



DATE PREPARED: JANUARY 25, 2018
 PREPARED BY: JTS ENGINEERING COMPANY
PLOT PLAN
 UNIVERSITY VILLAGE
 1700 UNIVERSITY AVENUE
 RIVERSIDE, CA 92507
 IN THE COUNTY OF RIVERSIDE, CALIFORNIA
 SHEET 1-2



IN THE CITY OF RIVERSIDE, CALIFORNIA **PRELIMINARY GRADING EXHIBIT** UNIVERSITY VILLAGE - PAD K



VICINITY MAP
N.T.S.

APPLICANT/OWNER/DEVELOPER
UNIVERSITY VILLAGE
1700 UNIVERSITY AVENUE, SUITE 100
RIVERSIDE, CALIFORNIA 92507
(951) 514-1111

ENGINEER/CONTACT PERSON
RSC ENGINEERING COMPANY
1700 UNIVERSITY AVENUE, SUITE 100
RIVERSIDE, CALIFORNIA 92507
(951) 514-1111






ASSESSOR PARCEL NUMBER
250-140-037

ABBREVIATIONS

EXISTING	EXISTING
PROPOSED	PROPOSED
FINISHED FLOOR	FS
FINISHED SURFACE	FS
FIRE HYDRANT	FL
FIRE LINE	FL
GRADE BOUNDARY	GB
PUBLIC UTILITY CAUTION	PUE
RIGHT OF WAY	R/W
STORM DRAIN	SD
TOP OF CURB	TC
TOP OF WALL	TC
PROPOSED PLANTER BOX	PPB
TOP OF SHAFT	TS

LEGEND


PROPERTY BOUNDARY	---
PROPOSED CURB	---
EXISTING WALL	---
EXISTING FLOOR LINE	---
EXISTING FLOOR	---
EXISTING ELECTRIC	---
EXISTING STORM DRAIN	---
EXISTING DRAINAGE	---
PROPOSED AC PAVEMENT	---
PROPOSED CONCRET	---
PROPOSED LANDSCAPE	---
PROPOSED BOROTEXTURE PLANTER	---
PROPOSED EXCAVATION PATENT	---
PROPOSED FINISHED DRAIN	---
PROPOSED STORM DRAIN	---



DATE PREPARED: JANUARY 25, 2018
REVISED: FEBRUARY 21, 2018

**UNIVERSITY VILLAGE
UNIVERSITY VILLAGE
PAD K**

CITY OF RIVERSIDE, CALIFORNIA
IN THE COUNTY OF RIVERSIDE, CALIFORNIA
SHEET C-3




SCALE: 1" = 20'

DATE: 01/25/18

BY: [Signature]

IN THE CITY OF RIVERSIDE, CALIFORNIA **PATH OF TRAVEL** UNIVERSITY VILLAGE - PAD K



VICINITY MAP

APPLICANT/OWNER/DEVELOPER

PRIME DEVELOPMENT INTERNATIONAL, INC.
 17700 EXETER STREET, SUITE 400
 VAN NUYS, CALIFORNIA 91411
 (818) 709-5511

ENGINEER/CONTACT PERSON



RAE ENGINEERING COMPANY
 10000 VAN NUYS AVENUE, SUITE 100
 VAN NUYS, CALIFORNIA 91411
 (818) 709-5511

ASSESSOR PARCEL NUMBER

260-240-027

LEGEND

PROPERTY BOUNDARY
 ADA PATH OF TRAVEL
 CONTINUING



DATE: JANUARY 15, 2018
 PROJECT: UNIVERSITY VILLAGE - PAD K
 UNIVERSITY VILLAGE
 10000 VAN NUYS AVENUE
 CITY OF RIVERSIDE, CALIFORNIA
 IN THE COUNTY OF RIVERSIDE, CALIFORNIA
 SHEET 001



APPLICANT/OWNER/DEVELOPER

ARGUE INVESTMENT INTERNATIONAL, INC.
17700 CASILETON STREET, SUITE 469
CITY OF INDUSTRY, CA 91748
ATTN: PAUL LIN
(261) 965-3311

ENGINEER/CONTACT PERSON

ROCK ENGINEERING COMPANY
10700 107th AVE., SUITE 200
RIVERSIDE, CA 92507
PHONE: (951) 782-0707
FAX: (951) 782-0723
T. KRISTIN WEDERMAN

ASSESSOR PARCEL NUMBER

150-242-0317

LEGEND

PROPERTY BOUNDARY
FIRE ACCESS
STREET CENTERLINE
EXISTING FIRE SERVICE
EXISTING FIRE HYDRANT
EXISTING GATE VALVE

DATE PREPARED: JANUARY 25, 2018
REVISOR: FEBRUARY 2, 2018

REVISION FEBRUARY 21, 2013


SHEET C-4

NOTES
 PROVIDE FOR FIRE DEPARTMENT ACCESS TO THE FACILITY AND ANY CALL BOX/KEY DEVICES ARE AVAILABLE FOR USE IN THE CITY. CONTACT THE FIRE DEPARTMENT FOR APPLICATIONS AND DETAILS.
 PROVIDE ANY REQUIRED PUBLIC HYDRANT SHALL BE SPACED A MINIMUM OF 300 FEET ANY DISTANCE.
 PRIVATE HYDRANTS ARE BASED ON THE FIRE FLOW REQUIREMENTS FOR CALIFORNIA FIRE CODE.
 PRIVATE DEPARTMENT ACCESS SHALL BE MAINTAINED DURING ALL PHASES OF CONSTRUCTION.

SCALE: 1" = 40'

1. *Staphylococcus aureus* 2. *Staphylococcus epidermidis* 3. *Staphylococcus saprophyticus* 4. *Staphylococcus sciuri* 5. *Staphylococcus carnosus* 6. *Staphylococcus hyicus* 7. *Staphylococcus epidermidis* 8. *Staphylococcus aureus* 9. *Staphylococcus aureus* 10. *Staphylococcus aureus* 11. *Staphylococcus aureus* 12. *Staphylococcus aureus* 13. *Staphylococcus aureus* 14. *Staphylococcus aureus* 15. *Staphylococcus aureus* 16. *Staphylococcus aureus* 17. *Staphylococcus aureus* 18. *Staphylococcus aureus* 19. *Staphylococcus aureus* 20. *Staphylococcus aureus* 21. *Staphylococcus aureus* 22. *Staphylococcus aureus* 23. *Staphylococcus aureus* 24. *Staphylococcus aureus* 25. *Staphylococcus aureus* 26. *Staphylococcus aureus* 27. *Staphylococcus aureus* 28. *Staphylococcus aureus* 29. *Staphylococcus aureus* 30. *Staphylococcus aureus* 31. *Staphylococcus aureus* 32. *Staphylococcus aureus* 33. *Staphylococcus aureus* 34. *Staphylococcus aureus* 35. *Staphylococcus aureus* 36. *Staphylococcus aureus* 37. *Staphylococcus aureus* 38. *Staphylococcus aureus* 39. *Staphylococcus aureus* 40. *Staphylococcus aureus* 41. *Staphylococcus aureus* 42. *Staphylococcus aureus* 43. *Staphylococcus aureus* 44. *Staphylococcus aureus* 45. *Staphylococcus aureus* 46. *Staphylococcus aureus* 47. *Staphylococcus aureus* 48. *Staphylococcus aureus* 49. *Staphylococcus aureus* 50. *Staphylococcus aureus* 51. *Staphylococcus aureus* 52. *Staphylococcus aureus* 53. *Staphylococcus aureus* 54. *Staphylococcus aureus* 55. *Staphylococcus aureus* 56. *Staphylococcus aureus* 57. *Staphylococcus aureus* 58. *Staphylococcus aureus* 59. *Staphylococcus aureus* 60. *Staphylococcus aureus* 61. *Staphylococcus aureus* 62. *Staphylococcus aureus* 63. *Staphylococcus aureus* 64. *Staphylococcus aureus* 65. *Staphylococcus aureus* 66. *Staphylococcus aureus* 67. *Staphylococcus aureus* 68. *Staphylococcus aureus* 69. *Staphylococcus aureus* 70. *Staphylococcus aureus* 71. *Staphylococcus aureus* 72. *Staphylococcus aureus* 73. *Staphylococcus aureus* 74. *Staphylococcus aureus* 75. *Staphylococcus aureus* 76. *Staphylococcus aureus* 77. *Staphylococcus aureus* 78. *Staphylococcus aureus* 79. *Staphylococcus aureus* 80. *Staphylococcus aureus* 81. *Staphylococcus aureus* 82. *Staphylococcus aureus* 83. *Staphylococcus aureus* 84. *Staphylococcus aureus* 85. *Staphylococcus aureus* 86. *Staphylococcus aureus* 87. *Staphylococcus aureus* 88. *Staphylococcus aureus* 89. *Staphylococcus aureus* 90. *Staphylococcus aureus* 91. *Staphylococcus aureus* 92. *Staphylococcus aureus* 93. *Staphylococcus aureus* 94. *Staphylococcus aureus* 95. *Staphylococcus aureus* 96. *Staphylococcus aureus* 97. *Staphylococcus aureus* 98. *Staphylococcus aureus* 99. *Staphylococcus aureus* 100. *Staphylococcus aureus*

NOTES




SHEET NOTES

- ALL DIMENSIONS INDICATED AS TO FACE UNLESS NOTED OTHERWISE.
- ALL DIMENSIONS INDICATED AS TO FACE FROM FLOOR TO FLOOR.
- OUTSIDE AIR WALL LOUVERS TO BE 1/4" AWAY FROM ALL EXHAUSTS.
- EXHAUST LOUVERS TO BE 1/4" FROM OUTSIDE AIR INLET.

LEGEND

- (ST1) PLASTER FINISH, SMOOTH TROWEL
- (ST2) PLASTER FINISH, SMOOTH TROWEL, ACCENT COLOR
- (RT1) METAL BALCONY RAILING
- (RT2) METAL BALCONY RAILING
- (RT3) METAL BALCONY RAILING
- (RT4) METAL BALCONY RAILING
- (RT5) METAL BALCONY RAILING
- (RT6) METAL BALCONY RAILING
- (RT7) METAL BALCONY RAILING
- (RT8) METAL BALCONY RAILING
- (RT9) METAL BALCONY RAILING
- (RT10) METAL BALCONY RAILING
- (RT11) METAL BALCONY RAILING
- (RT12) METAL BALCONY RAILING
- (RT13) METAL BALCONY RAILING
- (RT14) METAL BALCONY RAILING
- (RT15) METAL BALCONY RAILING
- (RT16) METAL BALCONY RAILING
- (RT17) METAL BALCONY RAILING
- (RT18) METAL BALCONY RAILING
- (RT19) METAL BALCONY RAILING
- (RT20) METAL BALCONY RAILING
- (RT21) METAL BALCONY RAILING
- (RT22) METAL BALCONY RAILING
- (RT23) METAL BALCONY RAILING
- (RT24) METAL BALCONY RAILING
- (RT25) METAL BALCONY RAILING
- (RT26) METAL BALCONY RAILING
- (RT27) METAL BALCONY RAILING
- (RT28) METAL BALCONY RAILING
- (RT29) METAL BALCONY RAILING
- (RT30) METAL BALCONY RAILING
- (RT31) METAL BALCONY RAILING
- (RT32) METAL BALCONY RAILING
- (RT33) METAL BALCONY RAILING
- (RT34) METAL BALCONY RAILING
- (RT35) METAL BALCONY RAILING
- (RT36) METAL BALCONY RAILING
- (RT37) METAL BALCONY RAILING
- (RT38) METAL BALCONY RAILING
- (RT39) METAL BALCONY RAILING
- (RT40) METAL BALCONY RAILING
- (RT41) METAL BALCONY RAILING
- (RT42) METAL BALCONY RAILING
- (RT43) METAL BALCONY RAILING
- (RT44) METAL BALCONY RAILING
- (RT45) METAL BALCONY RAILING
- (RT46) METAL BALCONY RAILING
- (RT47) METAL BALCONY RAILING
- (RT48) METAL BALCONY RAILING
- (RT49) METAL BALCONY RAILING
- (RT50) METAL BALCONY RAILING
- (RT51) METAL BALCONY RAILING
- (RT52) METAL BALCONY RAILING
- (RT53) METAL BALCONY RAILING
- (RT54) METAL BALCONY RAILING
- (RT55) METAL BALCONY RAILING
- (RT56) METAL BALCONY RAILING
- (RT57) METAL BALCONY RAILING
- (RT58) METAL BALCONY RAILING
- (RT59) METAL BALCONY RAILING
- (RT60) METAL BALCONY RAILING
- (RT61) METAL BALCONY RAILING
- (RT62) METAL BALCONY RAILING
- (RT63) METAL BALCONY RAILING
- (RT64) METAL BALCONY RAILING
- (RT65) METAL BALCONY RAILING
- (RT66) METAL BALCONY RAILING
- (RT67) METAL BALCONY RAILING
- (RT68) METAL BALCONY RAILING
- (RT69) METAL BALCONY RAILING
- (RT70) METAL BALCONY RAILING
- (RT71) METAL BALCONY RAILING
- (RT72) METAL BALCONY RAILING
- (RT73) METAL BALCONY RAILING
- (RT74) METAL BALCONY RAILING
- (RT75) METAL BALCONY RAILING
- (RT76) METAL BALCONY RAILING
- (RT77) METAL BALCONY RAILING
- (RT78) METAL BALCONY RAILING
- (RT79) METAL BALCONY RAILING
- (RT80) METAL BALCONY RAILING
- (RT81) METAL BALCONY RAILING
- (RT82) METAL BALCONY RAILING
- (RT83) METAL BALCONY RAILING
- (RT84) METAL BALCONY RAILING
- (RT85) METAL BALCONY RAILING
- (RT86) METAL BALCONY RAILING
- (RT87) METAL BALCONY RAILING
- (RT88) METAL BALCONY RAILING
- (RT89) METAL BALCONY RAILING
- (RT90) METAL BALCONY RAILING
- (RT91) METAL BALCONY RAILING
- (RT92) METAL BALCONY RAILING
- (RT93) METAL BALCONY RAILING
- (RT94) METAL BALCONY RAILING
- (RT95) METAL BALCONY RAILING
- (RT96) METAL BALCONY RAILING
- (RT97) METAL BALCONY RAILING
- (RT98) METAL BALCONY RAILING
- (RT99) METAL BALCONY RAILING
- (RT100) METAL BALCONY RAILING




NOTES

SHEET NOTES

- ALL DIMENSIONS ARE TO FACE UNLESS NOTED OTHERWISE.
- ALL DIMENSIONS ARE TO FACE UNLESS NOTED OTHERWISE.
- ALL DIMENSIONS ARE TO FACE UNLESS NOTED OTHERWISE.
- ALL DIMENSIONS ARE TO FACE UNLESS NOTED OTHERWISE.

LEGEND

- (S1) PLASTER FINISH SMOOTH TROWEL
- (S2) PLASTER FINISH SMOOTH TROWEL
- (S3) PLASTER FINISH SMOOTH TROWEL
- (S4) PLASTER FINISH SMOOTH TROWEL
- (S5) PLASTER FINISH SMOOTH TROWEL
- (S6) PLASTER FINISH SMOOTH TROWEL
- (S7) PLASTER FINISH SMOOTH TROWEL
- (S8) PLASTER FINISH SMOOTH TROWEL
- (S9) PLASTER FINISH SMOOTH TROWEL
- (S10) PLASTER FINISH SMOOTH TROWEL
- (S11) PLASTER FINISH SMOOTH TROWEL
- (S12) PLASTER FINISH SMOOTH TROWEL
- (S13) PLASTER FINISH SMOOTH TROWEL
- (S14) PLASTER FINISH SMOOTH TROWEL
- (S15) PLASTER FINISH SMOOTH TROWEL
- (S16) PLASTER FINISH SMOOTH TROWEL
- (S17) PLASTER FINISH SMOOTH TROWEL
- (S18) PLASTER FINISH SMOOTH TROWEL
- (S19) PLASTER FINISH SMOOTH TROWEL
- (S20) PLASTER FINISH SMOOTH TROWEL
- (S21) PLASTER FINISH SMOOTH TROWEL
- (S22) PLASTER FINISH SMOOTH TROWEL
- (S23) PLASTER FINISH SMOOTH TROWEL
- (S24) PLASTER FINISH SMOOTH TROWEL
- (S25) PLASTER FINISH SMOOTH TROWEL
- (S26) PLASTER FINISH SMOOTH TROWEL
- (S27) PLASTER FINISH SMOOTH TROWEL
- (S28) PLASTER FINISH SMOOTH TROWEL
- (S29) PLASTER FINISH SMOOTH TROWEL
- (S30) PLASTER FINISH SMOOTH TROWEL
- (S31) PLASTER FINISH SMOOTH TROWEL
- (S32) PLASTER FINISH SMOOTH TROWEL
- (S33) PLASTER FINISH SMOOTH TROWEL
- (S34) PLASTER FINISH SMOOTH TROWEL
- (S35) PLASTER FINISH SMOOTH TROWEL
- (S36) PLASTER FINISH SMOOTH TROWEL
- (S37) PLASTER FINISH SMOOTH TROWEL
- (S38) PLASTER FINISH SMOOTH TROWEL
- (S39) PLASTER FINISH SMOOTH TROWEL
- (S40) PLASTER FINISH SMOOTH TROWEL
- (S41) PLASTER FINISH SMOOTH TROWEL
- (S42) PLASTER FINISH SMOOTH TROWEL
- (S43) PLASTER FINISH SMOOTH TROWEL
- (S44) PLASTER FINISH SMOOTH TROWEL
- (S45) PLASTER FINISH SMOOTH TROWEL
- (S46) PLASTER FINISH SMOOTH TROWEL
- (S47) PLASTER FINISH SMOOTH TROWEL
- (S48) PLASTER FINISH SMOOTH TROWEL
- (S49) PLASTER FINISH SMOOTH TROWEL
- (S50) PLASTER FINISH SMOOTH TROWEL
- (S51) PLASTER FINISH SMOOTH TROWEL
- (S52) PLASTER FINISH SMOOTH TROWEL
- (S53) PLASTER FINISH SMOOTH TROWEL
- (S54) PLASTER FINISH SMOOTH TROWEL
- (S55) PLASTER FINISH SMOOTH TROWEL
- (S56) PLASTER FINISH SMOOTH TROWEL
- (S57) PLASTER FINISH SMOOTH TROWEL
- (S58) PLASTER FINISH SMOOTH TROWEL
- (S59) PLASTER FINISH SMOOTH TROWEL
- (S60) PLASTER FINISH SMOOTH TROWEL
- (S61) PLASTER FINISH SMOOTH TROWEL
- (S62) PLASTER FINISH SMOOTH TROWEL
- (S63) PLASTER FINISH SMOOTH TROWEL
- (S64) PLASTER FINISH SMOOTH TROWEL
- (S65) PLASTER FINISH SMOOTH TROWEL
- (S66) PLASTER FINISH SMOOTH TROWEL
- (S67) PLASTER FINISH SMOOTH TROWEL
- (S68) PLASTER FINISH SMOOTH TROWEL
- (S69) PLASTER FINISH SMOOTH TROWEL
- (S70) PLASTER FINISH SMOOTH TROWEL
- (S71) PLASTER FINISH SMOOTH TROWEL
- (S72) PLASTER FINISH SMOOTH TROWEL
- (S73) PLASTER FINISH SMOOTH TROWEL
- (S74) PLASTER FINISH SMOOTH TROWEL
- (S75) PLASTER FINISH SMOOTH TROWEL
- (S76) PLASTER FINISH SMOOTH TROWEL
- (S77) PLASTER FINISH SMOOTH TROWEL
- (S78) PLASTER FINISH SMOOTH TROWEL
- (S79) PLASTER FINISH SMOOTH TROWEL
- (S80) PLASTER FINISH SMOOTH TROWEL
- (S81) PLASTER FINISH SMOOTH TROWEL
- (S82) PLASTER FINISH SMOOTH TROWEL
- (S83) PLASTER FINISH SMOOTH TROWEL
- (S84) PLASTER FINISH SMOOTH TROWEL
- (S85) PLASTER FINISH SMOOTH TROWEL
- (S86) PLASTER FINISH SMOOTH TROWEL
- (S87) PLASTER FINISH SMOOTH TROWEL
- (S88) PLASTER FINISH SMOOTH TROWEL
- (S89) PLASTER FINISH SMOOTH TROWEL
- (S90) PLASTER FINISH SMOOTH TROWEL
- (S91) PLASTER FINISH SMOOTH TROWEL
- (S92) PLASTER FINISH SMOOTH TROWEL
- (S93) PLASTER FINISH SMOOTH TROWEL
- (S94) PLASTER FINISH SMOOTH TROWEL
- (S95) PLASTER FINISH SMOOTH TROWEL
- (S96) PLASTER FINISH SMOOTH TROWEL
- (S97) PLASTER FINISH SMOOTH TROWEL
- (S98) PLASTER FINISH SMOOTH TROWEL
- (S99) PLASTER FINISH SMOOTH TROWEL
- (S100) PLASTER FINISH SMOOTH TROWEL




NOTES

- 300 CONCRETE TOPPING SLAB OVER
- 302 PLASTER

LEGEND

..... 2' 0" WALL

1
WE BUILDING SECTION THROUGH ELEVATOR
LOOKING SOUTH
1/8" = 1'-0"




NOTES

- 300 CONCRETE TOPPING SLAB OVER
- 300 FLOORING
- 300 PLASTER
- 300 RAMP

LEGEND

----- 2' R/W WALL




NOTES

- 300 CONCRETE TOPPING SLAB OVER
- 302 VIB MESH REINFORCEMENT
- 302 PLANTER


LEGEND

- 2' HIGH WALL



PARTIAL BUILDING SECTION THROUGH
 MAIN LOBBY - LOOKING EAST
 1/8" = 1'-0"

1



PARTIAL BUILDING SECTION THROUGH
 PARKING RAMP - LOOKING NORTH
 1/8" = 1'-0"


2

NOTES

- 300 CONCRETE TOPPING SLAB OVER
- 301 CONCRETE TOPPING SLAB OVER
- 304 DRIVE RAMP

LEGEND

----- 2' HW WALL




PARTIAL SECTION THROUGH WEST
 BUILDING WING - LOOKING NORTH
 1/8" = 1'-0"

NOTES

LEGEND



SITE PLAN
1/18" = 1' = 0"



NOTES


- 080 PERIMETER FOOTING, PER
- 081 SHEAR WALL FOOTING, PER
- 082 STRUCTURAL
- 083 CONCRETE FOUNDATION, SEE STRUCTURAL
- 084 BACKSLOUT TURNING MOVEMENTS
- 085 FOR VEHICLE
- 086 SERVICE ELECTRIC PER PLUMBING
- 087 DUGS
- 088 SUMP PUMP PER PLUMBING DUGS
- 089 PER PLUMBING
- 090 PER PLUMBING
- 091 LINE OF OPENING ABOVE TO 24" R
- 092 PER PLUMBING
- 093 PER PLUMBING
- 094 PER PLUMBING
- 095 PER PLUMBING
- 096 PER PLUMBING
- 097 PER PLUMBING
- 098 PER PLUMBING
- 099 PER PLUMBING
- 100 PER PLUMBING
- 101 PER PLUMBING
- 102 PER PLUMBING
- 103 PER PLUMBING
- 104 PER PLUMBING
- 105 PER PLUMBING
- 106 PER PLUMBING
- 107 PER PLUMBING
- 108 PER PLUMBING
- 109 PER PLUMBING
- 110 PER PLUMBING
- 111 PER PLUMBING
- 112 PER PLUMBING
- 113 PER PLUMBING
- 114 PER PLUMBING
- 115 PER PLUMBING
- 116 PER PLUMBING
- 117 PER PLUMBING
- 118 PER PLUMBING
- 119 PER PLUMBING
- 120 PER PLUMBING
- 121 PER PLUMBING
- 122 PER PLUMBING
- 123 PER PLUMBING
- 124 PER PLUMBING
- 125 PER PLUMBING
- 126 PER PLUMBING
- 127 PER PLUMBING
- 128 PER PLUMBING
- 129 PER PLUMBING
- 130 PER PLUMBING
- 131 PER PLUMBING
- 132 PER PLUMBING
- 133 PER PLUMBING
- 134 PER PLUMBING
- 135 PER PLUMBING
- 136 PER PLUMBING
- 137 PER PLUMBING
- 138 PER PLUMBING
- 139 PER PLUMBING
- 140 PER PLUMBING
- 141 PER PLUMBING
- 142 PER PLUMBING
- 143 PER PLUMBING
- 144 PER PLUMBING
- 145 PER PLUMBING
- 146 PER PLUMBING
- 147 PER PLUMBING
- 148 PER PLUMBING
- 149 PER PLUMBING
- 150 PER PLUMBING
- 151 PER PLUMBING
- 152 PER PLUMBING
- 153 PER PLUMBING
- 154 PER PLUMBING
- 155 PER PLUMBING
- 156 PER PLUMBING
- 157 PER PLUMBING
- 158 PER PLUMBING
- 159 PER PLUMBING
- 160 PER PLUMBING
- 161 PER PLUMBING
- 162 PER PLUMBING
- 163 PER PLUMBING
- 164 PER PLUMBING
- 165 PER PLUMBING
- 166 PER PLUMBING
- 167 PER PLUMBING
- 168 PER PLUMBING
- 169 PER PLUMBING
- 170 PER PLUMBING
- 171 PER PLUMBING
- 172 PER PLUMBING
- 173 PER PLUMBING
- 174 PER PLUMBING
- 175 PER PLUMBING
- 176 PER PLUMBING
- 177 PER PLUMBING
- 178 PER PLUMBING
- 179 PER PLUMBING
- 180 PER PLUMBING
- 181 PER PLUMBING
- 182 PER PLUMBING
- 183 PER PLUMBING
- 184 PER PLUMBING
- 185 PER PLUMBING
- 186 PER PLUMBING
- 187 PER PLUMBING
- 188 PER PLUMBING
- 189 PER PLUMBING
- 190 PER PLUMBING
- 191 PER PLUMBING
- 192 PER PLUMBING
- 193 PER PLUMBING
- 194 PER PLUMBING
- 195 PER PLUMBING
- 196 PER PLUMBING
- 197 PER PLUMBING
- 198 PER PLUMBING
- 199 PER PLUMBING
- 200 PER PLUMBING
- 201 PER PLUMBING
- 202 PER PLUMBING
- 203 PER PLUMBING
- 204 PER PLUMBING
- 205 PER PLUMBING
- 206 PER PLUMBING
- 207 PER PLUMBING
- 208 PER PLUMBING
- 209 PER PLUMBING
- 210 PER PLUMBING
- 211 PER PLUMBING
- 212 PER PLUMBING
- 213 PER PLUMBING
- 214 PER PLUMBING
- 215 PER PLUMBING
- 216 PER PLUMBING
- 217 PER PLUMBING
- 218 PER PLUMBING
- 219 PER PLUMBING
- 220 PER PLUMBING
- 221 PER PLUMBING
- 222 PER PLUMBING
- 223 PER PLUMBING
- 224 PER PLUMBING
- 225 PER PLUMBING
- 226 PER PLUMBING
- 227 PER PLUMBING
- 228 PER PLUMBING
- 229 PER PLUMBING
- 230 PER PLUMBING
- 231 PER PLUMBING
- 232 PER PLUMBING
- 233 PER PLUMBING
- 234 PER PLUMBING
- 235 PER PLUMBING
- 236 PER PLUMBING
- 237 PER PLUMBING
- 238 PER PLUMBING
- 239 PER PLUMBING
- 240 PER PLUMBING
- 241 PER PLUMBING
- 242 PER PLUMBING
- 243 PER PLUMBING
- 244 PER PLUMBING
- 245 PER PLUMBING
- 246 PER PLUMBING
- 247 PER PLUMBING
- 248 PER PLUMBING
- 249 PER PLUMBING
- 250 PER PLUMBING
- 251 PER PLUMBING
- 252 PER PLUMBING
- 253 PER PLUMBING
- 254 PER PLUMBING
- 255 PER PLUMBING
- 256 PER PLUMBING
- 257 PER PLUMBING
- 258 PER PLUMBING
- 259 PER PLUMBING
- 260 PER PLUMBING
- 261 PER PLUMBING
- 262 PER PLUMBING
- 263 PER PLUMBING
- 264 PER PLUMBING
- 265 PER PLUMBING
- 266 PER PLUMBING
- 267 PER PLUMBING
- 268 PER PLUMBING
- 269 PER PLUMBING
- 270 PER PLUMBING
- 271 PER PLUMBING
- 272 PER PLUMBING
- 273 PER PLUMBING
- 274 PER PLUMBING
- 275 PER PLUMBING
- 276 PER PLUMBING
- 277 PER PLUMBING
- 278 PER PLUMBING
- 279 PER PLUMBING
- 280 PER PLUMBING
- 281 PER PLUMBING
- 282 PER PLUMBING
- 283 PER PLUMBING
- 284 PER PLUMBING
- 285 PER PLUMBING
- 286 PER PLUMBING
- 287 PER PLUMBING
- 288 PER PLUMBING
- 289 PER PLUMBING
- 290 PER PLUMBING
- 291 PER PLUMBING
- 292 PER PLUMBING
- 293 PER PLUMBING
- 294 PER PLUMBING
- 295 PER PLUMBING
- 296 PER PLUMBING
- 297 PER PLUMBING
- 298 PER PLUMBING
- 299 PER PLUMBING
- 300 PER PLUMBING

SHEET NOTES

- A. ALL DIMENSIONS ARE TO FACE UNLESS NOTED OTHERWISE.
- B. ALL DIMENSIONS INDICATED AS CLIP ARE FROM FINISH TO FINISH.
- C. SEE SHEETS FOR TYPICAL CONNECTIONS AND DETAILS.
- D. SEE SHEETS FOR TYPICAL CONNECTIONS AND DETAILS.
- E. PROVIDE PIPE GUARDS AT ALL EXPOSED PIPES.

LEGEND

- CONCRETE BLOCK WALL
- CONCRETE COLUMN
- SEE SHEET FOR WALL TYPES
- EMERGENCY (SLOPE TO DRAIN)
- CO2 SENSING
- STAIRWELL
- PIPE EXTERIOR
- 2 HOUR ASSEMBLY
- EXIT SIGN
- GROUNDING AC OUTLET FOR FUTURE
- STATION (GROUND V. 4 AMP)



LEVEL P2 PLAN
1/8" = 1'-0"


- NOTES**
- 100 EXHAUST SHAFT
 - 101 TRENCH DRAIN
 - 102 PARKING SPACE STRIPPING TYP
 - 103 CONCRETE WITH STEEL CORNER GUARD TYP
 - 104 4" LONG CONCRETE WHEEL STOP TYP
 - 105 8" X 2' LONG CONCRETE WHEEL STOP TYP
 - 106 GARAGE ACCESS GATE - OPEN
 - 107 GARAGE ACCESS GATE - CLOSED
 - 108 FIRE RISK BOX
 - 109 SEE DETAIL 2
 - 110 LOADING/UNLOADING ZONE

SHEET NOTES

- A. ALL DIMENSIONS ARE TO FACE UNLESS NOTED OTHERWISE.
- B. ALL DIMENSIONS INDICATED AS CUT ARE FROM FINISH TO FINISH.
- C. SEE SHEET A100 FOR TYPICAL FOUNDATION REQUIREMENTS.
- D. ALL WALLS AND PARTITIONS ARE CONCRETE UNLESS NOTED OTHERWISE.
- E. PROVIDE PIPE CHAMBERS AT ALL EXPOSED PIPES.

LEGEND

- CONCRETE BLOCK WALL
- CONCRETE COLUMN
- SIZE SHOWN FOR WALL TYPES
- DEPENDENT DRAIN SLOPE TO DRAIN
- CO2 SENSOR
- STAMPING
- FIRE EXTINGUISHER
- 2 HOUR ASSEMBLY
- EXIT SIGN
- GROUNDING AC OUTLET FOR FUTURE USE (SEE DETAIL 2)
- STATION (DRAWN V. 4.1.18)













NOTES

- | | |
|------|---------------------------------------|
| 1105 | GARAGE ACCESS GATE |
| 1106 | FIRE RNOX BOX |
| 1107 | PASSENGER DROP OFF AREA
(8' X 20') |

SHEET NOTES

- A. ALL DIMENSIONS ARE TO FACE, UNLESS OTHERWISE NOTED.
- B. ALL DIMENSIONS INDICATED ARE "CLR" ARE FROM FINISH TO FINISH.
- C. SEE CITY MANUALS FOR TYP ACCESSIBILITY REQUIREMENTS.
- D. ROOMS LABELED AS HAVING A FIRE RATING SHALL BE CONSTRUCTED WITH FIRE RATED WALLS AND CEILING ASSEMBLIES.
- E. DWELLING UNITS SHALL BE SEPARATED WITH A MINIMUM OF 2" CONCRETE CONSTRUCTION AT WALLS AND FLOORS.
- F. SEE CITY MANUALS FOR SOUND TRANSMISSION DETAIL'S.
- G. SEE CITY MANUALS FOR TYP FIRESTOPPING DETAIL'S.
- H. PROVIDE ROOM & UNIT IDENTIFICATION SIGNAGE.
- I. PROVIDE LEVEL LANDINGS @ EXT DOORS AND

LEGEND

- | | | | | | | | | | |
|---|-----------------|---|------------------------------|---|---|---|-------------------------|---|-----------------------|
|  | 3/4" PINE WALL |  | WOOD POST PER STRUT CHAIR |  | AREA DRAIN, SLOPE TOWARD IN 1" PER 1' MIN |  | LANDSCAPE AREA |  | 30' X 40' CLEAR SPACE |
|  | 2/4" BATED WALL |  | SIZE SHIRT AND PANTALL TYPES |  | DOWNPOUT |  | SOFFIT MOULD @ 1/4" AFF |  | |




Exhibit 10 - Airport Land Use Commission (ALUC) Development Review –
File No. ZAP1303MA18

- 3/4" PINE WALL
- 3/4" RATED WALL
- WOOD POST FOR STRUCTURAL ONES
- SEE SHOT AND/OR WALL TYPES
- WATER CURTAIN
- DOWNSPOUT
- SLOPE ABOVE @ 7-9 AFF
- DECKING, SLOPE TO DRAIN AT 1/8" PER FOOT
- LANDSCAPE AREA
- ACCESSIBLE UNITS WITH MOBILITY FEATURES





Exhibit 10 - Airport Land Use Commission (ALUC) Development Review –
File No. ZAP1303MA18



3/4" FIRE WALL	3/4" RATED WALL	WOOD POST PER	SEE SHT A400 FOR	WATER CURTAIN	DOWNSPOUT	SOFFIT ABOVE	DECK DRAIN, SLOPE	PLASTER DRAIN,	ELECTRICAL PANEL



Exhibit 10 - Airport Land Use Commission (ALUC) Development Review –
File No. ZAP1303MA18

NOTES	UNIT SHAFT	COMMERCIAL SHAFT
1173		
1174		

UNIT SHAFT
COMMERCIAL GREASE EXHAUST
SHAFT

ROOM COUNT / AREA

ROOM	TYPE	AREA	QUANTITY
STORAGE	9-1A	268 SF	6
STORAGE	9-1B	363 SF	4
STORAGE	9-1C	373 SF	4
STORAGE	9-2	382 SF	6
STORAGE	9-2B	438 SF	1
STORAGE	9-3	427 SF	1
STORAGE	9-4	296 SF	1
STORAGE	9-5	817 SF	1
STORAGE	9-6	506 SF	1
STORAGE	9-7	793 SF	1
2 BAY	2000-1	888 SF	1
3 BAY	2000-1	1,343 SF	1
TOTAL			25

SHEET NOTES

- A. ALL DIMENSIONS ARE TO FACE, FIRM OR CENTERLINE OF WALL UNLESS NOTED.
- B. ALL DIMENSIONS INDICATED AS "CLF" ARE FROM FINISH TO FINISH.
- C. SEE SHEET 06-03-GHG FOR TYPICAL ACCESSIBILITY REQUIREMENTS.
- D. ROOMS Labeled AS HAVING A FIRE RATING SHALL HAVE WALL AND CEILING ASSEMBLIES.
- E. ENVELOPES SHALL BE SEPARATED FROM WALL FINISHES WITH LAQUOR FINISHES.
- F. SEE SHEET 06-03-GHG FOR TYPICAL CONSTRUCTION AT WALLS AND FLOORS.
- G. SEE SHEET 06-03-GHG FOR TYPICAL CONSTRUCTION AT WALLS AND FLOORS.
- H. PROVIDE ROOM & UNIT IDENTIFICATION DETAIL.
- I. PROVIDE LEVEL LANDINGS @ EXIT DOORS.

LEGEND

- | | |
|--|---|
| | 3/4\" FIRE WALL |
| | 2\" RATED WALL |
| | WOOD POST PER STRUCT DWG |
| | SIZE 8\" AND FOR WALL TYPES |
| | WATER CURTAIN |
| | DOWNSPOUT |
| | SOPRITT ABOVE @ 7\" AFF |
| | DECK DRAIN, SLOPE TO DRAIN AT 1\" PER FT MIN |
| | PLANTER DRAIN, SLOPE TO DRAIN AT 1\" PER FT MIN |

7TH FLOOR PLAN

NOTES


- 170 FUTURE EXHAUST FAN
- 171 EXHAUST FAN
- 172 MECHANICAL EQUIPMENT
- 173 MECHANICAL EQUIPMENT
- 174 MECHANICAL EQUIPMENT
- 175 MECHANICAL EQUIPMENT
- 176 MECHANICAL EQUIPMENT
- 177 MECHANICAL EQUIPMENT
- 178 MECHANICAL EQUIPMENT
- 179 MECHANICAL EQUIPMENT
- 180 MECHANICAL EQUIPMENT

SHEET NOTES

- A. ROOF SLOPES CONTINUOUS TO DOWNPOUT
- B. DOWNPOUTS SHALL BE THE SAME SIZE
- C. ALL DIMENSIONS ARE TO FACE UNLESS NOTED OTHERWISE
- D. ALL DIMENSIONS INDICATED AS "CL" ARE FROM FINISH TO FINISH

LEGEND

- 1" = 1" ON PAPER
- DOWNPOUT
- SCUPPER / OVERFLOW SCUPPER
- ROOF DOWNPOUT FLOW DRAIN
- INDICATED ROOF SLOPE DIRECTION
- ALL ROOF SLOPES TO HAVE A 1% SLOPE UNLESS NOTED OTHERWISE
- STANDPIPE
- FACE MAINTENANCE ROOF
- ANCHOR. SEE OTHER PLAN DRAWINGS



ROOF PLAN
16-012

NOTES


- 170 FUTURE EXHAUST FAN
- 171 FUTURE EXHAUST FAN
- 172 MECHANICAL EQUIPMENT
- 173 UNIT SHUTTLE
- 174 MECHANICAL EQUIPMENT EXHAUST SHUTTLE

SHEET NOTES

- A. ROOF SLOPES CONTINUOUS TO DOWNPOUT
- B. OVER LOW DRAIN SHALL BE THE SAME SIZE AS THE ROOF DRAIN WITHIN 2' ABOVE THE DRAIN. THE DRAIN SHALL BE CONNECTED TO THE ROOF DRAIN LINE.
- C. ALL DIMENSIONS ARE TO FOS FOR OR CENTERLINE OF WALL UNLESS NOTED OTHERWISE.
- D. ALL DIMENSIONS INDICATED AS "TYP" ARE FROM FOS TO FINISH.

LEGEND

- 2-HOUR FIRE WALL
- DOWNPOUT
- SCUPPER / OVER LOW SCUPPER
- ROOF DRAIN WITH OVER LOW DRAIN
- 7' ABOVE ROOF DRAIN
- INDICATES ROOF SLOPE DIRECTION
- ALL ROOF SLOPES TO HAVE A 2% SLOPE UNLESS NOTED OTHERWISE
- STANDPIPE
- FACE MAINTENANCE ROOF
- ANCHOR. SEE DRIP PLAN DRAWINGS



UPPER ROOF PLAN
1/8" = 1'-0"



NOTES

SHEET NOTES

- ALL DIMENSIONS ARE TO FACE UNLESS NOTED OTHERWISE.
- ALL MATERIALS ARE TO BE SPECIFIED AS "CLASS A" ARE FROM PRIME TO PRIME.
- OUTSIDE ARE WALL LOCATIONS TO BE 1/4" FROM AWAY FROM ALL EXHAUST.
- EXHAUST LOCATIONS TO BE 1/4" FROM OUTSIDE ARE INLET.

LEGEND

- (S1) PLASTER FINISH, SMOOTH TROWEL
- (S2) PLASTER FINISH, SMOOTH TROWEL, ACCENT COLOR
- (S3) METAL BALCONY RAILING
- (R1) WOOD FRAME
- (R2) ALUMINUM FRAME
- (M1) METAL PANEL
- (M2) METAL FENCE
- (D) EXPRESS WINDOW





GOVERNMENT & COMMUNITY RELATIONS

900 University Avenue
3144 Hinderaker Hall
Riverside, California 92521
(951) 827-7073 fax: (951) 827-5485

Ms. Jing Zenteno
Prime Investment International, Inc.
17700 Castleton Street, Suite 469
City of Industry, CA 91748

January 10, 2018

Dear Ms. Zenteno,

On behalf of the University of California, Riverside (UCR), I am writing to express our support of the concept of your proposal for an extended stay hotel to be located near our campus, on "Pad K" of the University Village shopping center here in Riverside.

With UCR's recent growth, as well as forecasted growth in the years to come, the demand for hotel rooms in close proximity to campus continues to rise. We currently do not have an extended stay hotel nearby and it would be a great addition to the area, benefitting our visiting faculty, researchers, and other who come to UCR. In addition, conversations with staff from the new \$400 million California Air Resource Board research facility, which broke ground this past October just across University Avenue, have also indicated that they will have a similar need for an extended stay hotel.

As a major tenant of the University Village shopping center, we look forward to working with you, along with the City of Riverside and County of Riverside, as you proceed through the development process as well as to the day we can celebrate your grand opening!

Sincerely,

A handwritten signature in black ink that reads "Jeff Kraus".

Jeff Kraus
Director of Local Government and Community Relations
University of California, Riverside

Cc: Kaitlyn Nguyen, City of Riverside