

[illegible]

Country	1950	1960	1970	1980	1990	2000	2010	2020	2030	2040	2050
Japan	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0
Germany	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.0	20.0
France	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.0	20.0	21.0
Italy	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.0	20.0	21.0	22.0
Spain	13.0	14.0	15.0	16.0	17.0	18.0	19.0	20.0	21.0	22.0	23.0
Sweden	14.0	15.0	16.0	17.0	18.0	19.0	20.0	21.0	22.0	23.0	24.0
United Kingdom	15.0	16.0	17.0	18.0	19.0	20.0	21.0	22.0	23.0	24.0	25.0
United States	16.0	17.0	18.0	19.0	20.0	21.0	22.0	23.0	24.0	25.0	26.0
Canada	17.0	18.0	19.0	20.0	21.0	22.0	23.0	24.0	25.0	26.0	27.0
Belgium	18.0	19.0	20.0	21.0	22.0	23.0	24.0	25.0	26.0	27.0	28.0
Australia	19.0	20.0	21.0	22.0	23.0	24.0	25.0	26.0	27.0	28.0	29.0
South Korea	20.0	21.0	22.0	23.0	24.0	25.0	26.0	27.0	28.0	29.0	30.0
China	21.0	22.0	23.0	24.0	25.0	26.0	27.0	28.0	29.0	30.0	31.0
India	22.0	23.0	24.0	25.0	26.0	27.0	28.0	29.0	30.0	31.0	32.0
Brazil	23.0	24.0	25.0	26.0	27.0	28.0	29.0	30.0	31.0	32.0	33.0
Argentina	24.0	25.0	26.0	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0
South Africa	25.0	26.0	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0
Indonesia	26.0	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0
Nigeria	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0
Kenya	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0
Uganda	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0
Zambia	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0
Malawi	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0
Mozambique	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0
Botswana	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0
Swaziland	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0
Lesotho	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0
Madagascar	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0
Senegal	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0
Gambia	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	48.0
Sierra Leone	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	48.0	

APN: 209-222-016
ZONE: R-1-7000
LAND USE: SFR
GENERAL PLAN: MDR

REMOVE EXISTING FENCE AND REPLACE WITH 158.0' OF NEW 6' TALL WHITE FENCING

N60°09'22"W 217.4' (217.58')

APN: 209-222-025
ZONE: R-1-7000
LAND USE: SFR
GENERAL PLAN: MDR

REMOVE EXISTING 3' FENCING AND REPLACE WITH 207.79' OF NEW 6' TALL WHITE FENCING

870

EX. BLDG.

REMOVE EXISTING 3' FENCING AND REPLACE WITH 207.79' OF NEW 6' TALL WHITE FENCING

SPLIT FACE BLOCK MAIL FENCING

40.5' OF NEW 6' TALL WHITE FENCING

LANDSCAPE

[illegible]

The site plan shows two buildings, Building 2 and Building 5, located between a residential street and a railroad. Building 2 is a large rectangular structure with dimensions 60' x 100'. Building 5 is a smaller structure with dimensions 42' x 55'. The plan includes various setbacks, easements, and utility lines.

- Building 2:** Dimensions 60' x 100'. Located adjacent to the railroad tracks.
- Building 5:** Dimensions 42' x 55'. Located north of Building 2.
- Setbacks:** Various setback distances are indicated, such as 10', 20', 30', 40', 50', and 60'.
- Easements:** Several easements are shown, including a "RAILROAD EASEMENT" and a "UTILITY EASEMENT".
- Streets:** The plan shows a residential street at the top and a railroad track at the bottom.
- Other Features:** A "PARK DRIVEWAY" is shown near the railroad track. A "PLANNED DEVELOPMENT" area is also indicated.

[illegible][illegible][illegible]

Architectural site plan of the 'Zona General' in Llanes, Asturias, 2005. The plan shows a residential development with various building footprints, some labeled 'TRANSFORMER' and others 'TRANSFORMER' and 'TRANSFORMER'. It includes a 'WAVE FENCING' area, a 'LAND' area, and a 'GENERAL' area. Dimensions and bearings are provided for several boundaries and internal spaces.

The architectural drawings show a section view of a building facade. The section view is a vertical cross-section showing the internal structure, including a sloped roof and a wall. The plan view is a horizontal cross-section showing the layout of the building, including a central corridor and rooms. The drawings are labeled with dimensions and notes.

[illegible][illegible]

APN: 210-150-014 PROJECT IN PLACE 10'15" OF EXISTING 6" TALL BLOCK WALL/FENCE ZONE: R-1-7000	APN: 209-222-028 PROJECT IN PLACE 10'25" OF EXISTING 3" TALL BLOCK WALL/FENCE WITH MOUNTED RAMP ZONE: R-1-7000
---	---

7" LAND USE: SFR
GENERAL PLAN: MDR

PROTECT IN PLACE 8' OF EXISTING 6"
TALL BLOCK WALL/FENCE WITH WROUGHT IRON
RAIL

EX. BLOCK

M/H	V_C	M/H
1.13	1502	1.14
1.507		1.507

10'	5'7"	30'	15'	22'	30'
			15'	16'	
					6.5' 9.5'


GRAPHIC SCALE
SCALE 1" = 10'

DATE: 10/1/00
SCALE: 1" = 10'
DRAWN BY: J. H. H. H.
DESIGNED BY: J. H. H. H.
CHECKED BY: J. H. H. H.


Wavelength (microns)	Scale: $1'' = 10'$	SN or Ref.	P.R.

18-0922 (GPA) P18-0923 (R7) and P19-0089 (DR) Exhibit 6 - Project Plans


825-2841 Mulberry Street




SECTION A-A
SCALE: 1" = 10'



SECTION C-C
SCALE: 1" = 10'



SECTION B-B
SCALE: 1" = 10'



SECTION D-D
SCALE: 1" = 10'

MARK	DATE	BY
REVISIONS		
CITY OF RIVERSIDE DETAIL SHEET MULBERRY STREET COTTAGES		
FOR: HABITAT FOR HUMANITY RIVERSIDE		
SCALE	N.T.S.	NO. 0032
DESIGNED	11/18/18	SHEET 2
CHECKED	AW	OF 2 SHEETS
DATE OF REV.		PROJECT NO. 190321
B&W ENGINEERS, INC.		

4640 River Street Ave.
Riverside, CA 92506
(951) 509-4700
Fax (951) 509-4039
<http://www.comcastcable.com>



DATE: 11/12/19
PROJECT #: 190103

P18-0922 (GPA), P18-0923 (RZ), and P19-0089 (DR), Exhibit 6 - Project Plans
2825-2841 Mulberry Street



MULBERRY STREET COTTAGES
HABITAT FOR HUMANITY - RIVERSIDE
2825 Mulberry Street
Riverside, CA 92501



DOCUMENTATION	DATE	BY
START OF DOCUMENT	01-01-19	MAB
ISSUED FOR	DATE	BY
1ST PLAN CHECK	00-00-00	MAB
REVISIONS	DATE	BY

OVERALL SITE THEME

704004.19


PM/LZ

MAB/M

11/06/19

Sheet Designation:

A1.06



PLAN TYPE LEGEND



OVERALL SITE PLAN



COURTYARD ELEVATION


BUILDING B
425 SQ. FT.

BUILDING C
425 SQ. FT.

BUILDING A
MIRRORED
402 SQ. FT.

BUILDING B
MIRRORED
425 SQ. FT.





BUILDING A
402 SQ. FT.



MATERIALS & COLORS

DOCUMENTATION	DATE	BY
START OF DOCUMENT	01-01-19	MAB
ISSUED FOR	DATE	BY
1ST PLAN CHECK	00-00-00	MAB
REVISIONS	DATE	BY

Sheet Title:
**TRASH ENCLOSURE &
PLANS, ELEVATIONS &
DETAILS**





DOCUMENTATION	DATE	BY
START OF DOCUMENT	01-01-19	MAB
ISSUED FOR	DATE	BY
1ST PLAN CHECK	00-00-00	JMAB
REVISIONS	DATE	BY

Sheet Title:
ROOF PLAN

Project No: **704004.19**
Sheet Designation:
Drawn By: PMW
Checked By: MAB/JM
Date: 11/18/19

A3.01

ATTIC VENTILATION NOTES

- ALL VENT OPENINGS SHALL BE COVERED WITH CORROSION-RESISTANT METAL MESH WITH OPENINGS OF 1/4" MESH IN DIMENSION.
- CORNER VENTS SHALL BE LOW VENTILATION AND SHALL BE 3 FEET BELOW THE GABLE VENTS.
- PROVIDE 1.50 FT. x 1.04 SQ. IN. OF FREE VENTILATION AREA FOR EACH CORNER VENT.
- PROVIDE 22" x 48" SCOTCH INTO ATTIC.
- ROOFING CONTRACTOR TO PROVIDE AND INSTALL CORNER VENTS, ROOF TO WALL FLASHING AND COUNTER FLASHING.
- ROOFING CONTRACTOR TO PAINT ALL CORNER VENTS, ROOF FLASHING AND VENTS TO MATCH ROOF COLOR.

REQUIRED ROOF VENTILATION:

BUILDING A

397 SQ. FT. ATTIC AREA REQUIRED

1.33 SQ. FT. x 1.14" = **288 SQ. IN. OF VENTING REQUIRED**

BUILDING B

397 SQ. FT. ATTIC AREA REQUIRED

1.33 SQ. FT. x 1.14" = **288 SQ. IN. OF VENTING REQUIRED**

BUILDING C

397 SQ. FT. ATTIC AREA REQUIRED

1.33 SQ. FT. x 1.14" = **288 SQ. IN. OF VENTING REQUIRED**

ACTUAL VENTILATION PROVIDED:

MODEL A

40 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT


16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT


16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT

16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT


16 SQ. IN. VENT W/ 10 SQ. IN. FREE PER VENT



ROOF PLAN (MODEL A)
1/4" = 1'-0"



ROOF PLAN (MODEL B)
1/4" = 1'-0"



ROOF PLAN (MODEL C) ADA
1/4" = 1'-0"

DOCUMENTATION	DATE	BY
START OF DOCUMENT	01-01-19	MAB
ISSUED FOR	DATE	BY
1ST PLAN CHECK	00-00-00	MAB
REVISIONS	DATE	BY

Sheet Title:
EXTERIOR ELEVATIONS

Sheet Designation:
Project No: **704004.19**
Drawn By: **PAUL**
Checked By: **MAB/JAM**
Date: **11/18/19**

A4.01

KEYNOTES [0]

MATERIAL LEGEND

INTEGRAL COLOR ASPH/CEMENT PLASTER, LIGHT DASH FINISH PAINTED.

WOOD SIDING

METAL ROOFING

INSULATED GLAZING AND FRAME ASSEMBLY

DRAWING SYMBOLS

ALIGNMENT TAG

WINDOW OR GLAZING TAG, SEE WINDOW TYPES & DETAILS.

COLOR & MATERIAL TAG, SEE FINISH LEGEND OVERLID.

TRANSITIONAL MARK

GENERAL NOTES

1. ALL METAL FLASHINGS SHALL BE PAINTED TO MATCH ADJACENT SURFACE TYPE.
2. ALL INTERIOR GLAZING TO BE I.F. (U.N.O.).
3. CONTROL JOINTS SHALL BE CONTIGUOUS ABOVE BELLS, UNDER SILLSETS, TO SELECT COLOR.
4. ALL GLAZING TO BE TEMPERED.
5. COORDINATE ALL CONTROL JOINTS, REVISIONS AND MATERIAL FINISHES THAT REQUIRE ALIGNMENT WITH OPENINGS PRIOR TO FRAMING.
6. CONTROL JOINTS SHALL DETAIL UNDER FLASHINGS, AROUND CORNERS, SILLSETS, SILLSETS, PAINT ALL PLASTER CONTROL JOINTS TO MATCH WALL COLOR.

ELEVATION A

ELEVATION B

ELEVATION C

ELEVATION D

ELEVATIONS (MODEL A)

1/4" = 1'-0"

ELEVATION A

ELEVATION B

ELEVATION C

ELEVATION D

ELEVATIONS (MODEL B)

1/4" = 1'-0"

DOCUMENTATION	DATE	BY
START OF DOCUMENT	01-01-19	MAB
ISSUED FOR	DATE	BY
1ST PLAN CHECK	00-00-00	MAB
REVISIONS	DATE	BY

Sheet Title:
EXTERIOR ELEVATIONS

Project No:	704004.19
Drawn By:	PM/LR
Checked By:	MAB/JM
Date:	11/18/19

Sheet Designation: A4.01

KEYNOTES

MATERIAL LEGEND

- INTERIOR COLOR ACRYLIC EMULSION PLASTER, LIGHT DASH FINISH, PAINTED.
- WOOD SIDING
- METAL ROOFING
- INSULATED GLAZING AND FRAME ASSEMBLY

DRAWING SYMBOLS

- ALIGNMENT TAG
- WINDOW OR GLAZING TAG. SEE WINDOW TYPES & DETAILS.
- COLOR & MATERIAL TAG. SEE FINISH LEGEND ON A1001.
- TRANSITIONAL MARK

GENERAL NOTES

- ALL METAL FLASHING SHALL BE PAINTED TO MATCH ADJACENT SURFACE, TYP.
- ALL INTER GLAZING TO BE 1/4" (UNG.L).
- CONTROL JOINTS SHALL BE CONTINUOUS ABOVE SILL, UNDER SOFFITS, AND UNDER EAVES. CONTROL JOINTS TO BE PAINTED ARCHITECT TO SELECT COLOR.
- ALL GLAZING TO BE TEMPERED.
- COORDINATE ALL CONTROL JOINTS, SPILLS AND MATERIAL FINISHES THAT REQUIRE ALIGNMENT WITH OPENINGS PRIOR TO FRAMING.
- CONTROL JOINTS SHALL EXTEND UNDER FLASHINGS AROUND CORNERS AND UNDER SOFFITS. PAINT ALL PASTER CONTROL JOINTS TO MATCH WALL COLOR.

FRONT ELEVATION

BACK ELEVATION

SIDE ELEVATION

SIDE ELEVATION

ELEVATION (MODEL C (ADA))

1/4" = 1'-0"

