



RIVERWALK TRAIL FENCE REHABILITATION

**Parks, Recreation and Community Services
Department**

City Council

August 25, 2026

RiversideCA.gov

1

BACKGROUND



- As part of the Riverwalk Landscaping and Lighting Maintenance District (LMD), the perimeter fencing located along the roadway is maintained through LMD funding. The existing fencing has reached the end of its useful life after approximately 20 years. Constructed from a PVC-based material, the fence has experienced significant deterioration due to prolonged exposure to ultraviolet (UV) radiation, causing the material to become brittle and susceptible to cracking, breakage, and failure.
- To address these conditions, staff recommend replacing the existing fencing with an Urban Design Solid Core HDPE Sierra 2-Rail Fence constructed from recycled high-density polyethylene (HDPE). Unlike the existing PVC fencing, the proposed solid-core HDPE material is engineered to withstand prolonged exposure to the elements, offering superior durability, resistance to UV degradation, and reduced maintenance requirements. The manufacturer estimates an expected service life of more than 30 years under normal conditions.

2



RiversideCA.gov

2

MAP



3

RiversideCA.gov

3

RECOMMENDATIONS

That the City Council:

- Award the Construction Agreement for Request for Bid No. 8247 to Skilled Fence Builder, Inc. of San Bernardino, CA for the Riverwalk Trail Fence Rehabilitation in the amount of \$189,500; and
- Authorize the City Manager, or designee, to execute the Construction Agreement with Skilled Fence Builder, Inc. including making minor and non-substantive changes.



4

RiversideCA.gov

4