

A quote for your consideration

Based on your business needs, we put the following quote together to help with your purchase decision. Below is a detailed summary of the quote we've created to help you with your purchase decision.

To proceed with this quote, you may respond to this email, order online through your **Premier page**, or, if you do not have Premier, use this **Quote to Order**.

Quote No. Total

Customer # Quoted On Expires by

Contract Name

Contract Code Customer Agreement # Solution ID

Message from your Sales Rep

Please contact your Dell sales representative if you have any questions or when you are ready to place an order. Thank you for shopping with Dell!

Regards, Tung Nguyen

Shipping Group

Shipping ToShipping MethodCARLOS ROBLES
CITY OF RIVERSIDE
3900 MAIN ST
INFORMATION SYSTEMS
BASEMENT
RIVERSIDE, CA 92522
(951) 826-2155Standard Delivery

Product	Unit Price	Quantity	Subtotal
R740XD2 - Storage Dense Node Site_1 City Hall	\$25,447.65	5	\$127,238.25
PowerEdge R740 - Compute nodes Site_1 City Hall	\$9,129.31	1	\$9,129.31
C13 to C14, PDU Style, 12 AMP, 2 Feet (.6m) Power Cord, NA Customer Kit Site_1 City Hall	\$5.61	12	\$67.32

3000143030805.1 \$147,052.85 140898332 Feb. 01, 2023 Feb. 28, 2023 Dell NASPO Computer Equipment PA - California C000000181156 MNWNC-108 / 7157034003 17275831.1 Sales Rep Phone Email **Billing To** Tung Nguyen (800) 456-3355, 6179739 Tung_Nguyen@Dell.com ACCOUNTS PAYABLE CITY OF RIVERSIDE FINANCE DEPARTNENT PURCHASING 3900 MAIN ST RIVERSIDE, CA 92522-0001

\$136,434.88 \$0.00
\$0.00
\$15,086.58
\$121,348.30
\$10,617.97

Total: \$147,052.85

Shipping Group Details

Shipping To CARLOS ROBLES CITY OF RIVERSIDE 3900 MAIN ST INFORMATION SYSTEMS BASEMENT RIVERSIDE, CA 92522 (951) 826-2155	Shipping Method Standard Delivery				
R740XD2 - Storage Dense Node Site Estimated delivery if purchased today: Feb. 16, 2023 Contract # C000000181156 Customer Agreement # MNWNC-108 / 715703			\$25,447.65	Quantity 5	Subtotal \$127,238.25
Description		SKU	Unit Price	Quantity	Subtotal
PowerEdge R740xd2 Server		210-ARCU	-	5	-
PowerEdge R740xd2 MLK Motherboad, V2		329-BFBM	-	5	-
Trusted Platform Module 2.0 V3		461-AAIM	-	5	-
Chassis Config 1, 24x3.5" HDD + 2x3.5" Rear Riser Config 2 or 3	HDD, Single PERC, for	321-BDXV	-	5	-
PowerEdge R740XD2 Shipping		340-COPN	-	5	-
PowerEdge R740xd2 Shipping Material		340-CKUB	-	5	-
PowerEdge R740XD2 CCC and BIS Marking,	No CE Marking	389-DSVD	-	5	-
Intel Xeon Gold 6230 2.1G, 20C/40T, 10.4GT/ HT (125W) DDR4-2933	s, 27.5M Cache, Turbo,	338-BRVN	-	5	-
Intel Xeon Gold 6230 2.1G, 20C/40T, 10.4GT/ HT (125W) DDR4-2933	s, 27.5M Cache, Turbo,	338-BRVN	-	5	-
Additional Processor Selected		379-BDCO	-	5	-
DIMM Blanks for System with 2 Processors		370-ABXX	-	5	-
1 CPU Standard Thermal for 3.5" Chassis		412-AARI	-	5	-
3200MT/s RDIMMs		370-AEVR	-	5	-
Performance Optimized		370-AAIP	-	5	-
Unconfigured RAID		780-BCDS	-	5	-
PERC, H740P, Mini Monolithic, (R740XD2 Onl	y)	405-AAZZ	-	5	-
No Operating System		611-BBBF	-	5	-
No Media Required		605-BBFN	-	5	-
iDRAC9,Enterprise		385-BBKT	-	5	-
OpenManage Enterprise Advanced		528-BIYY	-	5	-
iDRAC Group Manager, Enabled		379-BCQV	-	5	-
iDRAC,Factory Generated Password, No OMC	0R	379-BCRG	-	5	-
Riser Config 2, 2xLP, Dual CPU, R740xd2		330-BBMW	-	5	-
On-Board LOM		542-BBBP	-	5	-
Dual, Hot-plug, Redundant Power Supply (1+1), 1100W	450-ADWM	-	5	-
PowerEdge 2U Standard Bezel		325-BCHU	-	5	-
Performance BIOS Settings		384-BBBL	-	5	-

UEFI BIOS Boot Mode with GPT Partition	800-BBDM	-	5	-
PEC Static Rails	770-BCFZ	-	5	-
No Systems Documentation, No OpenManage DVD Kit	631-AACK	-	5	-
Dell Hardware Limited Warranty Plus On-Site Service	822-8356	-	5	-
ProSupport Plus: Next Business Day On-Site Service After Problem Diagnosis, 5 Years	822-8464	-	5	-
ProSupport Plus: 7x24 HW/SW Technical Support and Assistance, 5 Years	822-8465	-	5	-
Thank you for choosing Dell ProSupport Plus. For tech support, visit //www.dell.com/contactdell	951-2015	-	5	-
Keep Your Hard Drive, 5 Year	980-3634	-	5	-
Basic Deployment Dell Server R Series 1U/2U	804-6747	-	5	-
Asset Tag ProSupport Plus (Website, barcode, Onboard MacAddress)	366-0182	-	5	-
CFI,Information,VAL,CHASSISDEF,Factory Install	377-8262	-	5	-
16GB RDIMM, 3200MT/s, Dual Rank	370-AEVQ	-	20	-
16TB HDD SAS 12Gbps 7.2K 512e 3.5in Hot-Plug	161-BBYE	-	120	-
480GB SSD SATA Read Intensive 6Gbps 512 2.5in Flex Bay AG Drive,3.5in HYB CARR, 1 DWPD	400-AXRT	-	10	-
Low Profile PCIe Blank Bracket	575-BBXC	-	5	-
Broadcom 57414 Dual Port 25GbE SFP28 LOM Mezz Card	540-BCKU	-	5	-
No Power Cord	450-AAGG	-	5	-
DowerEdge P740 Compute pedae Site 1 City Hell		¢0 120 21	- 1	¢0 1 20 21
PowerEdge R740 - Compute nodes Site_1 City Hall Estimated delivery if purchased today: Feb. 14, 2023 Contract # C000000181156 Customer Agreement # MNWNC-108 / 7157034003		\$9,129.31	1	\$9,129.31
Estimated delivery if purchased today: Feb. 14, 2023 Contract # C000000181156	SKU	\$9,129.31 Unit Price		\$9,129.31 Subtotal
Estimated delivery if purchased today: Feb. 14, 2023 Contract # C000000181156 Customer Agreement # MNWNC-108 / 7157034003	SKU 210-AKXJ			
Estimated delivery if purchased today: Feb. 14, 2023 Contract # C000000181156 Customer Agreement # MNWNC-108 / 7157034003 Description			Quantity	
Estimated delivery if purchased today: Feb. 14, 2023 Contract # C000000181156 Customer Agreement # MNWNC-108 / 7157034003 Description PowerEdge R740 Server	210-AKXJ		Quantity	
Estimated delivery if purchased today: Feb. 14, 2023 Contract # C000000181156 Customer Agreement # MNWNC-108 / 7157034003 Description PowerEdge R740 Server PowerEdge R740/R740XD Motherboard	210-AKXJ 329-BEIK		Quantity 1 1	
Estimated delivery if purchased today: Feb. 14, 2023 Contract # C000000181156 Customer Agreement # MNWNC-108 / 7157034003 Description PowerEdge R740 Server PowerEdge R740/R740XD Motherboard Trusted Platform Module 2.0 V3 Chassis with up to 8 x 2.5" SAS/SATA Hard Drives for 2CPU	210-AKXJ 329-BEIK 461-AAIM		Quantity 1 1	
Estimated delivery if purchased today: Feb. 14, 2023 Contract # C000000181156 Customer Agreement # MNWNC-108 / 7157034003 Description PowerEdge R740 Server PowerEdge R740/R740XD Motherboard Trusted Platform Module 2.0 V3 Chassis with up to 8 x 2.5" SAS/SATA Hard Drives for 2CPU Configuration	210-AKXJ 329-BEIK 461-AAIM 321-BCSM		Quantity 1 1	
Estimated delivery if purchased today: Feb. 14, 2023 Contract # C000000181156 Customer Agreement # MNWNC-108 / 7157034003 Description PowerEdge R740 Server PowerEdge R740/R740XD Motherboard Trusted Platform Module 2.0 V3 Chassis with up to 8 x 2.5" SAS/SATA Hard Drives for 2CPU Configuration PowerEdge R740 Shipping	210-AKXJ 329-BEIK 461-AAIM 321-BCSM 340-BLKS		Quantity 1 1	
Estimated delivery if purchased today: Feb. 14, 2023 Contract # C000000181156 Customer Agreement # MNWNC-108 / 7157034003 Description PowerEdge R740 Server PowerEdge R740/R740XD Motherboard Trusted Platform Module 2.0 V3 Chassis with up to 8 x 2.5" SAS/SATA Hard Drives for 2CPU Configuration PowerEdge R740 Shipping PowerEdge R740 Shipping Material	210-AKXJ 329-BEIK 461-AAIM 321-BCSM 340-BLKS 340-CORZ		Quantity 1 1	
Estimated delivery if purchased today: Feb. 14, 2023 Contract # C000000181156 Customer Agreement # MNWNC-108 / 7157034003 Description PowerEdge R740 Server PowerEdge R740/R740XD Motherboard Trusted Platform Module 2.0 V3 Chassis with up to 8 x 2.5" SAS/SATA Hard Drives for 2CPU Configuration PowerEdge R740 Shipping PowerEdge R740 Shipping Material PowerEdge R740 Shipping Material PowerEdge R740 CCC and BIS Marking, No CE Marking Intel Xeon Gold 6230 2.1G, 20C/40T, 10.4GT/s, 27.5M Cache, Turbo,	210-AKXJ 329-BEIK 461-AAIM 321-BCSM 340-BLKS 340-CORZ 389-DSWS		Quantity 1 1	
Estimated delivery if purchased today: Feb. 14, 2023 Contract # C000000181156 Customer Agreement # MNWNC-108 / 7157034003 Description PowerEdge R740 Server PowerEdge R740/R740XD Motherboard Trusted Platform Module 2.0 V3 Chassis with up to 8 x 2.5" SAS/SATA Hard Drives for 2CPU Configuration PowerEdge R740 Shipping PowerEdge R740 Shipping Material PowerEdge R740 Shipping Material PowerEdge R740 CCC and BIS Marking, No CE Marking Intel Xeon Gold 6230 2.1G, 20C/40T, 10.4GT/s, 27.5M Cache, Turbo, HT (125W) DDR4-2933 Intel Xeon Gold 6230 2.1G, 20C/40T, 10.4GT/s, 27.5M Cache, Turbo,	210-AKXJ 329-BEIK 461-AAIM 321-BCSM 340-BLKS 340-CORZ 389-DSWS 338-BRVN		Quantity 1 1	
Estimated delivery if purchased today: Feb. 14, 2023 Contract # C000000181156 Customer Agreement # MNWNC-108 / 7157034003 Description PowerEdge R740 Server PowerEdge R740/R740XD Motherboard Trusted Platform Module 2.0 V3 Chassis with up to 8 x 2.5" SAS/SATA Hard Drives for 2CPU Configuration PowerEdge R740 Shipping PowerEdge R740 Shipping Material PowerEdge R740 Shipping Material PowerEdge R740 CCC and BIS Marking, No CE Marking Intel Xeon Gold 6230 2.1G, 20C/40T, 10.4GT/s, 27.5M Cache, Turbo, HT (125W) DDR4-2933 Intel Xeon Gold 6230 2.1G, 20C/40T, 10.4GT/s, 27.5M Cache, Turbo, HT (125W) DDR4-2933	210-AKXJ 329-BEIK 461-AAIM 321-BCSM 340-BLKS 340-CORZ 389-DSWS 338-BRVN 338-BRVN		Quantity 1 1	
Estimated delivery if purchased today: Feb. 14, 2023 Contract # C000000181156 Customer Agreement # MNWNC-108 / 7157034003 Description PowerEdge R740 Server PowerEdge R740/R740XD Motherboard Trusted Platform Module 2.0 V3 Chassis with up to 8 x 2.5" SAS/SATA Hard Drives for 2CPU Configuration PowerEdge R740 Shipping PowerEdge R740 Shipping Material PowerEdge R740 Shipping Material PowerEdge R740 CCC and BIS Marking, No CE Marking Intel Xeon Gold 6230 2.1G, 20C/40T, 10.4GT/s, 27.5M Cache, Turbo, HT (125W) DDR4-2933 Intel Xeon Gold 6230 2.1G, 20C/40T, 10.4GT/s, 27.5M Cache, Turbo, HT (125W) DDR4-2933 Additional Processor Selected	210-AKXJ 329-BEIK 461-AAIM 321-BCSM 340-BLKS 340-CORZ 389-DSWS 338-BRVN 338-BRVN 338-BRVN 338-BRVN		Quantity 1 1	
Estimated delivery if purchased today: Feb. 14, 2023 Contract # C000000181156 Customer Agreement # MNWNC-108 / 7157034003 Description PowerEdge R740 Server PowerEdge R740/R740XD Motherboard Trusted Platform Module 2.0 V3 Chassis with up to 8 x 2.5" SAS/SATA Hard Drives for 2CPU Configuration PowerEdge R740 Shipping PowerEdge R740 Shipping Material PowerEdge R740 Shipping Material PowerEdge R740 CCC and BIS Marking, No CE Marking Intel Xeon Gold 6230 2.1G, 20C/40T, 10.4GT/s, 27.5M Cache, Turbo, HT (125W) DDR4-2933 Intel Xeon Gold 6230 2.1G, 20C/40T, 10.4GT/s, 27.5M Cache, Turbo, HT (125W) DDR4-2933 Additional Processor Selected Standard 1U Heatsink	210-AKXJ 329-BEIK 461-AAIM 321-BCSM 340-BLKS 340-CORZ 389-DSWS 338-BRVN 338-BRVN 338-BRVN 379-BDCO 412-AAIQ		Quantity 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Estimated delivery if purchased today: Feb. 14, 2023 Contract # C000000181156 Customer Agreement # MNWNC-108 / 7157034003 Description PowerEdge R740 Server PowerEdge R740/R740XD Motherboard Trusted Platform Module 2.0 V3 Chassis with up to 8 x 2.5" SAS/SATA Hard Drives for 2CPU Configuration PowerEdge R740 Shipping PowerEdge R740 Shipping Material PowerEdge R740 Shipping Material PowerEdge R740 CCC and BIS Marking, No CE Marking Intel Xeon Gold 6230 2.1G, 20C/40T, 10.4GT/s, 27.5M Cache, Turbo, HT (125W) DDR4-2933 Intel Xeon Gold 6230 2.1G, 20C/40T, 10.4GT/s, 27.5M Cache, Turbo, HT (125W) DDR4-2933 Additional Processor Selected Standard 1U Heatsink Standard 1U Heatsink	210-AKXJ 329-BEIK 461-AAIM 321-BCSM 340-BLKS 340-CORZ 389-DSWS 338-BRVN 338-BRVN 338-BRVN 379-BDCO 412-AAIQ 412-AAIQ		Quantity 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	

Keep Your Hard Drive, 5 Year980-3634-1-Basic Deployment Dell Server R Series 1U/2U804-6747-1-Asset Tag ProSupport Plus (Website, barcode, Onboard MacAddress)366-0182-1-CFI,Information,VAL,CHASSISDEF,Factory Install377-8262-1-16GB RDIMM, 3200MT/s, Dual Rank370-AEVQ-4-480GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive, 1 DWPD400-AXTV-2-No Media Required421-5736-1-Broadcom 57414 Dual Port 10/25GbE SFP28 Adapter, PCIe Full Height540-BBUJ-1-UsuntitySubtotal	Description	SKU	Unit Price	Quantity	Subtotal
No Operating System 619-ABVR - 1 IDRACG.Enterprise 385-B8KT - 1 OperManager.Enterprise Advanced 528-BNY - 1 IDRAC.Group Manager.Enabled 379-BCQV - 1 IDRAC.Group Manager.Enabled 379-BCQV - 1 IBRear Conftg.2, 2x8, 3 x16 slots 330-BBHE - 1 Braser Conftg.2, 2x8, 3 x16 slots 330-BBHE - 1 Braser Todapter, rNDC, V2 No 429-ABBJ - 1 No Internal Optical Drive 429-ABBJ - 1 - No Internal Optical Drive 429-ABBJ - 1 - No Internal Optical Drive 429-ABBJ - 1 - Power Cord 450-AACG - 1 - Dall Mot-Ulgage Tag 350-BBKS - 1 - Quick Sync 2 (At-the-box mgmt) 350-BBKS - 1 - Del IEMC Lugage Tag 384-BBBL - 1 - Quick Sync 2 (At-the-box mgmt) 350-BBKS - 1 - <td>Customer Kit Site_1 City Hall Estimated delivery if purchased today: Feb. 06, 2023 Contract # C000000181156 Customer Agreement # MNWNC-108 / 7157034003</td> <td></td> <td></td> <td></td> <td>\$67.32</td>	Customer Kit Site_1 City Hall Estimated delivery if purchased today: Feb. 06, 2023 Contract # C000000181156 Customer Agreement # MNWNC-108 / 7157034003				\$67.32
No Operating System 619-ABVR 1 IDRAC9_Enterprise 385-BBKT 1 OpenManage Enterprise Advanced 528-BIYY 1 IDRAC Group Manager, Enabled 379-BCSG 1 IDRAC, Legacy Password 379-BCSG 1 IBRAC, Legacy Password 379-BCSG 1 Breadcom 57416 Dual Port 105bE Base-T + 5720 Dual Port 16bE 540-BDIC 1 Baser TAdapter, MDC, V2 540-BDIC 1 - No Internal Optical Drive 429-ABBJ 1 - Dal, Hot-plug, Redundant Power Supply (1+1), 1100W 450-AD0W 1 - No Power Cord 450-AAGG 1 - PowerEdge 2U LCD Bazel 326-BCHV 1 - Dall Enc Lugage Tag 350-BBJU 1 - Porformance DicS Settings 344-BBBL 1 - ReadyRalls Siding Ralls 70 - - - No Systems Documentation, No OpenManage DVD Kit 631-AACK 1 - - ProSupport Plus: 7x24 HW/SW Technical Support Ald Assistance, 5 813-9164 1 - - P		540-BBUJ	-		- Subtotal
NO Operating System 619-ABVR - 1 IDRAC9_Enterprise 385-BBKT - 1 OpenManage Enterprise Advanced 528-BIYY - 1 IDRAC Group Manager, Enabled 379-BCQV - 1 IDRAC, Legacy Password 379-BCXG - 1 IBRer Config 3, 2 x8, 3 x16 slots 330-BBHE - 1 Breadcom 67/416 Dual Port 100E Base-T + 5720 Dual Port 16BE 540-BDIC - 1 Base-T Adapter, MDC, V2 S40-BDIC - 1 - No Internal Optical Drive 429-ABBJ - 1 - G Performance Fans forR740/740/XD 384-BBPZ - 1 - No Power Cord 450-AAGG - 1 - PowerEdga 2U LCD Bazei 325-BCHV - 1 - Performance BIOS Settings 344-BBBI - 1 - Performance BIOS Settings 344-BBBI - 1 - No Systems Documentation, No OpenManage DVD Kit 631-AACK - 1 - ProSupport Plus: Yoz4 HW/SW Technical Support And Assistance, 5	·		-	-	-
No Operating System 619-ABVR - 1 IDRAC9,Enterprise 385-BBKT - 1 OpenManage Enterprise Advanced 528-BIYY - 1 IDRAC Group Manager, Enabled 379-BCQV - 1 - IDRAC Legacy Password 379-BCSG - 1 - IDRAC To Lugacy Password 379-BCSG - 1 - Riser Config 3, 2 x8, 3 x16 slots 330-BBHE - 1 - Brandom S7416 Dual Port 10GbE Base-T + 5720 Dual Port 1GbE 540-BDIC - 1 - No Internal Optical Drive 429-ABBJ - 1 - - No Internal Optical Drive 429-ABBJ - 1 - - No Power Cord 450-AAGG - 1 - <td></td> <td></td> <td></td> <td></td> <td>-</td>					-
No Operating System 619-ABVR - 1 - IDRAC9_Enterprise 385-BBKT - 1 - OpenManage Enterprise Advanced 528-BIYY - 1 - IDRAC Group Manager, Enabled 379-BCSQ - 1 - IDRAC Indegree 330-BBHE - 1 - Riser Config 3, 2 x8, 3 x16 slots 330-BBHE - 1 - Bradcom 57416 D ual Port 106bE Base-T + 5720 Dual Port 16bE 540-BDIC - 1 - No Internal Optical Drive 429-ABBJ - 1 - - No Internal Optical Drive 429-ABBJ - 1 -	480GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG		-	2	-
No Operating System 619-ABVR - 1 - IDRAC9.Enterprise 385-BBKT - 1 - OpenManage Enterprise Advanced 528-BIYY - 1 - IDRAC Group Manager, Enabled 379-BCQV - 1 - IDRAC, Legacy Password 379-BCSG - 1 - Breadcom 57416 Dual Port 10GbE Base-T + 5720 Dual Port 10GbE 540-BDIC - 1 - Base-T Adapter, NDC, V2 - 1 -	16GB RDIMM, 3200MT/s, Dual Rank	370-AEVQ	-	4	-
No Operating System619-ABVR1IDRAC9.Enterprise385-BBKT11OpenManage Enterprise Advanced528-BIYY11IDRAC Group Manager, Enabled379-BCQV11IDRAC Legacy Password379-BCSG11IDRAC Legacy Password379-BCSG11Breadcom 57416 Dual Port 10GbE Base-T + 5720 Dual Port 10GbE540-BDIC11Broadcom 57416 Dual Port 10GbE Base-T + 5720 Dual Port 10GbE540-BDIC11No Internal Optical Drive429-ABBJ111No Internal Optical Drive384-BBPZ111Dual, Hot-plug, Redundant Power Supply (1+1), 1100W450-AAGG111No Power Cord450-AAGG1111Dell ENC Luggage Tag360-BBKG1111Quick Sync 2 (At-the-box mgmt)350-BBKJU1111Performance BIOS Settings384-BBBL1111ReadyRaits Stiding Raits770-BB8Q1111ProSupport Plus: Next Business Day On-Site Service After Problem Diagnosis, 5 Years813-9119111ProSupport Plus: Next Business Day On-Site Service After Problem Diagnosis, 5 Years813-9164111ProSupport Plus: Next Business Day On-Site Service After Problem Diagnosis, 5 Years813-9164111ProSupport Plus: Next Business Day On-Site Service After Problem Diagnosis, 5 Years813-9164	,	377-8262	-	1	-
NO Operating System 619-ABVR 1 1 IDRAC9_Enterprise 385-BBKT 1 1 OpenManage Enterprise Advanced 528-BIYY 1 1 IDRAC Group Manager, Enabled 379-BCQV 1 1 IDRAC, Legacy Password 379-BCSG 1 1 Riser Config 3, 2 x8, 3 x16 slots 330-BBHE 1 1 Broadcom 57416 Dual Port 106bE Base-T + 5720 Dual Port 16bE 540-BDIC 1 1 Broadcom 57416 Dual Port 106bE Base-T + 5720 Dual Port 16bE 540-BDIC 1 1 Broadcom 57416 Dual Port 106bE Base-T + 5720 Dual Port 16bE 540-BDIC 1 1 1 No Internal Optical Drive 429-ABBJ - 1 - 1 - No Power Cord 450-AAGG - 1 - - 1 - PowerEdge 2U LCD Bezel 326-BEKG - 1 - - 1 - Performance BIOS Settings 384-BBBJ - 1 - - - - - - - - - - - - -		366-0182	-	1	-
No Operating System 619-ABVR 1 - IDRAC9,Enterprise 385-BBKT 1 - OpenManage Enterprise Advanced 528-BIYY - 1 - IDRAC Group Manager, Enabled 379-BCQV - 1 - IDRAC Legacy Password 379-BCSG - 1 - Riser Config 3, 2 x8, 3 x16 slots 330-BBHE - 1 - Broadcom 57416 Dual Port 10GbE Base-T + 5720 Dual Port 1GbE 540-BDIC - 1 - Broadcom 57416 Dual Port 10GbE Base-T + 5720 Dual Port 1GbE 540-BDIC - 1 - No Internal Optical Drive 429-ABBJ - 1 - - No Internal Optical Drive 429-ABBJ - 1 - - Dual, Hot-plug, Redundant Power Supply (1+1), 1100W 450-ADWM - 1 - - No Power Cord 450-ABGG - 1 -	Basic Deployment Dell Server R Series 1U/2U	804-6747	-	1	-
No Operating System 619-ABVR - 1 - IDRAC9,Enterprise 385-BBKT - 1 - OpenManage Enterprise Advanced 528-BIYY - 1 - IDRAC Group Manager, Enabled 379-BCQV - 1 - IDRAC, Legacy Password 379-BCSG - 1 - Broadcon 57416 Dual Port 10GbE Base-T + 5720 Dual Port 1GBE 540-BDIC - 1 - Roadcon 57416 Dual Port 10GbE Base-T + 5720 Dual Port 1GBE 540-BDIC - 1 - No Internal Optical Drive 429-ABBJ - 1 - - No Internal Optical Drive 429-ABBJ - 1 - - No Power Cord 450-AAGG - 1 - - No Power Cord 450-AAGG - 1 - <td>Keep Your Hard Drive, 5 Year</td> <td>980-3634</td> <td>-</td> <td>1</td> <td>-</td>	Keep Your Hard Drive, 5 Year	980-3634	-	1	-
No Operating System619-ABVR1IDRAC9, Enterprise385-BBKT1OpenManage Enterprise Advanced528-BIYY1IDRAC Group Manager, Enabled379-BCQV1IDRAC, Legacy Password379-BCSG1IDRAC, Legacy Password379-BCSG1Riser Config 3, 2 x8, 3 x16 slots330-BBHE1Broadcom 57416 Dual Port 10GbE Base-T + 5720 Dual Port 1GbE540-BDIC1Broadcom 57416 Dual Port 10GbE Base-T + 5720 Dual Port 1GbE540-BDIC1Broadcom 57416 Dual Port 10GbE Base-T + 5720 Dual Port 1GbE540-BDIC1No Internal Optical Drive429-ABBJ-1No Internal Optical Drive429-ABBJ-1Oual, Hot-plug, Redundant Power Supply (1+1), 1100W450-ADWM-1No Power Cord450-AAGG-1-PowerEdge 2U LCD Bezel326-BEKG-1-Quick Sync 2 (At-the-box mgmt)350-BBJU-1-Performance BIOS Settings384-BBBL-1-ReadyRails Sliding Rails70-BBBQ-1-No Systems Documentation, No OpenManage DVD Kit631-AACK-1-ProSupport Plus: Next Business Day On-Site Service813-91631-ProSupport Plus: Tx24 HW/SW Technical Support and Assistance, 5813-9164-1ProSupport Plus: Ty24 HW/SW Technical Support and Assistance, 5813-9164-1	Thank you for choosing Dell ProSupport Plus. For tech support, visit //www.dell.com/contactdell	951-2015	-	1	-
No Operating System619-ABVR1iDRAC9, Enterprise385-BBKT11OpenManage Enterprise Advanced528-BIYY11iDRAC Group Manager, Enabled379-BCQV11iDRAC, Legacy Password379-BCSG11iDRAC, Legacy Password379-BCSG11Broadcom 57416 Dual Port 10GbE Base-T + 5720 Dual Port 1GbE Base-T Adapter, rNDC, V2540-BDIC11No Internal Optical Drive429-ABBJ1116 Performance Fans forR740/740XD384-BBPZ111Dual, Hot-plug, Redundant Power Supply (1+1), 1100W450-ADWM111PowerEdge 2U LCD Bezel325-BCHV111Dell EMC Luggage Tag350-BBJU111Quick Sync 2 (At-the-box mgmt)350-BBJU111Performance BIOS Settings384-BBBL111ReadyRails Sliding Rails770-BBBQ111Poll Hardware Limited Warranty Plus On-Site Service813-911911ProSupport Plus: Next Business Day On-Site Service After Problem813-916311		813-9164	-	1	-
No Operating System619-ABVR1iDRAC9,Enterprise385-BBKT11OpenManage Enterprise Advanced528-BIYY11iDRAC Group Manager, Enabled379-BCQV11iDRAC,Legacy Password379-BCSG11iDRAC,Legacy Password379-BCSG11Riser Config 3, 2 x8, 3 x16 slots330-BBHE11Broadcom 57416 Dual Port 10GbE Base-T + 5720 Dual Port 1GbE Base-T Adapter, rNDC, V2540-BDIC11No Internal Optical Drive429-ABBJ1116 Performance Fans forR740/740XD384-BBPZ111Dual, Hot-plug, Redundant Power Supply (1+1), 1100W450-ADWM111No Power Cord450-AAGG111PowerEdge 2U LCD Bezel325-BCHV111Dell EMC Luggage Tag350-BBJU360-BBJU11Quick Sync 2 (At-the-box mgmt)350-BBJU384-BBBL11Performance BIOS Settings384-BBBL111ReadyRails Sliding Rails770-BBBQ111No Systems Documentation, No OpenManage DVD Kit631-AACK111		813-9163	-	1	-
No Operating System619-ABVR-1IDRAC9,Enterprise385-BBKT-1-OpenManage Enterprise Advanced528-BIYY-1-IDRAC Group Manager, Enabled379-BCQV-1-IDRAC,Legacy Password379-BCSG-1-Riser Config 3, 2 x8, 3 x16 slots330-BBHE-1-Broadcom 57416 Dual Port 10GbE Base-T + 5720 Dual Port 1GbE Base-T Adapter, rNDC, V2540-BDIC-1-No Internal Optical Drive429-ABBJ-16 Performance Fans forR740/740XD384-BBPZ-1No Power Cord450-AAGG-1PowerEdge 2U LCD Bezel325-BCHV-1Dell EMC Luggage Tag350-BBKG-1Quick Sync 2 (At-the-box mgmt)350-BBJU-1Performance BIOS Settings384-BBBL-1RedyRails Sliding Rails770-BBBQ-1RedyRails Sliding Rails770-BBBQ-1	Dell Hardware Limited Warranty Plus On-Site Service	813-9119	-	1	-
No Operating System619-ABVR1IDRAC9,Enterprise385-BBKT11OpenManage Enterprise Advanced528-BIYY11IDRAC Group Manager, Enabled379-BCQV11IDRAC,Legacy Password379-BCSG11Riser Config 3, 2 x8, 3 x16 slots330-BBHE11Broadcom 57416 Dual Port 10GbE Base-T + 5720 Dual Port 1GbE Base-T Adapter, rNDC, V2540-BDIC11No Internal Optical Drive429-ABBJ1116 Performance Fans forR740/740XD384-BBPZ111No Power Cord450-AAGG111No Power Cord325-BCHV111Dual, Hot-plug, Redundant Power Supply (1+1), 1100W450-BDIC11Operating System350-BBKG111PowerEdge 2U LCD Bezel325-BCHV111Dell EMC Luggage Tag350-BBJU111Quick Sync 2 (At-the-box mgmt)350-BBJU384-BBL11Portormance BIOS Settings384-BBL111	No Systems Documentation, No OpenManage DVD Kit	631-AACK	-	1	-
No Operating System619-ABVR-1IDRAC9,Enterprise385-BBKT-1-OpenManage Enterprise Advanced528-BIYY-1-IDRAC Group Manager, Enabled379-BCQV-1-iDRAC,Legacy Password379-BCSG-1-Riser Config 3, 2 x8, 3 x16 slots330-BBHE-1-Broadcom 57416 Dual Port 10GbE Base-T + 5720 Dual Port 1GbE Base-T Adapter, rNDC, V2540-BDIC-1-No Internal Optical Drive429-ABBJ-16 Performance Fans forR740/740XD384-BBPZ-1-No Power Cord450-ADWM-1No Power Cord325-BCHV-1Dell EMC Luggage Tag350-BBKG-1Sove 2 (At-the-box mgmt)360-BBJU-1	ReadyRails Sliding Rails	770-BBBQ	-	1	-
No Operating System619-ABVR-1IDRAC9,Enterprise385-BBKT-1-OpenManage Enterprise Advanced528-BIYY-1-IDRAC Group Manager, Enabled379-BCQV-1-IDRAC,Legacy Password379-BCSG-1-Riser Config 3, 2 x8, 3 x16 slots330-BBHE-1-Broadcom 57416 Dual Port 10GbE Base-T + 5720 Dual Port 1GbE Base-T Adapter, rNDC, V2540-BDIC-1-No Internal Optical Drive429-ABBJ-16 Performance Fans forR740/740XD384-BBPZ-1-No Power Cord450-AAGG-1-PowerEdge 2U LCD Bezel325-BCHV-1-Broadcung Tag350-BBKG-1-	Performance BIOS Settings	384-BBBL	-	1	-
No Operating System619-ABVR-1iDRAC9,Enterprise385-BBKT-1-OpenManage Enterprise Advanced528-BIYY-1-iDRAC Group Manager, Enabled379-BCQV-1-iDRAC,Legacy Password379-BCSG-1-Riser Config 3, 2 x8, 3 x16 slots330-BBHE-1-Broadcom 57416 Dual Port 10GbE Base-T + 5720 Dual Port 1GbE Base-T Adapter, rNDC, V2540-BDIC1-No Internal Optical Drive429-ABBJ-1-6 Performance Fans forR740/740XD384-BBPZ-1-Dual, Hot-plug, Redundant Power Supply (1+1), 1100W450-ADWM-1-No Power Cord450-AAGG-1-PowerEdge 2U LCD Bezel325-BCHV-1-	Quick Sync 2 (At-the-box mgmt)	350-BBJU	-	1	-
No Operating System619-ABVR-1-iDRAC9,Enterprise385-BBKT-1-OpenManage Enterprise Advanced528-BIYY-1-iDRAC Group Manager, Enabled379-BCQV-1-iDRAC,Legacy Password379-BCSG-1-Riser Config 3, 2 x8, 3 x16 slots330-BBHE-1-Broadcom 57416 Dual Port 10GbE Base-T + 5720 Dual Port 1GbE Base-T Adapter, rNDC, V2540-BDIC-1-No Internal Optical Drive429-ABBJ-1-6 Performance Fans forR740/740XD384-BBPZ-1-Dual, Hot-plug, Redundant Power Supply (1+1), 1100W450-ADWM-1-No Power Cord450-AAGG-1-	-	350-BBKG	-	1	-
No Operating System619-ABVR-1-iDRAC9,Enterprise385-BBKT-1-OpenManage Enterprise Advanced528-BIYY-1-iDRAC Group Manager, Enabled379-BCQV-1-iDRAC,Legacy Password379-BCSG-1-Riser Config 3, 2 x8, 3 x16 slots330-BBHE-1-Broadcom 57416 Dual Port 10GbE Base-T + 5720 Dual Port 1GbE Base-T Adapter, rNDC, V2540-BDIC-1-No Internal Optical Drive429-ABBJ-16 Performance Fans forR740/740XD384-BBPZ-1Dual, Hot-plug, Redundant Power Supply (1+1), 1100W450-ADWM-1-			-	1	-
No Operating System619-ABVR1-iDRAC9,Enterprise385-BBKT1-OpenManage Enterprise Advanced528-BIYY-1-iDRAC Group Manager, Enabled379-BCQV-1-iDRAC,Legacy Password379-BCSG-1-Riser Config 3, 2 x8, 3 x16 slots330-BBHE-1-Broadcom 57416 Dual Port 10GbE Base-T + 5720 Dual Port 1GbE Base-T Adapter, rNDC, V2540-BDIC1-No Internal Optical Drive429-ABBJ-1-6 Performance Fans for R740/740XD384-BBPZ-1-			-		-
No Operating System619-ABVR-1-iDRAC9,Enterprise385-BBKT-1-OpenManage Enterprise Advanced528-BIYY-1-iDRAC Group Manager, Enabled379-BCQV-1-iDRAC,Legacy Password379-BCSG-1-Riser Config 3, 2 x8, 3 x16 slots330-BBHE-1-Broadcom 57416 Dual Port 10GbE Base-T + 5720 Dual Port 1GbE Base-T Adapter, rNDC, V2540-BDIC-1-No Internal Optical Drive429-ABBJ-1			-	1	-
No Operating System619-ABVR-1-iDRAC9,Enterprise385-BBKT-1-OpenManage Enterprise Advanced528-BIYY-1-iDRAC Group Manager, Enabled379-BCQV-1-iDRAC,Legacy Password379-BCSG-1-Riser Config 3, 2 x8, 3 x16 slots330-BBHE-1-Broadcom 57416 Dual Port 10GbE Base-T + 5720 Dual Port 1GbE Base-T Adapter, rNDC, V2540-BDIC-1-			-	1	-
No Operating System619-ABVR-1-iDRAC9,Enterprise385-BBKT-1-OpenManage Enterprise Advanced528-BIYY-1-iDRAC Group Manager, Enabled379-BCQV-1-iDRAC,Legacy Password379-BCSG-1-Riser Config 3, 2 x8, 3 x16 slots330-BBHE-1-	•			1	-
No Operating System619-ABVR-1-iDRAC9,Enterprise385-BBKT-1-OpenManage Enterprise Advanced528-BIYY-1-iDRAC Group Manager, Enabled379-BCQV-1-iDRAC,Legacy Password379-BCSG-1-			-		-
No Operating System619-ABVR-1-iDRAC9,Enterprise385-BBKT-1-OpenManage Enterprise Advanced528-BIYY-1-iDRAC Group Manager, Enabled379-BCQV-1-			-		-
No Operating System619-ABVR-1-iDRAC9,Enterprise385-BBKT-1-OpenManage Enterprise Advanced528-BIYY-1-			_		_
No Operating System619-ABVR-1-iDRAC9,Enterprise385-BBKT-1-			_	-	
No Operating System 619-ABVR - 1 -	·		-		-
			-	1	-
			-	1	-

Subtotal:	\$136,434.88
Shipping:	\$0.00
Environmental Fee:	\$0.00
Estimated Tax:	\$10,617.97
Total:	\$147,052.85

Important Notes

Terms of Sale

This Quote will, if Customer issues a purchase order for the quoted items that is accepted by Supplier, constitute a contract between the entity issuing this Quote ("Supplier") and the entity to whom this Quote was issued ("Customer"). Unless otherwise stated herein, pricing is valid for thirty days from the date of this Quote. All product, pricing and other information is based on the latest information available and is subject to change. Supplier reserves the right to cancel this Quote and Customer purchase orders arising from pricing errors. Taxes and/or freight charges listed on this Quote are only estimates. The final amounts shall be stated on the relevant invoice. Additional freight charges will be applied if Customer requests expedited shipping. Please indicate any tax exemption status on your purchase order and send your tax exemption certificate to Tax_Department@dell.com or ARSalesTax@emc.com, as applicable.

Governing Terms: This Quote is subject to: (a) a separate written agreement between Customer or Customer's affiliate and Supplier or a Supplier's affiliate to the extent that it expressly applies to the products and/or services in this Quote or, to the extent there is no such agreement, to the applicable set of Dell's Terms of Sale (available at www.dell.com/terms or www.dell.com/oemterms), or for cloud/as-a-Service offerings, the applicable cloud terms of service (identified on the Offer Specific Terms referenced below); and (b) the terms referenced herein (collectively, the "Governing Terms"). Different Governing Terms may apply to different products and services on this Quote. The Governing Terms apply to the exclusion of all terms and conditions incorporated in or referred to in any documentation submitted by Customer to Supplier.

Supplier Software Licenses and Services Descriptions: Customer's use of any Supplier software is subject to the license terms accompanying the software, or in the absence of accompanying terms, the applicable terms posted on www.Dell.com/eula. Descriptions and terms for Supplier-branded standard services are stated at www.dell.com/servicecontracts/global or for certain infrastructure products at www.dellemc.com/en-us/customer-services/product-warranty-and-service-descriptions.htm.

Offer-Specific, Third Party and Program Specific Terms: Customer's use of third-party software is subject to the license terms that accompany the software. Certain Supplier-branded and third-party products and services listed on this Quote are subject to additional, specific terms stated on www.dell.com/offeringspecificterms ("Offer Specific Terms").

In case of Resale only: Should Customer procure any products or services for resale, whether on standalone basis or as part of a solution, Customer shall include the applicable software license terms, services terms, and/or offer-specific terms in a written agreement with the enduser and provide written evidence of doing so upon receipt of request from Supplier.

In case of Financing only: If Customer intends to enter into a financing arrangement ("Financing Agreement") for the products and/or services on this Quote with Dell Financial Services LLC or other funding source pre-approved by Supplier ("FS"), Customer may issue its purchase order to Supplier or to FS. If issued to FS, Supplier will fulfill and invoice FS upon confirmation that: (a) FS intends to enter into a Financing Agreement with Customer for this order; and (b) FS agrees to procure these items from Supplier. Notwithstanding the Financing Agreement, Customer's use (and Customer's resale of and the end-user's use) of these items in the order is subject to the applicable governing agreement between Customer and Supplier, except that title shall transfer from Supplier to FS instead of to Customer. If FS notifies Supplier after shipment that Customer is no longer pursuing a Financing Agreement for these items, or if Customer fails to enter into such Financing Agreement within 120 days after shipment by Supplier, Customer shall promptly pay the Supplier invoice amounts directly to Supplier.

Customer represents that this transaction does not involve: (a) use of U.S. Government funds; (b) use by or resale to the U.S. Government; or (c) maintenance and support of the product(s) listed in this document within classified spaces. Customer further represents that this transaction does not require Supplier's compliance with any statute, regulation or information technology standard applicable to a U.S. Government procurement.

For certain products shipped to end users in California, a State Environmental Fee will be applied to Customer's invoice. Supplier encourages customers to dispose of electronic equipment properly.

Electronically linked terms and descriptions are available in hard copy upon request.

^DELL BUSINESS CREDIT (DBC): Offered to business customers by WebBank, who determines qualifications for and terms of credit. Taxes, shipping and other charges are extra and vary. The Total Minimum Payment Due is the greater of either \$20 or 3% of the New Balance shown on the statement rounded up to the next dollar, plus all past due amounts. Dell and the Dell logo are trademarks of Dell Inc.