

22892 Mill Creek Drive  
Laguna Hills, CA 92653  
Phone (949)748-8700; Fax (949)748-8706  
[www.sidepath.com](http://www.sidepath.com)

Date: 04/03/24  
Quotation #: SIDQ48303  
Valid Until: 05/03/24  
Prepared By: Elly Arend  
Project ID: SIDPROJECT45224

**Bill To:**

City of Riverside  
Attn: Matt Burrows  
3900 Main Street  
Riverside, CA 92522  
  
Phone: (909) 826-5734  
Email: mburrows@riversideca.gov

**Ship To:**

City of Riverside  
Attn: Matt Burrows  
3900 Main Street  
Riverside, CA 92522  
  
Phone: (909) 826-5734  
Email: mburrows@riversideca.gov

| Qty                                                      | Item Code | Description                                                                                          | Unit Price             | Ext. Price   |
|----------------------------------------------------------|-----------|------------------------------------------------------------------------------------------------------|------------------------|--------------|
| <b>PD Storage Project</b>                                |           |                                                                                                      |                        |              |
| <b>NASPO# 23026   State Addendum #7-23-70-55-01</b>      |           |                                                                                                      |                        |              |
| <b>5 x VP-760 - 183TBu - 3yr VCF - no switches - PS+</b> |           |                                                                                                      | <b>3000174095158.3</b> |              |
| 5                                                        | 210-BHBG  | VxRail VP-760                                                                                        | \$135,142.89           | \$675,714.45 |
|                                                          | 329-BDWH  | PSNT Info                                                                                            |                        |              |
|                                                          | 329-BJSL  | VxRail VP-760 Branding                                                                               |                        |              |
|                                                          | 379-BFFW  | VxRail All Flash                                                                                     |                        |              |
|                                                          | 379-BENB  | vSAN Node                                                                                            |                        |              |
|                                                          | 384-BDSJ  | VxRail VP-760 Firmware Lock                                                                          |                        |              |
|                                                          | 634-CKQD  | VxRail Software 8.0.210 Factory Install                                                              |                        |              |
|                                                          | 379-BDYQ  | No Transformational License Agreement                                                                |                        |              |
|                                                          | 321-BHWD  | 2.5" Chassis with up to 24 SAS/SATA Drives,4 Universal(NVMe Direct),4x2.5" RearSAS/SATA,Front PERC11 |                        |              |
|                                                          | 325-BFGT  | VxRail 2U Bezel                                                                                      |                        |              |
|                                                          | 338-CHSM  | Intel Xeon Gold 6444Y 3.6G, 16C/32T, 16GT/s, 45M Cache, Turbo, HT (270W) DDR5-4800                   |                        |              |
|                                                          | 338-CHSM  | Intel Xeon Gold 6444Y 3.6G, 16C/32T, 16GT/s, 45M Cache, Turbo, HT (270W) DDR5-4800                   |                        |              |
|                                                          | 379-BDCO  | Additional Processor Selected                                                                        |                        |              |
|                                                          | 370-AHCL  | 4800MT/s RDIMMs                                                                                      |                        |              |
|                                                          | 370-BBQL  | (16) 32GB RDIMM, 4800MT/s Dual Rank - HCI                                                            |                        |              |
|                                                          | 345-BJMH  | (9) 7.68TB SSD SAS Read Intensive up to 24Gbps 512e 2.5in Hot-Plug 1DWPD , AG Drive - HCI            |                        |              |
|                                                          | 400-BKGF  | (3) 1.6TB Enterprise NVMe Mixed Use AG Drive U.2 Gen4 with carrier                                   |                        |              |
|                                                          | 540-BCOC  | Broadcom 57414 Dual Port 10/25GbE SFP28, OCP NIC 3.0                                                 |                        |              |
|                                                          | 540-BDKD  | Broadcom 5720 Dual Port 1GbE LOM                                                                     |                        |              |
|                                                          | 540-BDGV  | Broadcom 57414 Dual Port 10/25GbE SFP28 Adapter, PCIe Low Profile, V2                                |                        |              |

If you have any questions regarding this quotation, please contact:  
Michael Back | (310) 200-2261 | michael@sidepath.com

***This document is proprietary and confidential and is intended solely for the recipient.  
No part of this document may be disclosed in any manner to a third party who is not affiliated with the recipient.***

| Qty | Item Code | Description                                                                                                                                   | Unit Price | Ext. Price |
|-----|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------|------------|------------|
|     | 461-AAIG  | Trusted Platform Module 2.0 V3                                                                                                                |            |            |
|     | 770-BDRQ  | Cable Management Arm, 2U                                                                                                                      |            |            |
|     | 770-BEKK  | ReadyRails Sliding Rails                                                                                                                      |            |            |
|     | 450-AJHG  | Dual, Hot-Plug,Power Supply Redundant (1+1), 1400W, Mixed Mode                                                                                |            |            |
|     | 492-BBDI  | (2) C13 to C14, PDU Style, 12 AMP, 6.5 Feet (2m) Power Cord, North America                                                                    |            |            |
|     | 750-ACOM  | Fan Foam, HDD 2U                                                                                                                              |            |            |
|     | 407-BCGJ  | (8) SFP28 SR Optic, 25GbE, 85C, for all SFP28 ports                                                                                           |            |            |
|     | 149-BBSB  | (2) VxRail VMware, vSAN Enterprise, 3 Years                                                                                                   |            |            |
|     | 634-CDHV  | (2) VxRail HCI System Software, E, 16G                                                                                                        |            |            |
|     | 634-BWZS  | (9) VxRail HCI System Software, Capacity Drive, 7.68TB                                                                                        |            |            |
|     | 634-CDJC  | (16) VxRail HCI System Software Memory, 32GB, 16G                                                                                             |            |            |
|     | 634-BWTY  | SaaS active mgmt for VxRail HCI System SW 3 Yr                                                                                                |            |            |
|     | 151-BBXO  | (2) VxRail VMware vSphere Enterprise Plus for 1 processor, 3 Years                                                                            |            |            |
|     | 863-1704  | (2) 3 Years ProSupport Plus Mission Critical vSphere Ent Plus for 1 Proc Sftwr Spt-Maint                                                      |            |            |
|     | 863-1759  | 3 Years ProSupport Plus Mission Critical vSphere Ent Plus for 1 Proc Sftwr Spt-Contract                                                       |            |            |
|     | 151-BBSF  | (2) VMware Cloud Foundation, Enterprise, w/o vSphere/VSAN, 3 Years Maintenance                                                                |            |            |
|     | 384-BCTQ  | (2) VCF on VxRail                                                                                                                             |            |            |
|     | 825-2971  | (2) ProSupport Plus Mission Critical VCF Enterprise without vSphere/vSAN 1 Processor Sftwr Spt/Maint 3 Years                                  |            |            |
|     | 825-2921  | ProSupport Plus Mission Critical VCF Enterprise without vSphere/vSAN Contract 3 Years                                                         |            |            |
|     | 379-BDSR  | No GPU Enablement                                                                                                                             |            |            |
|     | 896-2379  | Dell Hardware Limited Warranty                                                                                                                |            |            |
|     | 896-2410  | Prosupport Plus Mission Critical 4-Hour 7x24 Onsite Service with Emergency Dispatch 3 Years                                                   |            |            |
|     | 896-2429  | Prosupport Plus Mission Critical 7x24 Technical Support and Assistance 3 Years                                                                |            |            |
|     | 951-2015  | Thank you for choosing Dell ProSupport Plus. For tech support, visit <a href="http://www.dell.com/contactdell">//www.dell.com/contactdell</a> |            |            |
|     | 379-BEWY  | Informational Purposes Only                                                                                                                   |            |            |
|     | 839-4940  | (2) 3 Years ProSupport Plus Mission Critical vSAN Enterprise 1 Proc VCFonVxRail Sftwr Spt Maint                                               |            |            |
|     | 892-4688  | ProDeploy Plus VCF on VxRail-Per Node                                                                                                         |            |            |
|     | 343-BBSU  | PE R760 No CCC or CE Marking                                                                                                                  |            |            |
|     | 340-DLFR  | VP-760 Shipping                                                                                                                               |            |            |
|     | 340-DJQY  | PowerEdge R760 Shipping Material                                                                                                              |            |            |
|     | 379-BDTF  | 2.5 Chassis                                                                                                                                   |            |            |

If you have any questions regarding this quotation, please contact:

Michael Back | (310) 200-2261 | michael@sidepath.com

***This document is proprietary and confidential and is intended solely for the recipient.  
No part of this document may be disclosed in any manner to a third party who is not affiliated with the recipient.***

| Qty | Item Code | Description                                                                                   | Unit Price | Ext. Price |
|-----|-----------|-----------------------------------------------------------------------------------------------|------------|------------|
| 20  | 330-BCJR  | VxRail, VP-760, Riser Config 6, 2x8 FH Slots (Gen5), 2x16 LP Slots (Gen4)                     | \$71.39    | \$1,427.80 |
|     | 329-BHJS  | Motherboard supports ALL CPUs (required for CPUs 250W and above)                              |            |            |
|     | 412-ABCP  | Heatsink for 2 CPU configuration (CPU greater than 165W)                                      |            |            |
|     | 370-AAIP  | Performance Optimized                                                                         |            |            |
|     | 780-BCQR  | C43, No RAID                                                                                  |            |            |
|     | 405-AAXY  | Dell HBA355i Controller Front                                                                 |            |            |
|     | 750-ADUB  | Front PERC Mechanical Parts, for 2.5" x24 SAS/SATA Chassis                                    |            |            |
|     | 403-BCRZ  | BOSS-N1 controller card + with 2 M.2 960GB (RAID 1)                                           |            |            |
|     | 470-AFME  | BOSS Cables and Bracket for R760 (4x2.5" Rear)                                                |            |            |
|     | 528-CTIC  | iDRAC9, Enterprise 16G                                                                        |            |            |
|     | 379-BCQY  | iDRAC Group Manager, Disabled                                                                 |            |            |
|     | 379-BCSG  | iDRAC, Legacy Password                                                                        |            |            |
|     | 379-BCRB  | DHCP with Zero Touch Configuration                                                            |            |            |
|     | 750-ADRE  | High Performance Fan x6                                                                       |            |            |
|     | 350-BBYX  | No Quick Sync                                                                                 |            |            |
|     | 631-AACK  | No Systems Documentation, No OpenManage DVD Kit                                               |            |            |
|     | 387-BBEY  | No Energy Star                                                                                |            |            |
|     | 800-BBDM  | UEFI BIOS Boot Mode with GPT Partition                                                        |            |            |
|     | 800-BBZH  | Enable UEFI Secure Boot                                                                       |            |            |
|     | 350-BCRK  | VP-760 Luggage Tag                                                                            |            |            |
|     | 379-BDTE  | No Rear Storage                                                                               |            |            |
|     | 210-ARZC  | Recover Point for Virtual Machine                                                             |            |            |
|     | 865-3492  | 3 Years ProSupport Plus Mission Critical RecoverPoint for Virtual Machines Sftwr Spt-Contract |            |            |
|     | 900-9997  | On-Site Installation Declined                                                                 |            |            |
|     | 626-BBBG  | Storage Software Info                                                                         |            |            |
|     | 142-BBNV  | HCIA RecoverPoint for VMs for 1 node                                                          |            |            |
|     | 470-ACMO  | Dell Networking Cable, OM4 LC/LC Fiber Cable, (Optics required), 3 Meter, Customer kit        |            |            |

Payment Terms from Ship Date: Net 30

Pricing does not include Sales Tax or Shipping/Handling unless specifically stated in quote.

CA Shipments: CA Electronic Waste Recycling (eWaste) Fee will apply to monitors, laptops or tablets.

|                      |                     |
|----------------------|---------------------|
| <b>Product Total</b> | <b>\$677,142.25</b> |
| <b>Taxes</b>         | <b>\$20,466.67</b>  |
| <b>Grand Total</b>   | <b>\$697,608.92</b> |

Unless you have a separate written agreement that specifically applies to this order, your order will be subject to and governed by Sidepath's Purchasing Terms and Conditions, which are located at: [www.sidepath.com/terms](http://www.sidepath.com/terms). The Purchasing Terms and Conditions are incorporated herein by reference and available in hard copy upon your request.

Note: Sidepath will collect sales tax for orders shipped to these six states: AZ, CA, MA, NV, TX and WA. For orders shipped outside of these six states, it will be the customer's responsibility to report the tax as Sales & Use Tax.

Please contact me if I can be of further assistance.

### THANK YOU FOR YOUR BUSINESS!

If you have any questions regarding this quotation, please contact:

Michael Back | (310) 200-2261 | michael@sidepath.com

***This document is proprietary and confidential and is intended solely for the recipient.  
No part of this document may be disclosed in any manner to a third party who is not affiliated with the recipient.***